



DAFTAR PUSTAKA

- Abdo, A.A.E., Mohammed, A., Khalil, M., Metwaly, D., Elmonem, A., Gad, B.T. 2021. The Valuable Role of the Cluster of Differentiation 64 Index Compared with some Laboratory Parameters in the Early Diagnosis of Neonatal Sepsis. *Int. J. Pediatr. Neonatal Care*, 7(1):176.
- Adonis Muganza, N., Olivier, M., André Kabamba, M., Charles Wembonyama, M., Oscar Numbi, L., Stanis Okitotsho, W. 2021. Predictors of mortality in neonatal sepsis in a resource-limited setting. *J. Adv. Pediatr. Child Heal.*, 4(1):057–061.
- Chen, X., Yin, Y., Zhang, J. 2011. Sepsis and immune response. *World J. Emerg. Med.*, 2(2):117.
- Cid, J., García-Pardo, G., Aguinaco, R., Sánchez, R., Llorente, A. 2011. Neutrophil CD64: diagnostic accuracy and prognostic value in patients presenting to the emergency department. *Eur. J. Clin. Microbiol. Infect. Dis.*, 30(7):845–852.
- Dai, J., Jiang, W., Min, Z., Yang, J., Tan, Y., Ma, T., Ge, Z. 2017. Neutrophil CD64 as a diagnostic marker for neonatal sepsis: Meta-analysis. *Adv. Clin. Exp. Med.*, 26(2):327–332.
- Danikas, D.D., Karakantza, M., Theodorou, G.L., Sakellaropoulos, G.C., Gogos, C.A. 2008. Prognostic value of phagocytic activity of neutrophils and monocytes in sepsis. Correlation to CD64 and CD14 antigen expression. *Clin. Exp. Immunol.*, 154(1):87–97.
- Djordjevic, D., Pejovic, J., Surbatovic, M., Jevdjic, J., Radakovic, S., Veljovic, M., Peric, A., Andjelic, T., Popovic, N. 2015. Prognostic Value and Daily Trend of Interleukin-6, Neutrophil CD64 Expression, C-Reactive Protein and Lipopolysaccharide-Binding Protein in Critically Ill Patients: Reliable Predictors of Outcome or Not? *J. Med. Biochem.*, 34(4):431–439.
- El-Madbouly, A.A., El Sehemawy, A.A., Eldesoky, N.A., Abd Elgalil, H.M., Ahmed, A.M. 2019. Utility of presepsin, soluble triggering receptor expressed on myeloid cells-1, and neutrophil CD64 for early detection of neonatal sepsis. *Infect. Drug Resist.*, 12(1):311–319.
- Ershad, M., Mostafa, A., Dela Cruz, M., Vearrier, D. 2019. Neonatal Sepsis. *Curr. Emerg. Hosp. Med. Rep.*, 7(3):83–90.
- Fang, D.H., Fan, C.H., Li, J., An, Q., Yao, H., Ji, Q., Niu, G. 2015. Ratios of CD64 expressed on neutrophils, monocytes, and lymphocytes may be a novel method for diagnosis of neonatal sepsis. *J. Infect. Dev. Ctries.*, 9(2):175–181.
- Glaser, M.A., Hughes, L.M., Jnah, A., Newberry, D. 2021. Neonatal Sepsis. *Adv. Neonatal Care*, 21(1):49–60.
- Groselj-Grenc, M., Ihan, A., Derganc, M. 2008. Neutrophil and Monocyte CD64 and CD163 Expression in Critically Ill Neonates and Children with Sepsis: Comparison of Fluorescence Intensities and Calculated Indexes. *Mediators Inflamm.*, 2008(1):1–10.
- Hakim, F., Yuniati, T., Susanah, S. 2019. Hubungan antara Nilai C-Reactive Protein, Immature To Total Neutrophil Ratio, dan Red Cell Distribution Width dengan Kejadian Sepsis Neonatorum Bayi Prematur. *Sari Pediatr.*, 21(4):218–225.



- Harum, N.A., Utomo, M.T., -, A., Gunawan, P.I. 2021. the Correlation Between Apgar Score and Gestational Age With Neonatal Sepsis and Associated Mortality. *J. Widya Med.*, 7(2):141–156. Available at: <http://journal.wima.ac.id/index.php/JWM/article/view/3388>.
- Hoffmann, J.J.M.L. 2011. Neutrophil CD64 as a sepsis biomarker. *Biochem. Medica*, 21(3):282–290.
- Hotchkiss, R.S., Monneret, G., Payen, D. 2013. Sepsis-induced immunosuppression: from cellular dysfunctions to immunotherapy. *Nat. Rev. Immunol.*, 13(12):862–874.
- Kan, B., Razzaghian, H.R., Lavoie, P.M. 2016. An Immunological Perspective on Neonatal Sepsis. *Trends Mol. Med.*, 22(4):290–302.
- Kardana, I.M. 2011. Incidence and factors associated with mortality of neonatal sepsis. *Paediatr. Indones.*, 51(3):144.
- Kliegman, R.M., Geme, J.W.S., Blum, N.J., Shah, S.S., Tasker, R.C., Wilson, K.M., Behrman, R.E. 2020. Epidemiology of Infections. In: *Nelson Textb. Pediatr. 21 Ed.* 21st edn. Philadelphia: Elsevier, 4249–4278.
- Leal, Y.A., Álvarez-Nemegyei, J., Velázquez, J.R., Rosado-Quiab, U., Diego-Rodríguez, N., Paz-Baeza, E., Dávila-Velázquez, J. 2012. Risk factors and prognosis for neonatal sepsis in southeastern Mexico: analysis of a four-year historic cohort follow-up. *BMC Pregnancy Childbirth*, 12(48):1–9.
- Livaditi, O., Kotanidou, A., Psarra, A., Dimopoulou, I., Sotiropoulou, C., Augustatou, K., Papasteriades, C., Armaganidis, A., Roussos, C., Orfanos, S.E., Douzinas, E.E. 2006. Neutrophil CD64 expression and serum IL-8: Sensitive early markers of severity and outcome in sepsis. *Cytokine*, 36(5–6):283–290.
- Lynema, S., Marmer, D., Hall, E., Meinzen-Derr, J., Kingma, P. 2014. Neutrophil CD64 as a Diagnostic Marker of Sepsis: Impact on Neonatal Care. *Am. J. Perinatol.*, 32(04):331–336.
- Martua, Y.S. 2021. Analisis Faktor – Faktor yang Berhubungan Dengan Kejadian Sepsis Neonatorum di RSUD Taluk Kuantan. *J. Ilm. Kesehat.*, 13(1):55–63.
- Minar, P., Jackson, K., Tsai, Y.T., Sucharew, H., Rosen, M.J., Denson, L.A. 2018. Validation of Neutrophil CD64 Blood Biomarkers to Detect Mucosal Inflammation in Pediatric Crohn’s Disease. *Inflamm. Bowel Dis.*, 24(1):198–208.
- Msanga, D.R., Parpia, F., Konje, E.T., Hokororo, A., Mshana, S.E. 2021. High Mortality among Premature Neonates with Positive Blood Culture Neonatal Sepsis in a Tertiary Hospital, Tanzania: A Call for Action. *Children*, 8(11):1037.
- Nierhaus, A., Klatte, S., Linssen, J., Eismann, N.M., Wichmann, D., Hedke, J., Braune, S.A., Kluge, S. 2013. Revisiting the white blood cell count: Immature granulocytes count as a diagnostic marker to discriminate between SIRS and sepsis - a prospective, observational study. *BMC Immunol.*, 14(1):1–8.
- Novita, C., Hernaningsih, Y., Wardhani, P., Veterini, A.S. 2019. The Correlation between leucocyte CD64, Immature Granulocyte and Presepsin with Procalcitonin in Bacterial Sepsis Patient. *Bali Med. J.*, 8(2):419–424.
- Odabasi, I.O., Bulbul, A. 2020. Neonatal Sepsis. *Dep. Neonatol. Sariyer Hamidiye*



- Etfal Train. Res. Hosp. Istanbul, Turkey*, 54(2):142–158.
- Patnaik, R., Azim, A., Agarwal, V. 2020. Neutrophil cd64 a diagnostic and prognostic marker of sepsis in adult critically ill patients: A brief review. *Indian J. Crit. Care Med.*, 24(12):1242–1250.
- Pawar, A., Raut, A., Kalrao, V., Jacob, J., Godha, I., Thomas, R. 2016. Etiology and Clinical Outcomes of Neonatal and Pediatric Sepsis. *Arch. Pediatr. Infect. Dis.*, 4(2):2–6.
- Pradhan, R., Jain, P., Paria, A., Saha, A., Sahoo, J., Sen, A., Mukherjee, S., Som, T., Hazra, A., Warner, N., Singh, A.K., Chatterjee, M. 2016. Ratio of neutrophilic CD64 and monocytic HLA-DR: A novel parameter in diagnosis and prognostication of neonatal sepsis. *Cytom. Part B - Clin. Cytom.*, 90(3):295–302.
- R. Neill Carey, PhD, F., Durham, A.P., Walter W. Hauck, PhD Anders Kallner, MD, PhD Marina V. Kondratovich, P., Jonathan Guy Middle, PhD James F. Pierson-Perry Merle B. Smith, MBA, MS, M., Aparna Srinivasan, P. 2014. *User verification of precision and estimation of bias. Clin. Lab. Stand. Inst. UW I-TECH Deborah Confer. Available at: https://cls.org/media/1431/ep15a3_sample.pdf*.
- Ree, I.M.C., Fustolo-Gunnink, S.F., Bekker, V., Fijnvandraat, K.J., Steggerda, S.J., Lopriore, E. 2017. Thrombocytopenia in neonatal sepsis: Incidence, severity and risk factors. *PLoS One*, 12(10):1–10.
- Robert J. McEnroe, P., Durham, A.P., Goldford, M.D., Marina V. Kondratovich, P., Samir Lababidi, P., Robert Magari, P., Jonathan Guy Middle, P., Pierson-Perry, J.F., Jeffrey E. Vaks, P. 2014. Evaluation of Precision of Quantitative Measurement Procedures; Approved Guideline. *In: Clin. Lab. Stand. Inst. Third*, 37–54.
- Roeslani, R.D., Amir, I., Nasrulloh, M.H., Suryani. 2013. Faktor Resiko pada Sepsis Neonatorum Awitan Dini. *Sari Pediatr.*, 14(6):363–368.
- Romli, M.I., Yuniati, T., Hilmanto, D. 2021. Presepsin level as risk factor for mortality in premature infants with neonatal sepsis. *Paediatr. Indones.*, 61(3):165–70.
- Rusmawatingtyas, D., Rahmawati, A., Makrufardi, F., Mardhiah, N., Murni, I.K., Uiterwaal, C.S.P.M., Savitri, A.I., Kumara, I.F., Nurnaningsih. 2021. Factors associated with mortality of pediatric sepsis patients at the pediatric intensive care unit in a low-resource setting. *BMC Pediatr.*, 21(1):1–10.
- Sack, U. 2017. CD64 expression by neutrophil granulocytes. *Cytom. Part B - Clin. Cytom.*, 92(3):189–191.
- Salendu, P.M. 2013. Sepsis Neonatorum Dan Pneumonia Pada Bayi Aterm. *J. Biomedik*, 4(3):175–179.
- Sarode, R., Ingole, N., Jasani, B., Nataraj, G., Nanavati, R., Mehta, P. 2017. Role of CD64 in the diagnosis of neonatal sepsis. *Int. J. Contemp. Med. Res.*, 4(9):1959–1963.
- Sayed, M.A., Kamal, A.M., Abdelhakim, M.A., Hassan, R.R. 2019. Prognostic Value of Neutrophil CD64 in Low Birth Weight Neonates with Sepsis. *Ann. Neonatol. J.*, 1(1):13–25.
- Sheikh AM, Javed T, Afzal MF, Sheikh CA. 2010. Course and Complications of



- Early Onset Neonatal Sepsis : A Descriptive Study. *Annals*, 16(4):307–310.
- Simonsen, K.A., Anderson-Berry, A.L., Delair, S.F., Dele Davies, H. 2014. Early-onset neonatal sepsis. *Clin. Microbiol. Rev.*, 27(1):21–47.
- Suwarna, N.O., Yuniati, T., Cahyadi, A.I., Achmad, T.H., Agustian, D. 2022. Faktor Risiko Kejadian Sepsis Neonatorum Awitan Dini di Rumah Sakit Umum Pusat Dr. Hasan Sadikin Bandung. *Sari Pediatr.*, 24(2):99.
- Utomo, M.T. 2010. Neonatal Sepsis in Low Birth Weight Infants in Dr. Soetomo General Hospital. *Indones. J. Trop. Infect. Dis.*, 1(2):86.
- Vizcarra-Jiménez, D., Copaja-Corzo, C., Hueda-Zavaleta, M., Parihuana-Travezaño, E.G., Gutierrez-Flores, M., Rivarola-Hidalgo, M., Benites-Zapata, V.A. 2022. Predictors of Death in Patients with Neonatal Sepsis in a Peruvian Hospital. *Trop. Med. Infect. Dis.*, 7(11):342.
- Weiss, S.L., Peters, M.J., Alhazzani, W., Agus, M.S.D., Flori, H.R., Inwald, D.P., Nadel, S., Schlapbach, L.J., Tasker, R.C., Argent, A.C., Brierley, J., Carcillo, J., Carrol, E.D., Carroll, C.L., Cheifetz, I.M., Choong, K., Cies, J.J., Cruz, A.T., De Luca, D., et al. 2020. Surviving sepsis campaign international guidelines for the management of septic shock and sepsis-associated organ dysfunction in children. *Intensive Care Med.*, 46(1):10–67.
- Wibowo, T., Haksari, E.L., Wandita, S., Anggraini, A., Safrida, E.N. 2019. *Panduan Praktik Klinis Sepsis Neonatorum*.
- Wynn, J.L., Wong, H.R. 2010. Pathophysiology and Treatment of Septic Shock in Neonates. *Clin. Perinatol.*, 37(2):439–479.
- Wynn, J.L., Wong, H.R. 2017. Pathophysiology of Neonatal Sepsis. *In: Fetal Neonatal Physiol*. Elsevier, 1536-1552.e10.
- Yetti, H., Herlina, H., Mayetti, M., Abdiana, A., Ihsan, I. 2019. CD64 Index as a Predictor of Outcome for Children with Systemic Inflammatory Response Syndrome (SIRS). *In: Proc. Proc. 1st EAI Int. Conf. Med. Heal. Res. ICoMHER Novemb. 13-14th 2018, Padang, West Sumatera, Indones.* EAI, 1–8.
- Zhuang, Y., Peng, H., Chen, Yuanzhuo, Zhou, S., Chen, Yanqing. 2017. Dynamic monitoring of monocyte HLA-DR expression for the diagnosis , prognosis , and prediction of sepsis 3 . Sepsis and the Immune Response : Reduced Expression of HLA-DR. *Front. Biosci.*, 1(301):1344–1354.
- Zonneveld, R., Molema, G., Plötz, F.B. 2016. Analyzing neutrophil morphology, mechanics, and motility in sepsis: Options and challenges for novel bedside technologies. *Crit. Care Med.*, 44(1):218–228.