

DAFTAR PUSTAKA

- Abe, T., Black, P.M., Ojemann, R.G., & Hedley-White, E.T. (1994). Cerebral Edema in Intracranial Meningiomas: Evidence for Local and Diffuse Patterns and Factors Associated with Its Occurrence.
- Alruwaili, A.A., & De Jesus, O. (2022). Meningioma, in: *StatPearls*. pp. 1–23, StatPearls Publishing LLC.
- Barton, B., & Peat, J. (2005). Medical Statistics A Guide to SPSS, Data Analysis And Critical Appraisal, 2nd ed. West Sussex : BMJ Publishing Group Limited.
- Berhouma, M., Jacquesson, T., Jouanneau, E., & Cotton, F. (2019). Pathogenesis of peri-tumoral edema in intracranial meningiomas. *Neurosurg. Rev.* 42 : 59–71.
- Blitshteyn, S., Crook, J.E., & Jaeckle, K.A. (2008). Is there an association between meningioma and hormone replacement therapy? *J. Clin. Oncol.* 26 : 279–282.
- Buerki, R.A., Horbinski, C.M., Kruser, T., Horowitz, P.M., James, C.D., & Lukas, R. V. (2018). An overview of meningiomas. *Futur. Oncol.* 14 : 2161–2177.
- Dahlan, S. (2014a). Statistik Untuk Kedokteran dan Kesehatan Menghitung Besar Sampel, 6th ed. Jakarta : Epidemiologi Indonesia.
- Dahlan, S. (2014b). Statistik Untuk Kedokteran dan Kesehatan Deskriptif, Bivariat dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS, 6th ed. Jakarta : Epidemiologi Indonesia.
- Damayanti, A.A., Kalanjati, V., & Wahyuhadi, J. (2021). Korelasi Usia dan Jenis Kelamin dengan Angka Kejadian Meningioma. *Aksana* 1 : 34–38.
- Dos, J., Silva, S., Pinheiro, C.E., Brigido, L., Wilson, C.D., Mcveigh, L., *et al.* (2022). Volumetric measurement of intracranial meningiomas: a comparison between linear, planimetric, and machine learning with multiparametric voxel-based morphometry methods. *Res. Sq.* 1–17.
- Fiani, B., Jarrah, R., Bhandarkar, A.R., De Stefano, F., Amare, A., Aljameey, U.A., *et al.* (2022). Peritumoral edema in meningiomas: pathophysiology, predictors, and principles for treatment. *Clin. Transl. Oncol.* 1–8.
- Fрати, A., Armocida, D., Arcidiacono, U.A., Pesce, A., D’Andrea, G., Cofano, F., *et al.* (2022). Peritumoral Brain Edema in Relation to Tumor Size Is a Variable That Influences the Risk of Recurrence in Intracranial Meningiomas. *Tomography* 8 : 1987–1996.
- Gawlitza, M., Fiedler, E., Schob, S., Hoffmann, K.T., & Surov, A. (2017). Peritumoral Brain Edema in Meningiomas Depends on Aquaporin-4 Expression and Not on Tumor Grade, Tumor Volume, Cell Count, or Ki-67 Labeling Index. *Mol. Imaging Biol.* 19 : 298–304.
- Gilbert, J.J., Paulseth, E.J., Coates, R.K., & Malott, D. (1983). Cerebral Edema Associated with Meningiomas. *Neurosurgery* 12 : 599–605.
- Gill, C.M., Loewenstern, J., Rutland, J.W., Arib, H., Pain, M., Umphlett, M., *et al.* (2021). Peritumoral edema correlates with mutational burden in meningiomas. *Neuroradiology* 63 : 73–80.

- Goldbrunner, R., Stavrinou, P., Jenkinson, M.D., Sahm, F., Mawrin, C., Weber, D.C., *et al.* (2021). EANO guideline on the diagnosis and management of meningiomas. *Neuro. Oncol.* 23 : 1821–1834.
- Gurkanlar, D., Er, U., Sanli, M., Özkan, M., & Sekerci, Z. (2005). Peritumoral brain edema in intracranial meningiomas. *J. Clin. Neurosci.* 12 : 750–753.
- Hage, S.C. El, Kawtharani, M.J., Nabha, S.M., & Saad, M.H. (2021). Epidemiology and Distribution of Primary Brain Tumour Subtypes in Lebanon: A Multicenter Eleven-Year Study. *J. Neuro-Oncology Neurosci.* 6 : 1–9.
- Ho, M.-L., Rojas, R., & Eisenberg, R.L. (2012). Cerebral Edema. *Am. J. Roentgenol.* 199 : 258–273.
- Hosainey, S.A.M., Bouget, D., Reinertsen, I., Sagberg, L.M., Torp, S.H., Jakola, A.S., *et al.* (2022). Are there predilection sites for intracranial meningioma? A population-based atlas. *Neurosurg. Rev.* 45 : 1543–1552.
- Hou, J., Kshetry, V.R., Selman, W.R., & Bambakidis, N.C. (2013). Peritumoral brain edema in intracranial meningiomas: The emergence of vascular endothelial growth factor-directed therapy. *Neurosurg. Focus* 35 : 1–10.
- Huang, R.Y., Bi, W.L., Griffith, B., Kaufmann, T.J., La Fougère, C., Schmidt, N.O., *et al.* (2019). Imaging and diagnostic advances for intracranial meningiomas. *Neuro. Oncol.* 21 : I44–I61.
- Ishi, Y., Terasaka, S., Yamaguchi, S., Yoshida, M., Endo, S., Kobayashi, H., *et al.* (2016). Reliability of the Size Evaluation Method for Meningiomas: Maximum Diameter, ABC/2 Formula, and Planimetry Method. *World Neurosurg.* 94 : 80–88.
- Kamenova, M., Guzman, R., & Soleman, J. (2019). Demographics and outcome of histologically confirmed intracranial meningiomas. *Clin. Transl. Neurosci.* 3 : 1–6.
- Kelley, L.L., & Petersen, C.M. (2018). Sectional Anatomy For Imaging Professionals, 4TH ed. St. Louis, Missouri : ELSEVIER.
- Kida, S., Yamashima, T., Kubota, T., Ito, H., & Yamamoto, S. (1988). A light and electron microscopic and immunohistochemical study of human arachnoid villi. *J. Neurosurg.* 69 : 429–435.
- Kim, B.W., Kim, M.S., Kim, S.W., Chang, C.H., & Kim, O.L. (2011). Peritumoral brain edema in meningiomas: Correlation of radiologic and pathologic features. *J. Korean Neurosurg. Soc.* 49 : 26–30.
- Krishnan, V., Mittal, M.K., Sinha, M., & Thukral, B.B. (2019). Imaging spectrum of meningiomas: A review of uncommon imaging appearances and their histopathological and prognostic significance. *Polish J. Radiol.* 84 : 630–653.
- Kunimatsu, A., Kunimatsu, N., Kamiya, K., Katsura, M., Mori, H., & Ohtomo, K. (2016). Variants of meningiomas: a review of imaging findings and clinical features. *Jpn. J. Radiol.* 34 : 459–469.
- Lee, K.J., Joo, W. Il, Rha, H.K., Park, H.K., Chough, J.K., Hong, Y.K., *et al.* (2008). Peritumoral brain edema in meningiomas: correlations between magnetic resonance imaging, angiography, and pathology. *Surg. Neurol.* 69 : 350–355.

- Lindberg, K., Kouti, A., Ziegelitz, D., Hallén, T., Skoglund, T., & Farahmand, D. (2018). Three-Dimensional Volumetric Segmentation of Pituitary Tumors: Assessment of Inter-rater Agreement and Comparison with Conventional Geometric Equations. *J. Neurol. Surgery, Part B Skull Base* 79 : 475–481.
- Liyanage, U.A., Mathangasinghe, Y., Wijerathne, P.K., Vithoosan, S., & Pallewatte, A. (2020). Location and Diameter of Intracranial Meningioma as Predictors of Peritumoral Brain Oedema and Mass Effect. *J. Med. Imaging Radiat. Sci.* 51 : 411–416.
- Michael, H., & Harry, V.L. (2011). 3 Anatomy and Biology of the Leptomeninges, in: DeMonte, F., McDermott, M.W., & Al-Mefty, O. (Eds.), *Al-Mefty's Meningiomas*. Stuttgart : Georg Thieme Verlag.
- Mohindra, N., & Neyaz, Z. (2015). Magnetic resonance sequences: Practical neurological applications. *Neurol. India* 63 : 241–249.
- Naidich, T.P. (Ed.) (2013). *Imaging of the Brain: Expert Radiology Series*. Philadelphia : ELSEVIER.
- Nakano, T., Asano, K., Miura, H., Itoh, S., & Suzuki, S. (2002). Meningiomas with brain edema. *Clin. Imaging* 26 : 243–249.
- Nakasu, S., Nakasu, Y., Nakajima, M., Matsuda, M., & Handa, J. (1999). Preoperative identification of meningiomas that are highly likely to recur. *J. Neurosurg.* 90 : 455–462.
- Ogasawara, C., Philbrick, B.D., & Adamson, D.C. (2021). Meningioma: A review of epidemiology, pathology, diagnosis, treatment, and future directions. *Biomedicines* 9 : 1–23.
- Osawa, T., Tosaka, M., Nagaishi, M., & Yoshimoto, Y. (2013). Factors affecting peritumoral brain edema in meningioma: Special histological subtypes with prominently extensive edema. *J. Neurooncol.* 111 : 49–57.
- Osborn, A.G., Hedlund, G.L., & Salzman, K.L. (2018). *Osborn Brain Imaging Pathology And Anatomy*, 2ND ed. Philadelphia : ELSEIVER.
- Ostrom, Q.T., Cioffi, G., Gittleman, H., Patil, N., Waite, K., Kruchko, C., *et al.* (2019). CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2012-2016. *Neuro. Oncol.* 21 : V1–V100.
- Palaniandy, K., Haspani, M.S., & Zain, N.R.M (2017). Prediction of Histological Grade and Completeness of Resection of Intracranial Meningiomas: Role of Peritumoural Brain Edema. *Malaysian J. Med. Sci.* 24 : 33–43.
- Patel, N., & Kirmi, O. (2009). Anatomy and Imaging of the Normal Meninges. *Semin. Ultrasound, CT MRI* 30 : 559–564.
- Perry, A. (2018). Meningiomas, in: *Practical Surgical Neuropathology: A Diagnostic Approach*. pp. 259–298, Elsevier.
- Poulen, G., Vignes, J.-R., Le Corre, M., Loiseau, H., & Bauchet, L. (2020). WHO grade II meningioma: Epidemiology, survival and contribution of postoperative radiotherapy in a multicenter cohort of 88 patients. *Neurochirurgie* 66 : 73–79.
- Przybylowski, C.J., Hendricks, B.K., Frisoli, F.A., Zhao, X., Cavallo, C., Borba

- Moreira, L., *et al.* (2020). Prognostic value of the Simpson grading scale in modern meningioma surgery: Barrow Neurological Institute experience. *J. Neurosurg.* 135 : 515–523.
- Puri, L., Supriatna, Y., & Supriyadi, B. (2021a). Korelasi Antara Nilai Apparent Diffusion Coefficient (ADC) Edema Otak Peritumoral Meningioma Pada MRI Dengan Derajat Agresivitas Histopatologi. Universitas Gadjah Mada.
- Puri, L., Supriatna, Y., & Supriyadi, B. (2021b). Korelasi Antara Edema Otak Peritumoral Meningioma Pada MRI Dengan Derajat Histopatologi. Universitas Gadjah Mada.
- Saat, R. (2015). An En plaque Meningioma of the Temporal Bone, Complicating with a Cholesteatoma, Chronic Otitis Media and an Intracranial Abscess. *Ann. Otolaryngol. Rhinol.* 2 : 1050.
- Saloner, D., Uzelac, A., Hetts, S., Martin, A., & Dillon, W. (2010). Modern meningioma imaging techniques. *J. Neurooncol.* 99 : 333–340.
- Sapkota, M.R., Yang, Z., Zhu, D., Zhang, Y., Yuan, T., Gao, J., *et al.* (2020). Evaluation of Epidemiologic Factors, Radiographic Features, and Pathologic Findings for Predicting Peritumoral Brain Edema in Meningiomas. *J. Magn. Reson. Imaging* 52 : 174–182.
- Shin, C., Kim, J.M., Cheong, J.H., Ryu, J. Il, Won, Y.D., Ko, Y., *et al.* (2021). Association between tumor size and peritumoral brain edema in patients with convexity and parasagittal meningiomas. *PLoS One* 16 : 1–12.
- Simis, A., Pires de Aguiar, P.H., Leite, C.C., Santana, P.A., Rosemberg, S., & Teixeira, M.J. (2008). Peritumoral brain edema in benign meningiomas: correlation with clinical, radiologic, and surgical factors and possible role on recurrence. *Surg. Neurol.* 70 : 471–477.
- Singh, I. (2018). Inderbir Singh's Textbook of Human Neuroanatomy, 10th ed. New Delhi : Jp Medical Ltd.
- Sunantara, I.G.N.M.C.V., Sriwidayani, N.P., & Herman, S. (2021). Gambaran Klinikopatologi Pasien Meningioma Dari Tahun 2014-2018 di RSUP Sanglah Denpasar. *J. Med. Udayana* 10 : 77–82.
- Tamiya, T., Ono, Y., Matsumoto, K., & Ohmoto, T. (2001). Peritumoral Brain Edema in Intracranial Meningiomas: Effects of Radiological and Histological Factors. *Neurosurgery* 49 : 1046–1052.
- Wahyuhadi, J., Pratama, M.F.R., Wathoni, R.T.Z., & Basuki, H. (2021). The Indonesian Central Nervous System Tumors Registry (Ina-CTR) : 7 years result from single institution of primary brain tumor epidemiology. *Indones. J. Neurosurg.* 4 : 25–35.
- Wang, A.S., Jamshidi, A.O., Oh, N., Sahyouni, R., Nowroozizadeh, B., Kim, R., *et al.* (2018). Somatic SMARCB1 mutation in sporadic multiple meningiomas: Case report. *Front. Neurol.* 9 : 1–6.
- Watts, J., Box, G., Galvin, A., Brothie, P., Trost, N., & Sutherland, T. (2014). Magnetic resonance imaging of meningiomas: A pictorial review. *Insights Imaging* 5 : 113–122.

Xiao, D., Liu, J., Hu, T., Shah Nayaz, B.M., Jiang, X., Zhang, F., *et al.* (2021).
Simple Ways to Estimate Meningioma Volume: Can ABC- And SH-Derived
Methods Be Used in Clinical Practice Reliably? *J. Oncol.* 2021 : 1–11.