



DAFTAR PUSTAKA

- Adeniyi, P.O., Obatolu, V.A. & Farinde, E.O. (2016). Comparative evaluation of cholesterol content and storage quality of chicken and quail eggs. *World J Nutr Health*, 4(1), pp.5-9.
- Adiwinata, R., Kristanto, A., Christiany, F., Richard, T. & Edbert, D. (2015). Tatalaksana terkini perlemakan hati non alkoholik. *Jurnal Penyakit Dalam Indonesia*, 2(1), pp.53-9.
- Adnan, M.L., Pramaningtyas, M.D., Islamiana, D. & Sudarto, H.A. (2022). Hyperlipidemia diet reduces superoxide dismutase inhibition rate in the brain organ of *Rattus norvegicus*. *Mutia Medika: Jurnal Kedokteran dan Kesehatan*, 22(1), pp.14-9.
- Albasher, G., Almeer, R., Al-Otibi, F.O., Al-Kubaisi, N. & Mahmoud, A.M. (2019). Ameliorative effect of *Beta vulgaris* root extract on chlorpyrifos-induced oxidative stress, inflammation and liver injury in rats. *Biomolecules*, 9(7), pp.1-16.
- Al-Harbi, L.N., Alshammari, G.M., Al-Dossari, A.M., Subash-Babu, P., Binobead, M.A., Alhussain, M.H., AlSedairy, S.A., Al-Nouri, D.M. & Shamlan, G. (2021). *Beta vulgaris L.*(beetroot) methanolic extract prevents hepatic steatosis and liver damage in T2DM rats by hypoglycemic, insulin-sensitizing, antioxidant effects, and upregulation of PPAR α . *Biology*, 10(12), pp.1-16.
- Ali, A., Amalia, L. & Suptijah, P. (2015). Pemberian kitosan dan pengaruhnya terhadap berat badan dan kadar trigliserida darah tikus Sprague-Dawley yang diberi pakan asam lemak trans. *Jurnal Gizi dan Pangan*, 10(1).
- Alkhouri, N., Dixon, L.J. & Feldstein, A.E. (2009). Lipotoxicity in nonalcoholic fatty liver disease: not all lipids are created equal. *Expert review of gastroenterology & hepatology*, 3(4), pp.445-51.
- Almatsier, S. (2004). *Prinsip Dasar Ilmu Gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- Almatsier, S. (2010). *Penuntun Diet Edisi Baru*. Jakarta: PT. Gramedia Pustaka Utama.
- Aman A., Soewondo P. & Soelistijo S. (2019). *Pedoman pengelolaan dislipidemia di Indonesia 2019*. Jakarta: PB PERKENI.
- Andarwulan, N., & Faradilla, R. H. F. (2012). *Pewarna Alami untuk Pangan*. Bogor: SEAFAST Center.
- Andini, Y.W., Cahyasarl, I.A. & Primaharinastiti, R. (2020). Standardization bark of *Cinnamomum burmannii* Nees Ex Bl. from five areas of Indonesia. *Pharmacognosy Journal*, 12(3), pp.578-88.
- Anstee, Q.M. & Goldin, R.D. (2006). Mouse models in non-alcoholic fatty liver disease and steatohepatitis research. *International journal of experimental pathology*, 87(1), pp.1-16.
- Arifin, W.N. and Zahiruddin, W.M., 2017. Sample size calculation in animal studies using resource equation approach. *The Malaysian journal of medical sciences: MJMS*, 24(5), p.101.
- Arisha, S.M., Saker, S.A., El-Haseeb, A. & Fatma, R. (2020). Cinnamon reduces dyslipidemia and liver steatosis induced by high fat diet in albino rats: histological, ultrastructural, and biochemical studies. *Egyptian Journal of Zoology*, 73(73), pp.67-83.



- Ariyanti, R. & Besral, B. (2019). Dyslipidemia associated with hypertension increases the risks for coronary heart disease: a case-control study in Harapan Kita Hospital, National Cardiovascular Center, Jakarta. *Journal of lipids*, 2019.
- Arroyave-Ospina, J.C., Wu, Z., Geng, Y. & Moshage, H. (2021). Role of oxidative stress in the pathogenesis of non-alcoholic fatty liver disease: Implications for prevention and therapy. *Antioxidants*, 10(2), p.174.
- Ashgar, M.S., Qureshi, N. A., Jabeen, F., Wajid, M., Farooq, Z., Javed, S., Ahmad, R. & Khan, M. S. (2017). A review: of cinnamon as antioxidant in the amelioration of oxidative stress related disorders, 10(2), pp.89-99.
- Ataie, Z., Mehrani, H., Ghasemi, A. & Farrokhfall, K. (2019). Cinnamaldehyde has beneficial effects against oxidative stress and nitric oxide metabolites in the brain of aged rats fed with long-term, high-fat diet. *Journal of Functional Foods*, 52, pp.545-51.
- Ayala, A., Muñoz, M.F. & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014.
- Babarykin, D., Smirnova, G., Pundinsh, I., Vasiljeva, S., Krumina, G. & Agejchenko, V. (2019). Red beet (*Beta vulgaris*) impact on human health. *Journal of biosciences and medicines*, 7(3), pp.61-79.
- Baek, K.W., Gim, J.A. & Park, J.J. (2020). Regular moderate aerobic exercise improves high-fat diet-induced nonalcoholic fatty liver disease via monoacylglycerol O-acyltransferase 1 pathway suppression. *Journal of Sport and Health Science*, 9(5), pp.472-78.
- Banjarnahor, S.D. & Artanti, N. (2014). Antioxidant properties of flavonoids. *Medical Journal of Indonesia*, 23(4), pp.239-44.
- Bastías-Pérez, M., Serra, D. & Herrero, L. (2020). Dietary options for rodents in the study of obesity. *Nutrients*, 12(11), pp.3234-52.
- Becker, J.B., Prendergast, B.J. & Liang, J.W. (2016). Female rats are not more variable than male rats: a meta-analysis of neuroscience studies. *Biology of sex differences*, 7(1), pp.1-7.
- Borkowski, T., Szymusiak, H., Gliszczynska-Świgło, A., Rietjens, I.M. & Tyrakowska, B. (2005). Radical scavenging capacity of wine anthocyanins is strongly pH-dependent. *Journal of agricultural and food chemistry*, 53(14), pp.5526-34.
- Botros, M. & Sikaris, K.A. (2013). The de ritis ratio: the test of time. *The Clinical Biochemist Reviews*, 34(3), pp.117-30.
- Bouayed, J. & Bohn, T. (2010). Exogenous antioxidants—double-edged swords in cellular redox state: health beneficial effects at physiologic doses versus deleterious effects at high doses. *Oxidative medicine and cellular longevity*, 3(4), pp.228-37.
- Carreres, L., Jílková, Z.M., Vial, G., Marche, P.N., Decaens, T. & Lerat, H. (2021). Modeling diet-induced NAFLD and NASH in rats: a comprehensive review. *Biomedicines*, 9(4), p.378.
- Ceclu, L. & Nistor, O.V. (2020). Red beetroot: composition and health effects—a review. *J. Nutr. Med. Diet Care*, 6(1), pp.1-9.
- Chen, Y., Feng, R., Yang, X., Dai, J., Huang, M., Ji, X., Li, Y., Okekunle, A.P., Gao, G., Onwuka, J.U. & Pang, X. (2019). Yogurt improves insulin resistance and liver fat in obese women with nonalcoholic fatty liver disease and metabolic syndrome: a randomized controlled trial. *The American journal of clinical nutrition*, 109(6), pp.1611-9.



- Chen, L., Zhu, Y., Hu, Z., Wu, S. & Jin, C. (2021). Beetroot as a functional food with huge health benefits: antioxidant, antitumor, physical function, and chronic metabolomics activity. *Food Science & Nutrition*, 9(11), pp.6406-20.
- Chen, Z., Tian, R., She, Z., Cai, J. & Li, H. (2020a). Role of oxidative stress in the pathogenesis of nonalcoholic fatty liver disease. *Free Radical Biology and Medicine*, 152, pp.116-41.
- Chen, J., Deng, X., Liu, Y., Tan, Q., Huang, G., Che, Q., Guo, J. & Su, Z. (2020b). Kupffer cells in non-alcoholic fatty liver disease: friend or foe?. *International journal of biological sciences*, 16(13), pp.2367-78.
- Clifford, T., Howatson, G., West, D.J. & Stevenson, E.J. (2015). The potential benefits of red beetroot supplementation in health and disease. *Nutrients*, 7(4), pp.2801-22.
- Curfs J.H.A.J., Chwalibog A., Savenije BS., Ritskes-Hoitinga M. (2011) 'Nutrient requirements, experimental design, and feeding schedules in animal experimentation'. In: Hau, J., Schapiro, S.J. (ed.) *Handbook of laboratory animal science*, Florida:CRC Press, pp.307-42.
- De LeBlanc, A. D. M., Dogi, C.A., Galdeano, C.M., Carmuega, E., Weill, R. & Perdigón, G. (2008). Effect of the administration of a fermented milk containing *Lactobacillus casei* DN-114001 on intestinal microbiota and gut associated immune cells of nursing mice and after weaning until immune maturity. *BMC immunology*, 9(1), pp.1-12.
- Delwatta, S.L., Gunatilake, M., Baumans, V., Seneviratne, M.D., Dissanayaka, M.L., Batagoda, S.S., Udagedara, A.H. & Walpola, P.B. (2018). Reference values for selected hematological, biochemical and physiological parameters of Sprague-Dawley rats at the animal house, Faculty of Medicine, University of Colombo, Sri Lanka. *Animal models and experimental medicine*, 1(4), pp.250-4
- Dowarah, R., Verma, A.K., Agarwal, N., Singh, P. & Singh, B.R. (2018). Selection and characterization of probiotic lactic acid bacteria and its impact on growth, nutrient digestibility, health and antioxidant status in weaned piglets. *PloS one*, 13(3), p.e0192978.
- Dwijayanti, I., Wasita, B. & Nurwati, I. (2022). Red Rice Bran Extract Intervention Ability to Improve Lipid Profile and Malondialdehyde Levels in Type 2 Diabetes Mellitus Model Rats. *Amerta Nutrition*, 6(4), pp.404-13.
- Eidi, A., Mortazavi, P., Bazargan, M. & Zaringhalam, J. (2012). Hepatoprotective activity of cinnamon ethanolic extract against CCI4-induced liver injury in rats. *Excli Journal*, 11, p.495-507.
- El-Abbadi, N.H., Dao, M.C. & Meydani, S.N. (2014). Yogurt: role in healthy and active aging. *The American journal of clinical nutrition*, 99(5), pp.1263S-70S.
- Eng, J.M. & Estall, J.L. (2021). Diet-induced models of non-alcoholic fatty liver disease: food for thought on sugar, fat, and cholesterol. *Cells*, 10(7), pp.1805-20.
- Esatbeyoglu, T., Wagner, A.E., Motafakkerazad, R., Nakajima, Y., Matsugo, S. & Rimbach, G. (2014). Free radical scavenging and antioxidant activity of betanin: Electron spin resonance spectroscopy studies and studies in cultured cells. *Food and Chemical Toxicology*, 73, pp.119-26.
- Estadella, D., da Penha Oller do Nascimento, C., Oyama, L.M., Ribeiro, E.B., Damaso, A.R. & de Piano, A. (2013). Lipotoxicity: effects of dietary saturated and transfatty acids. *Mediators of inflammation*, 2013.



- Faitarone, A.B.G., Garcia, E.A., Roça, R.D.O., Ricardo, H.D.A., De Andrade, E.N., Pelícia, K. & Vercese, F. (2013). Cholesterol levels and nutritional composition of commercial layers eggs fed diets with different vegetable oils. *Brazilian Journal of Poultry Science*, 15, pp.31-7.
- Feng, T. & Wang, J. (2020). Oxidative stress tolerance and antioxidant capacity of lactic acid bacteria as probiotic: a systematic review. *Gut Microbes*, 12(1), p.1801944.
- Ferramosca, A., Di Giacomo, M. & Zara, V. (2017). Antioxidant dietary approach in treatment of fatty liver: New insights and updates. *World journal of gastroenterology*, 23(23), pp.4146-4157.
- Finnell, J.E., Muniz, B.L., Padi, A.R., Lombard, C.M., Moffitt, C.M., Wood, C.S., Wilson, L.B., Reagan, L.P., Wilson, M.A. & Wood, S.K. (2018). Essential role of ovarian hormones in susceptibility to the consequences of witnessing social defeat in female rats. *Biological psychiatry*, 84(5), pp.372-82.
- Flores-Mancha, M.A., Ruíz-Gutiérrez, M.G., Rentería-Monterrubio, A.L., Sánchez-Vega, R., Juárez-Moya, J., Santellano-Estrada, E. & Chávez-Martínez, A. (2021). Stirred yogurt added with beetroot extracts as an antioxidant source: Rheological, sensory, and physicochemical characteristics. *Journal of Food Processing and Preservation*, 45(7), p.e15628.
- Fu, Y., Shi, J., Xie, S.Y., Zhang, T.Y., Soladoye, O.P. & Aluko, R.E. (2020). Red beetroot betalains: Perspectives on extraction, processing, and potential health benefits. *Journal of Agricultural and Food Chemistry*, 68(42), pp.11595-611.
- Gad, S. C. (2017) *Animal Models in Toxicology*, Second Edition. Boca Raton: CRC Press.
- Gambino, R., Bugianesi, E., Rosso, C., Mezzabotta, L., Pinach, S., Alemano, N., Saba, F. & Cassader, M. (2016). Different serum free fatty acid profiles in NAFLD subjects and healthy controls after oral fat load. *International journal of molecular sciences*, 17(4), pp.479-93.
- Ghasemi, A., Jeddi, S. & Kashfi, K. (2021). The laboratory rat: Age and body weight matter. *EXCLI journal*, 20, pp.1431-45.
- Gengatharan, A., Dykes, G.A. & Choo, W.S. (2015). Betalains: natural plant pigments with potential application in functional foods. *LWT-Food Science and Technology*, 64(2), pp.645-9.
- Gropper, S.S. & Smith, J.L. (2012). *Advanced nutrition and human metabolism*. Wardsworth: Cengage Learning.
- Hamid, A.A., Aiyelaagbe, O.O., Usman, L.A., Ameen, O.M. & Lawal, A. (2010). Antioxidants: Its medicinal and pharmacological applications. *African Journal of pure and applied chemistry*, 4(8), pp.142-51.
- Haque, M.R., Ahmad, M.A., Ashraf, K., Akhter, M.H., Jameel, M., Ali, A., Akhtar, W., Dhaka, M. & Rana, K. (2021). Arq ajwain protects nonalcoholic fatty liver disease on high-fat diet-induced obese rat. *Trends in Phytochemical Research*, 5(4), pp.209-21.
- Haque, M.R. & Ansari, S.H. (2019). Aromatic aldehyde compound cuminaldehyde protects nonalcoholic fatty liver disease in rats feeding high fat diet. *Human & experimental toxicology*, 38(7), pp.823-32.
- Hasbullah, I., Wulandari, Z. & Suci, D.M. (2020). Suplemen jus daun Afrika (*Vernonia amygdalina*) dalam air minum terhadap komposisi kimia dan kadar Malondialdehid telur puyuh (*Coturnix coturnix japonica*). *Jurnal Ilmu Nutrisi dan Teknologi Pakan*, 18(2), pp.43-8.



- Higuchi, T., Mizuno, A., Narita, K., Ichimaru, T. & Murata, T. (2012). Leptin resistance does not induce hyperphagia in the rat. *The journal of physiological sciences*, 62(1), pp.45-51.
- Hill, J.O., Wyatt, H.R. & Peters, J.C. (2012). Energy balance and obesity. *Circulation*, 126(1), pp.126-32.
- Hliwa, A., Ramos-Molina, B., Laski, D., Mika, A. & Sledzinski, T. (2021). The role of fatty acids in non-alcoholic fatty liver disease progression: an update. *International Journal of Molecular Sciences*, 22(13), pp.6900-12.
- Hong, T., Chen, Y., Li, X. & Lu, Y. (2021). The role and mechanism of oxidative stress and nuclear receptors in the development of NAFLD. *Oxidative medicine and cellular longevity*, 2021, pp.1-25.
- Idris, H. & Mayura, E. (2019) *Teknologi budidaya dan pasca panen kayu manis (Cinnamomum burmannii)*. Bogor: Balai Penelitian Tanaman Rempah dan Obat.
- Im, Y.R., Hunter, H., de Gracia Hahn, D., Duret, A., Cheah, Q., Dong, J., Fairey, M., Hjalmarsson, C., Li, A., Lim, H.K. & McKeown, L. (2021). A systematic review of animal models of NAFLD finds high-fat, high-fructose diets most closely resemble human NAFLD. *Hepatology*, 74(4), pp.1884-1901.
- Integrated Taxonomic Information System. (2011a). *Beta vulgaris L* [Internet]. Tersedia dalam: <https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=20681#null> (Diakses 31 Agustus 2022).
- Integrated Taxonomic Information System. (2011b). *Cinnamomum burmannii (Nees & T. Nees) blume* [Internet]. Tersedia dalam: <https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=501525#> (Diakses 31 Agustus 2022).
- Jadoon, S. & Malik, A. (2017). A review article on the formation, mechanism and biochemistry of MDA and MDA as a biomarker of oxidative stress. *Int. J. Adv. Res*, 5(12), pp.811-8.
- Juanola, O., Martínez-López, S., Francés, R. & Gómez-Hurtado, I. (2021). Non-alcoholic fatty liver disease: metabolic, genetic, epigenetic and environmental risk factors. *International journal of environmental research and public health*, 18(10), pp.5227-50.
- Kementerian Kesehatan Republik Indonesia. (2018). *Tabel Komposisi Pangan Indonesia*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia. (2019). *Laporan Nasional Riskesdas 2018*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Khasanah, L.U., Utami, R., Kawiji, K. & Manuhara, G.J. (2021). Characterization of cinnamon bark (*Cinnamomum burmannii*) hydrosol in variations opening valve of pilot plan-scale steam distillation. *Jurnal Teknologi Hasil Pertanian*, 14(1), pp.20-30.
- Kim, B.H., Jung, S.H. & Jung, S. (2020). Beet root (*Beta vulgaris*) protects lipopolysaccharide and alcohol-induced liver damage in rat. *Toxicological Research*, 36(3), pp.275-82.
- Kim, N.Y., Trinh, N.T., Ahn, S.G. & Kim, S.A. (2020). Cinnamaldehyde protects against oxidative stress and inhibits the TNF- α -induced inflammatory response in human umbilical vein endothelial cells. *International Journal of Molecular Medicine*, 46(1), pp.449-57.



- Komang, M.S.W.N., Putu, T.N.L. & Nengah, A.I. (2014). Studi pengaruh lamanya pemaparan medan magnet terhadap jumlah sel darah putih (leukosit) pada tikus putih (*Rattus norvegicus*). *Buletin Fisika*, 15(1), pp.31-8.
- Kusumawati, D. 2016. Bersahabat dengan hewan coba. *Gadjah Mada University press, Yogyakarta*.
- Kwo, P.Y., Cohen, S.M. & Lim, J.K. (2017). ACG clinical guideline: evaluation of abnormal liver chemistries. *Official journal of the American College of Gastroenterology/ACG*, 112(1), pp.18-35.
- Lasker, S., Rahman, M.M., Parvez, F., Zamila, M., Miah, P., Nahar, K., Kabir, F., Sharmin, S.B., Subhan, N., Ahsan, G.U. & Alam, M.A. (2019). High-fat diet-induced metabolic syndrome and oxidative stress in obese rats are ameliorated by yogurt supplementation. *Scientific reports*, 9(1), pp.1-15.
- Laurence, D. R. & Bacharach, A.L. (1964) *Evaluation of drug activities: pharmacometrics*. London: Academic Press Inc. Ltd.
- Lieber, C.S., Leo, M.A., Mak, K.M., Xu, Y., Cao, Q., Ren, C., Ponomarenko, A. & DeCarli, L.M. (2004). Model of nonalcoholic steatohepatitis. *The American journal of clinical nutrition*, 79(3), pp.502-9.
- Lingga, I.S. (2014). Uji efek ekstrak etanol patikan kebo (*Euphorbia hirta Linn.*) sebagai diuretik pada tikus putih jantan galur wistar (*Rattus norvegicus* sp.). *PHARMACON*, 3(3).
- Liu, Z., Dou, W., Ni, Z., Wen, Q., Zhang, R., Qin, M., Wang, X., Tang, H., Cao, Y., Wang, J. & Zhao, S. (2016). Deletion of Nrf2 leads to hepatic insulin resistance via the activation of NF- κ B in mice fed a high-fat diet. *Molecular medicine reports*, 14(2), pp.1323-1331.
- Lobo, V., Patil, A., Phatak, A. & Chandra, N. (2010). Free radicals, antioxidants and functional foods: impact on human health. *Pharmacognosy reviews*, 4(8), pp.118-26.
- Longo, M., Zatterale, F., Naderi, J., Parrillo, L., Formisano, P., Raciti, G.A., Beguinot, F. & Miele, C. (2019). Adipose tissue dysfunction as determinant of obesity-associated metabolic complications. *International journal of molecular sciences*, 20(9), p.2358.
- Maciejewska, D., Łukomska, A., Dec, K., Skonieczna-Żydecka, K., Gutowska, I., Skórka-Majewicz, M., Styburski, D., Misiakiewicz-Has, K., Pilutin, A., Palma, J. & Sieletycka, K. (2019). Diet-induced rat model of gradual development of non-alcoholic fatty liver disease (NAFLD) with lipopolysaccharides (LPS) secretion. *Diagnostics*, 9(4), p.205.
- Maharjan, B.R., McLennan, S.V., Yee, C., Twigg, S.M. & Williams, P.F. (2021). The effect of a sustained high-fat diet on the metabolism of white and brown adipose tissue and its impact on insulin resistance: a selected time point cross-sectional study. *International Journal of Molecular Sciences*, 22(24), p.13639.
- Mahdi, C., Untari, H. & Padaga, P. (2017). Fermented goat milk supplementation in rats hypercholesterolic on malonyldialdehyde and description of liver histopathology. *Indonesian Journal of Cancer Chemoprevention*, 8(1), pp.1-8.
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., Faria, A. & Calhau, C. (2016). High-fat diet-induced obesity Rat model: a comparison between Wistar and Sprague-Dawley Rat. *Adipocyte*, 5(1), pp.11-21.
- Maryani, P.E., Ulfa, E.U. & Rachmawati, E. (2016). Pengaruh ekstrak metanol daun kayu kuning (*Arcangelisia flava* (L.) Merr.) terhadap kadar kolesterol total dan trigliserida tikus hiperlipidemia. *Pustaka Kesehatan*, 4(1), pp.20-6.



- Masarone, M., Troisi, J., Aglitti, A., Torre, P., Colucci, A., Dallio, M., Federico, A., Balsano, C. & Persico, M. (2021). Untargeted metabolomics as a diagnostic tool in NAFLD: Discrimination of steatosis, steatohepatitis and cirrhosis. *Metabolomics*, 17(2), pp.1-13.
- Maurice, J. & Manousou, P. (2018). Non-alcoholic fatty liver disease. *Clinical medicine*, 18(3), pp.245-50.
- Ménard, O., Famelart, M.H., Deglaire, A., Le Gouar, Y., Guérin, S., Malbert, C.H. & Dupont, D. (2018). Gastric emptying and dynamic in vitro digestion of drinkable yogurts: Effect of viscosity and composition. *Nutrients*, 10(9), p.1308.
- Mendez-Sanchez, N., Cruz-Ramon, V.C., Ramirez-Perez, O.L., Hwang, J.P., Barranco-Fragoso, B. & Cordova-Gallardo, J. (2018). New aspects of lipotoxicity in nonalcoholic steatohepatitis. *International Journal of Molecular Sciences*, 19(7), p.2034.
- Modlinska, K. & Pisula, W. (2020). The natural history of model organisms: the Norway rat, from an obnoxious pest to a laboratory pet. *Elife*, 9, p.e50651.
- Moselhy, S.S. & Ali, H.K. (2009). Hepatoprotective effect of cinnamon extracts against carbon tetrachloride induced oxidative stress and liver injury in rats. *Biological research*, 42(1), pp.93-8.
- Nabavi, S.F., Di Lorenzo, A., Izadi, M., Sobarzo-Sánchez, E., Daglia, M. & Nabavi, S.M. (2015). Antibacterial effects of cinnamon: from farm to food, cosmetic and pharmaceutical industries. *Nutrients*, 7(9), pp.7729-48.
- Nabavi, S., Rafraf, M., Somi, M.H., Homayouni-Rad, A. & Asghari-Jafarabadi, M. (2014). Effects of probiotic yogurt consumption on metabolic factors in individuals with nonalcoholic fatty liver disease. *Journal of dairy science*, 97(12), pp.7386-93.
- Nanizawa, E., Tamaki, Y., Sono, R., Miyashita, R., Hayashi, Y., Kanbe, A., Ito, H. & Ishikawa, T. (2020). Short-term high-fat diet intake leads to exacerbation of concanavalin A-induced liver injury through the induction of procoagulation state. *Biochemistry and biophysics reports*, 22, p.100736.
- Nugroho, S.W., Fauziyah, K.R., Sajuthi, D. & Darusman, H.S. (2018). Profil tekanan darah normal tikus putih (*Rattus norvegicus*) galur Wistar dan Sprague-Dawley. *Acta VETERINARIA Indonesiana*, 6(2), pp.32-7.
- Octavia, Z.F., Djamiyatun, K. & Suci, N. (2017). Pengaruh pemberian yogurt sinbiotik tepung pisang tanduk terhadap profil lipid tikus sindrom metabolik. *Jurnal Gizi Klinik Indonesia*, 13(4), pp.159-69.
- Odoh, U.E., Ezugwu, C.O. & Okoro, E.C. (2013). Quantitative phytochemical, proximate/nutritive composition analysis of *Beta vulgaris* Linnaeus (Chenopodiceae). *International Journal of Current Research*, 5(12), pp.3723-8.
- Oh, J. & Kim, H.S. (2021). Anti-obese effect of cinnamon extracts dietary supplementation on serum lipids and body weight gain in high-fat-diet induced obese mice model. *Current Developments in Nutrition*, 5(Supplement_2), p.1236.
- Pădureț, S. (2021). The effect of fat content and fatty acids composition on color and textural properties of butter. *Molecules*, 26(15), p.4565.
- Pamplona, R. (2008). Membrane phospholipids, lipoxidative damage and molecular integrity: a causal role in aging and longevity. *Biochimica et Biophysica Acta (BBA)-Bioenergetics*, 1777(10), pp.1249-62.



- Panghal, A., Virkar, K., Kumar, V., Dhull, S.B., Gat, Y. & Chhikara, N. (2017). Development of probiotic beetroot drink. *Current research in nutrition and food science journal*, 5(3).
- Parisa, N., Islami, R.N., Amalia, E., Mariana, M. & Rasyid, R.S.P. (2019). Antibacterial activity of cinnamon extract (*Cinnamomum burmannii*) against *staphylococcus aureus* and *escherichia coli* in vitro. *Bioscientia Medicina: Journal of Biomedicine and Translational Research*, 3(2), pp.19-28.
- Parker, C.C., Chen, H., Flagel, S.B., Geurts, A.M., Richards, J.B., Robinson, T.E., Woods, L.C.S. & Palmer, A.A. (2014). Rats are the smart choice: rationale for a renewed focus on rats in behavioral genetics. *Neuropharmacology*, 76, pp.250-8.
- Pellizzon, M.A. & Ricci, M.R. (2020). Choice of laboratory rodent diet may confound data interpretation and reproducibility. *Current developments in nutrition*, 4(4), p.nzaa031.
- Perna, M. & Hewlings, S. (2023). Saturated Fatty Acid Chain Length and Risk of Cardiovascular Disease: A Systematic Review. *Nutrients*, 15(1), pp.30-43.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D. & Bitto, A. (2017). Oxidative stress: harms and benefits for human health. *Oxidative medicine and cellular longevity*, 2017(8416763), pp.1-13.
- Pontjosudargo, F.A., Priyadi, H., Sovia, E., Halima, L.S. & Septiadi, E. (2021). The Effect of Fat Composition to Liver Enzymes, Cholesterol, Triglyceride and Liver MDA Levels in Wistar Strain Rats Which is Induced by High Fat Diet. Di dalam : *Proceedings of the 12th Annual Scientific Meeting, Medical Faculty, Universitas Jenderal Achmad Yani, International Symposium on "Emergency Preparedness and Disaster Response during COVID 19 Pandemic"* (ASMC 2021). Dordrecht : Atlantis Press, pp. 213-16.
- Prahastuti, S., Ladi, J.E., Dewi, K., Albertina, F. & Imam, M.K. (2020). The effect of bee pollen on SGOT, SGPT levels and liver histopathological images of male rats wistar induced by high fat diet. *Journal of Medicine and Health*, 2(5), pp.51-60.
- Quehenberger, O., Armando, A.M., Brown, A.H., Milne, S.B., Myers, D.S., Merrill, A.H., Bandyopadhyay, S., Jones, K.N., Kelly, S., Shaner, R.L. & Sullards, C.M. (2010). Lipidomics reveals a remarkable diversity of lipids in human plasma 1 [S]. *Journal of lipid research*, 51(11), pp.3299-305.
- Ramadhani, M.R., Bachri, M.S. & Widyaningsih, W. (2017). Effects of ethanolic extract of arrowroot tubers (*Maranta arundinacea L.*) on the level of MDA, SGPT and SGOT in ethanol induced rats. *JKKI: Jurnal Kedokteran dan Kesehatan Indonesia*, 8(1), pp.10-8.
- Ramanathan, R., Ali, A.H. & Ibdah, J.A. (2022). Mitochondrial dysfunction plays central role in nonalcoholic fatty liver disease. *International Journal of Molecular Sciences*, 23(13), p.7280.
- Rhee, E.J., Kim, H.C., Kim, J.H., Lee, E.Y., Kim, B.J., Kim, E.M., Song, Y., Lim, J.H., Kim, H.J., Choi, S. & Moon, M.K. (2019). 2018 guidelines for the management of dyslipidemia in Korea. *Journal of lipid and atherosclerosis*, 8(2), pp.78-131.
- Rafighi, Z., Shiva, A., Arab, S. & Yusuf, R.M. (2013). Association of dietary vitamin C and E intake and antioxidant enzymes in type 2 diabetes mellitus patients. *Global journal of health science*, 5(3), p.183.



- Rashwan, A.S., El-Beltagy, M.A., Saleh, S.Y. & Ibrahim, I.A. (2019). Potential role of cinnamaldehyde and costunolide to counteract metabolic syndrome induced by excessive fructose consumption. *beni-suef university journal of basic and applied sciences*, 8(1), pp.1-8.
- Rosidah, I., Ningsih, S., Renggani, T.N., Efendi, J. & Agustini, K. (2020). Profil hematologi tikus (*Rattus norvegicus*) galur Sprague-Dawley jantan umur 7 dan 10 minggu. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 7(1), pp.136-45.
- Salgado-Delgado, R., Angeles-Castellanos, M., Saderi, N., Buijs, R.M. & Escobar, C. (2010). Food intake during the normal activity phase prevents obesity and circadian desynchrony in a rat model of night work. *Endocrinology*, 151(3), pp.1019-29.
- Santos-Sánchez, N.F., Salas-Coronado, R., Villanueva-Cañongo, C. & Hernández-Carlos, B. (2019). Antioxidant compounds and their antioxidant mechanism. *Antioxidants*, 10, pp.1-29.
- Sarmadi, B. H. & Ismail. (2010). Antioxidative peptides from food protein: a review. *Peptida*, 31(10), pp.1949-56.
- Saryono. (2011). *Metodologi penelitian keperawatan*. Purwokerto: UPT. Percetakan dan Penerbitan UNSOED.
- Sengupta, P. (2013). The laboratory rat: relating its age with human's. *International journal of preventive medicine*, 4(6), pp.624-30.
- Setiawan, B.P., Wibawanti, J.M.W. & Arifin, H.D. (2019). Aktivitas Antioksidan Dan Kualitas Organoleptik Yogurt Susu Kambing Etawa Dengan Sari Buah Bit (*Beta vulgaris L.*). *Jurnal RISET Agribisnis dan Peternakan*, 4(2), pp.39-48.
- Setiawan, R., Saraswati, T.R. & Tana, S. (2020). Pengaruh pemberian ekstrak etanol daun lakum (*Cayratia trifolia L.*) dan buah kersen (*Muntingia calabura L.*) terhadap bobot tubuh dan bobot lemak abdominal *Rattus norvegicus L.* strain Wistar jantan hiperlipidemia. *Buletin Anatomi dan Fisiologi (Bulletin of Anatomy and Physiology)*, 5(1), pp.43-51.
- Sfakianakis, P. & Tzia, C. (2014). Conventional and innovative processing of milk for yogurt manufacture; development of texture and flavor: a review. *Foods*, 3(1), pp.176-93.
- Shalaby, M.A. & Saifan, H.Y. (2014). Some pharmacological effects of cinnamon and ginger herbs in obese diabetic rats. *Journal of intercultural ethnopharmacology*, 3(4), pp.144-9.
- Sharifi-Rad, M., Anil Kumar, N.V., Zucca, P., Varoni, E.M., Dini, L., Panzarini, E., Rajkovic, J., Tsouh Fokou, P.V., Azzini, E., Peluso, I. & Prakash Mishra, A. (2020). Lifestyle, oxidative stress, and antioxidants: Back and forth in the pathophysiology of chronic diseases. *Frontiers in physiology*, 11, p.694.
- Silva, D.V.T.D., Pereira, A.D.A., Boaventura, G.T., Ribeiro, R.S.D.A., Veríscimo, M.A., Carvalho-Pinto, C.E.D., Baião, D.D.S., Del Aguila, E.M. & Paschoalin, V.M.F. (2019). Short-term betanin intake reduces oxidative stress in Wistar rats. *Nutrients*, 11(9), p.1978.
- Silva, D.V.T.D., Baiao, D.D.S., Ferreira, V.F. & Paschoalin, V.M.F. (2021). Betanin as a multipath oxidative stress and inflammation modulator: A beetroot pigment with protective effects on cardiovascular disease pathogenesis. *Critical Reviews in Food Science and Nutrition*, 62(2), pp.539-54.
- Singh, Z., Karthigesu, I.P., Singh, P. & Rupinder, K.A.U.R. (2014). Use of malondialdehyde as a biomarker for assessing oxidative stress in different



- disease pathologies: a review. *Iranian Journal of Public Health*, 43(Supple 3), pp.7-16.
- Song, H. (2021). Anti-obesity effects of red beet extract. *International journal of advanced smart convergence*, 10(4), pp.225-32.
- Subash-Babu, P., Alshatwi, A.A. & Ignacimuthu, S. (2014). Beneficial antioxidative and antiperoxidative effect of cinnamaldehyde protect streptozotocin-induced pancreatic β -cells damage in Wistar rats. *Biomolecules & therapeutics*, 22(1), pp.47-54.
- Supriono, S., Pratomo, B. & Praja, D.I. (2018). Pengaruh kurkumin terhadap kadar NF- κ B dan derajat fibrosis hati pada tikus fibrosis hati. *Jurnal Penyakit Dalam Indonesia*, 5(4), pp.174-83.
- Susilowati, R., Setiawan, A.M., Zahroh, A.F., Ashari, Z.N., Iffiyana, A., Hertanto, R., Basyarudin, M., Hartiningsih, I. & Ismail, M. (2022). Hepatoprotection of *Cinnamomum burmannii* ethanolic extract against high-fat and cholesterol diet in Sprague-Dawley rats (*Rattus norvegicus*). *Veterinary World*, 15(4).
- Susilowati, R. & Setiawan, A.M. (2020). *Cinnamomum burmannii* (Nees & T. Nees) blume and *Eleutherine palmifolia* (L.) Merr. extract combination ameliorate lipid profile and heart oxidative stress in hyperlipidemic mice. *Veterinary World*, 13(7), pp.1404-9.
- Takahashi, Y., Soejima, Y. & Fukusato, T. (2012). Animal models of nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. *World journal of gastroenterology: World Journal of Gastroenterology*, 18(19), p.2300.
- Tan, B.L. & Norhaizan, M.E. (2019). Effect of high-fat diets on oxidative stress, cellular inflammatory response and cognitive function. *Nutrients*, 11, p.2579.
- Teeple, K., Rajput, P., Gonzalez, M., Han-Hallett, Y., Fernández-Juricic, E. & Casey, T. (2023). High fat diet induces obesity, alters eating pattern and disrupts corticosterone circadian rhythms in female ICR mice. *PLoS one*, 18(1), p.e0279209.
- Turner, P.V., Brabb, T., Pekow, C. & Vasbinder, M.A. (2011). Administration of substances to laboratory animals: routes of administration and factors to consider. *Journal of the American Association for Laboratory Animal Science*, 50(5), pp.600-13.
- Tuzcu, Z., Orhan, C., Sahin, N., Juturu, V. & Sahin, K. (2017). Cinnamon polyphenol extract inhibits hyperlipidemia and inflammation by modulation of transcription factors in high-fat diet-fed rats. *Oxidative medicine and cellular longevity*, 2017.
- Warrilow, A., Mellor, D., McKune, A. & Pumpa, K. (2019). Dietary fat, fibre, satiation, and satiety—a systematic review of acute studies. *European journal of clinical nutrition*, 73(3), pp.333-344.
- Wasilewska, N. & Lebentsjejn, D. (2021). Non-alcoholic fatty liver disease and lipotoxicity. *Clinical and Experimental Hepatology*, 7(1), pp.1-6.
- Weerathilake, W.A.D.V., Rasika, D.M.D., Ruwanmali, J.K.U. & Munasinghe, M.A.D.D. (2014). The evolution, processing, varieties and health benefits of yogurt. *International Journal of Scientific and Research Publications*, 4(4), pp.1-10.
- Werdhasari, A. (2014). Peran antioksidan bagi kesehatan. *Jurnal Biotek Medisiana Indonesia*, 3(2), pp.59-68.
- Willy, J.A., Young, S.K., Stevens, J.L., Masuoka, H.C. & Wek, R.C. (2015). CHOP links endoplasmic reticulum stress to NF- κ B activation in the pathogenesis of



- nonalcoholic steatohepatitis. *Molecular biology of the cell*, 26(12), pp.2190-204.
- Wruss, J., Waldenberger, G., Huemer, S., Uygun, P., Lanzerstorfer, P., Müller, U., Höglinger, O. & Weghuber, J. (2015). Compositional characteristics of commercial beetroot products and beetroot juice prepared from seven beetroot varieties grown in upper Austria. *Journal of Food Composition and Analysis*, 42, pp.46-55.
- Wuryastuti, H. (2000). The Influence of Dietary Protein and Fats on Plasma Lipids in Sprague Dawley Rats. *Indones Food Nutr Prog*, 7, pp.37-41.
- Yao, J., Zhi, M. & Minhu, C. (2011). Effect of silybin on high-fat-induced fatty liver in rats. *Brazilian Journal of Medical and Biological Research*, 44, pp.652-9.
- Yuan, Y., Chen, W., Luo, L. & Xu, C. (2021). Dyslipidemia: causes, symptoms and treatment. *International Journal of Trend in Scientific Research and Development (IJTSRD)*, 5(2), pp.1013-6.
- Yusuf, S. D. (2020). Analisis total fenol, vitamin C, dan aktivitas antioksidan pada yoghurt umbi bit (*Beta vulgaris L.*) dan kayu manis (*Cinnamomum burmannii*). Skripsi, Universitas Gadjah Mada.
- Zelber-Sagi, S., Ivancovsky-Wajcman, D., Fliss-Isakov, N., Hahn, M., Webb, M., Shibolet, O., Kariv, R. & Tirosh, O. (2020). Serum malondialdehyde is associated with non-alcoholic fatty liver and related liver damage differentially in men and women. *Antioxidants*, 9(7), pp.578-92.
- Zeng, L., Tang, W.J., Yin, J.J. & Zhou, B.J. (2014). Signal transductions and nonalcoholic fatty liver: a mini-review. *International journal of clinical and experimental medicine*, 7(7), pp.1624-31.
- Zhang, S., Fu, J., Zhang, Q., Liu, L., Lu, M., Meng, G., Yao, Z., Wu, H., Xia, Y., Bao, X. & Gu, Y. (2020). Association between habitual yogurt consumption and newly diagnosed non-alcoholic fatty liver disease. *European Journal of Clinical Nutrition*, 74(3), pp.491-9.
- Zhang, S., Liu, L., Su, Y., Li, H., Sun, Q., Liang, X. & Lv, J. (2011). Antioxidative activity of lactic acid bacteria in yogurt. *Afr J Microbiol Res*, 5(29), pp.5194-5201.