

## DAFTAR PUSTAKA

- Ahmed, F., Elhag, A., & Mahmod, O. (2022). Antimicrobial Resistance Patterns and Categorization of *Staphylococcus aureus* in Sudan 10 : 112–119.
- Al Bshabshe, A., Joseph, M.R.P., Al Hussein, A., Haimour, W., & Hamid, M.E. (2016). Multidrug resistance *Acinetobacter* species at the intensive care unit, Aseer Central Hospital, Saudi Arabia: A one year analysis. *Asian Pac. J. Trop. Med.* 9 : 903–908.
- Alcántar-Curiel, M.D., Ledezma-Escalante, C.A., Jarillo-Quijada, M.D., Gayosso-Vázquez, C., Morfín-Otero, R., Rodríguez-Noriega, E., *et al.* (2018). Association of Antibiotik Resistance, Cell Adherence, and Biofilm Production with the Endemicity of Nosocomial *Klebsiella pneumoniae*. *Biomed Res. Int.* 2018.
- Anbazzhagan, D., Mansor, M., Yan, G.O.S., Yusof, M.Y.M., Hassan, H., & Sekaran, S.D. (2012). Detection of quorum sensing signal molecules and identification of an autoinducer synthase gene among biofilm forming clinical isolates of *Acinetobacter* spp. *PLoS One* 7.
- Asahi, Y., Miura, J., Tsuda, T., Kuwabata, S., Tsunashima, K., Noiri, Y., *et al.* (2015). Simple observation of *Streptococcus mutans* biofilm by scanning electron microscopy using ionic liquids. *AMB Express* 5 : 0–8.
- Baidya, S., Sharma, S., Mishra, S.K., Kattel, H.P., Parajuli, K., & Sherchand, J.B. (2021). Biofilm Formation by Pathogens Causing Ventilator-Associated Pneumonia at Intensive Care Units in a Tertiary Care Hospital: An Armor for Refuge. *Biomed Res. Int.* 2021.
- Besharova, O., Suchanek, V.M., Hartmann, R., Drescher, K., & Sourjik, V. (2016). Diversification of gene expression during formation of static submerged biofilms by *Escherichia coli*. *Front. Microbiol.* 7 : 1–17.
- Boehm, A., Steiner, S., Zaehring, F., Casanova, A., Hamburger, F., Ritz, D., *et al.* (2009). Second messenger signalling governs *Escherichia coli* biofilm induction upon ribosomal stress. *Mol. Microbiol.* 72 : 1500–1516.
- Bonev, B.B., & Brown, N.M. (2020). Bacterial Resistance to Antibiotiks - from Molecules to Man, Fisrt. ed. West Sussex : John Wiley & Sons Ltd.
- Bos, T.J., & Somers, K.D. (2005). USMLE Road Map Microbiology and Infectious Disease. United States : The McGraw-Hill Companies.
- Brisse, S., Fevre, C., Passet, V., Issenhuth-Jeanjean, S., Tournebize, R., Diancourt, L., *et al.* (2009). Virulent clones of *Klebsiella pneumoniae*: Identification and evolutionary scenario based on genomic and phenotypic characterization. *PLoS One* 4.

- Cepas, V., López, Y., Muñoz, E., Rolo, D., Ardanuy, C., Martí, S., *et al.* (2019). Relationship between Biofilm Formation and Antimicrobial Resistance in Gram-Negative Bacteria. *Microb. Drug Resist.* 25 : 72–79.
- Chen, X., Ling, X., Liu, G., & Xiao, J. (2022). Antimicrobial Coating: Tracheal Tube Application. *Int. J. Nanomedicine* 17 : 1483–1494.
- Chiang, P., & Burrows, L.L. (2003). Biofilm formation by hyperpiliated mutants of *Pseudomonas aeruginosa*. *J. Bacteriol.* 185 : 2374–2378.
- Chiang, W.C., Nilsson, M., Jensen, P.Ø., Høiby, N., Nielsen, T.E., Givskov, M., *et al.* (2013). Extracellular DNA shields against aminoglycosides in *Pseudomonas aeruginosa* biofilms. *Antimicrob. Agents Chemother.* 57 : 2352–2361.
- Choi, A.H.K., Slamti, L., Avci, F.Y., Pier, G.B., & Maira-Litrán, T. (2009). The *pgaABCD* locus of *Acinetobacter baumannii* encodes the production of poly- $\beta$ -1-6-N-acetylglucosamine, which is critical for biofilm formation. *J. Bacteriol.* 191 : 5953–5963.
- Chung, D.R., Song, J.H., Kim, S.H., Thamlikitkul, V., Huang, S.G., Wang, H., *et al.* (2011). High prevalence of multidrug-resistant nonfermenters in hospital-acquired pneumonia in Asia. *Am. J. Respir. Crit. Care Med.* 184 : 1409–1417.
- Ciofu, O., Rojo-Molinero, E., Macià, M.D., & Oliver, A. (2017). Antibiotik treatment of biofilm infections. *Apmis* 125 : 304–319.
- Cowan, M.K., Bunn, J., & Atlas, R.M. (2016). *Microbiology Fundamentals : a Clinical Approach*, Second. ed. New York : Mc Graw Hill Education.
- de Campos, P.A., Royer, S., da Fonseca Batistão, D.W., Araújo, B.F., Queiroz, L.L., de Brito, C.S., *et al.* (2016). Multidrug Resistance Related to Biofilm Formation in *Acinetobacter baumannii* and *Klebsiella pneumoniae* Clinical Strains from Different Pulsotypes. *Curr. Microbiol.* 72 : 617–627.
- De Oliveira, D.M.P., Forde, B.M., Kidd, T.J., Harris, P.N.A., Schembri, M.A., Beatson, S.A., *et al.* (2020). Antimicrobial resistance in ESKAPE pathogens. *Clin. Microbiol. Rev.* 33 : 1–49.
- De Souza, P.R., De Andrade, D., Cabral, D.B., & Watanabe, E. (2014). Endotracheal tube biofilm and ventilator-associated pneumonia with mechanical ventilation. *Microsc. Res. Tech.* 77 : 305–312.
- Diaconu, O., Siriopol, I., Poloșanu, L.I., & Grigoraș, I. (2018). Endotracheal Tube Biofilm and its Impact on the Pathogenesis of Ventilator-Associated Pneumonia. *J. Crit. Care Med.* 4 : 50–55.
- Dorsey, C.W., Tomaras, A.P., & Actis, L.A. (2002). Genetic and phenotypic analysis of *Acinetobacter baumannii* insertion derivatives generated with a transposome system. *Appl. Environ. Microbiol.* 68 : 6353–6360.

- Dueholm, M.S., S ndergaard, M.T., Nilsson, M., Christiansen, G., Stensballe, A., Overgaard, M.T., *et al.* (2013). Expression of Fap amyloids in *Pseudomonas aeruginosa*, *P. fluorescens*, and *P. putida* results in aggregation and increased biofilm formation. *Microbiologyopen* 2 : 365–382.
- Dumaru, R., Baral, R., & Shrestha, L.B. (2019). Study of biofilm formation and antibiotic resistance pattern of gram-negative Bacilli among the clinical isolates at BPKIHS, Dharan. *BMC Res. Notes* 12 : 1–6.
- El-Ageery, S.M., Abo-Shadi, M.A., Alghaithy, A.A., Ahmad, M.A., Alsharif, N.H., & Alharbi, S.A. (2012). Epidemiological investigation of nosocomial infection with multidrug-resistant *Acinetobacter baumannii*. *Eur. Rev. Med. Pharmacol. Sci.* 16 : 1834–1839.
- Fazli, M., Almblad, H., Rybtke, M.L., Givskov, M., Eberl, L., & Tolker-Nielsen, T. (2014). Regulation of biofilm formation in *Pseudomonas* and *Burkholderia* species. *Environ. Microbiol.* 16 : 1961–1981.
- Gaddy, J.A., Tomaras, A.P., & Actis, L.A. (2009). The *Acinetobacter baumannii* 19606 OmpA protein plays a role in biofilm formation on abiotic surfaces and in the interaction of this pathogen with eukaryotic cells. *Infect. Immun.* 77 : 3150–3160.
- Gedefie, A., Demsis, W., Ashagrie, M., Kassa, Y., Tesfaye, M., Tilahun, M., *et al.* (2021). *Acinetobacter baumannii* biofilm formation and its role in disease pathogenesis: A review. *Infect. Drug Resist.* 14 : 3711–3719.
- Gogoi, M., & Sharma, A. (2021). Biofilm formation by bacteria isolated from intensive care units of a tertiary care hospital, with special relevance to its risk factors. *Int. J. Res. Med. Sci.* 9 : 2959.
- Harding, C.M., Tracy, E.N., Carruthers, M.D., Rather, P.N., Actis, L.A., & Munson, R.S. (2013). *Acinetobacter baumannii* strain M2 produces type IV Pili which play a role in natural transformation and twitching motility but not surface-associated motility. *MBio* 4 : 1–10.
- Hassan, K.A., Jackson, S.M., Penesyan, A., Patching, S.G., Tetu, S.G., Eijkelkamp, B.A., *et al.* (2013). Transcriptomic and biochemical analyses identify a family of chlorhexidine efflux proteins. *Proc. Natl. Acad. Sci. U. S. A.* 110 : 20254–20259.
- Hauser, A.R. (2018). Antibiotik basics for clinicians: The ABCs of choosing the right antibacterial agent, Antibiotik Basics for Clinicians: The ABCs of Choosing the Right Antibacterial Agent.
- Hawas, S., Verderosa, A.D., & Totsika, M. (2022). Combination Therapies for Biofilm Inhibition and Eradication: A Comparative Review of Laboratory and Preclinical Studies. *Front. Cell. Infect. Microbiol.* 12 : 1–19.
- Hee Choi, C., Young Lee, E., Chul Lee, Y., In Park, T., Jung Kim, H., Hee Hyun, S., *et al.* (2005). Outer membrane protein 38 of *Acinetobacter baumannii*

localizes to the mitochondria and induces apoptosis of epithelial cells. *Cell. Microbiol.* 7 : 1127–1138.

- Hennequin, C., Aumeran, C., Robin, F., Traore, O., & Forestier, C. (2012a). Antibiotik resistance and plasmid transfer capacity in biofilm formed with a CTX-M-15-producing *Klebsiella pneumoniae* isolate. *J. Antimicrob. Chemother.* 67 : 2123–2130.
- Hennequin, C., Robin, F., Cabrolier, N., Bonnet, R., & Forestier, C. (2012b). Characterization of a DHA-1-producing *Klebsiella pneumoniae* strain involved in an outbreak and role of the AmpR regulator in virulence. *Antimicrob. Agents Chemother.* 56 : 288–294.
- Jain, S., Self, W.H., Wunderink, R.G., Fakhraan, S., Balk, R., Bramley, A.M., *et al.* (2015). Community-Acquired Pneumonia Requiring Hospitalization among U.S. Adults. *N. Engl. J. Med.* 373 : 415–427.
- Jakribettu, R.P., & Boloor, R. (2012). Characterisation of aerobic bacteria isolated from endotracheal aspirate in adult patients suspected ventilator associated pneumonia in a tertiary care center in Mangalore. *Saudi J. Anaesth.* 6 : 115–119.
- Jasim, S.A., Abdulrazzaq, S.A., & Saleh, R.O. (2020). Virulence Factors of *Klebsiella pneumoniae* Isolates from Iraqi Patients Virulence Factors of *Klebsiella pneumoniae* Isolates from Iraqi Patients.
- Jefferson, K.K. (2004). What drives bacteria to produce a biofilm? *FEMS Microbiol. Lett.* 236 : 163–173.
- Jennings, L.K., Storek, K.M., Ledvina, H.E., Coulon, C., Marmont, L.S., Sadovskaya, I., *et al.* (2015). Pel is a cationic exopolysaccharide that cross-links extracellular DNA in the *Pseudomonas aeruginosa* biofilm matrix. *Proc. Natl. Acad. Sci. U. S. A.* 112 : 11353–11358.
- June, H.W., Wu, A.M., Cheng, G.T., Chang, X.Y., Tsai, S.F., & Wu, T.S. (2008). Contribution of Fucose-Containing Capsules in *Klebsiella pneumoniae* to Bacterial Virulence in Mice. <https://doi.org/10.3181/0706-RM-170> 233 : 64–70.
- Kalil, A.C., Metersky, M.L., Klompas, M., Muscedere, J., Sweeney, D.A., Palmer, L.B., *et al.* (2016). Management of Adults With Hospital-acquired and Ventilator-associated Pneumonia: 2016 Clinical Practice Guidelines by the Infectious Diseases Society of America and the American Thoracic Society. *Clin. Infect. Dis.* 63 : e61–e111.
- Keith, S.J. (2017). *Clinical Microbiology*, Second. ed. Florida : CRC Press. Taylor and Francis Group.
- Kemenkes RI (2021). Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2021 Tentang Pedoman Penggunaan Antibiotik.

- Kirmusaoğlu, S. (2019). The Methods for Detection of Biofilm and Screening Antibiofilm Activity of Agents. *Antimicrob. Antibiot. Resist. Antibiofilm Strateg. Act. Methods* 1–17.
- Kolpen, M., Lerche, C.J., Kragh, K.N., Sams, T., Koren, K., Jensen, A.S., *et al.* (2017). Hyperbaric Oxygen Sensitizes Anoxic *Pseudomonas aeruginosa* Biofilm to Siprofloksasin 61 : 1–9.
- Kumar, V., Patil, S., A, A.K., & Kumar, R. (2018). Original Article Biofilm production and multidrug resistant bacterial isolates in ventilator associated pneumonia.
- Kuntaman, Karuniawati, A., Gunardi, W.D., Anggraini, D., Santosaningsih, D., Saptawati, L., *et al.* (2022). SINAR : Surveilans resistensi antibiotik rumah sakit di Indonesia tahun 2021. Jakarta : PAMKI.
- Kunwar, A., Shrestha, P., Shrestha, Saraswati, Thapa, S., Shrestha, Sanjit, & Amatya, N.M. (2021). Detection of biofilm formation among *Pseudomonas aeruginosa* isolated from burn patients. *Burn. Open* 5 : 125–129.
- La Combe, B., Clermont, O., Messika, J., Eveillard, M., Kouatchet, A., Lasocki, S., *et al.* (2019). Pneumonia-specific *Escherichia coli* with distinct phylogenetic and virulence profiles, France, 2012–2014. *Emerg. Infect. Dis.* 25 : 710–718.
- Lebeaux, D., Ghigo, J.-M., & Beloin, C. (2014). Biofilm-Related Infections: Bridging the Gap between Clinical Management and Fundamental Aspects of Recalcitrance toward Antibiotics. *Microbiol. Mol. Biol. Rev.* 78 : 510–543.
- Loehfelm, T.W., Luke, N.R., & Campagnari, A.A. (2008). Identification and characterization of an *Acinetobacter baumannii* biofilm-associated protein. *J. Bacteriol.* 190 : 1036–1044.
- Loo, C.Y., Lee, W.H., Young, P.M., Cavaliere, R., Whitchurch, C.B., & Rohanizadeh, R. (2015). Implications and emerging control strategies for ventilator-associated infections. *Expert Rev. Anti. Infect. Ther.* 13 : 379–393.
- Ma, L., Conover, M., Lu, H., Parsek, M.R., Bayles, K., & Wozniak, D.J. (2009). Assembly and development of the *Pseudomonas aeruginosa* biofilm matrix. *PLoS Pathog.* 5.
- Magiorakos, A., Srinivasan, A., Carey, R.B., Carmeli, Y., Falagas, M.E., Giske, C.G., *et al.* (2011). Bacteria : an International Expert Proposal for Interim Standard Definitions for Acquired Resistance.
- Mahon, C.R., & Donald, L.C. (2019). Textbook of Diagnostic Microbiology, Sixth Edit. ed, Laboratory Medicine. St. Louis, Missouri : Elsevier Saunders.
- Mazloomirad, F., Hasanzadeh, S., Sharifi, A., Nikbakht, G., Roustaei, N., & Khoramrooz, S.S. (2021). Identification and detection of pathogenic bacteria

from patients with hospital-acquired pneumonia in southwestern Iran; evaluation of biofilm production and molecular typing of bacterial isolates. *BMC Pulm. Med.* 21 : 1–11.

Modarresi, F., Azizi, O., Shakibaie, M.R., Motamedifar, M., Mosadegh, E., & Mansouri, S. (2015). Iron limitation enhances acyl homoserine lactone (AHL) production and biofilm formation in clinical isolates of *Acinetobacter baumannii*. *Virulence* 6 : 152–161.

Modi, A.R., & Kovacs, C.S. (2020). Hospital-acquired and ventilator-associated pneumonia: Diagnosis, management, and prevention. *Cleve. Clin. J. Med.* 87 : 633–639.

Mohanty, D., Nayak, M.K., Raut, K., Routray, S.S., & Mishra, D. (2016). Ventilator associated pneumonia in a ICU of a tertiary care Hospital in India. *Indian J. Clin. Anaesth.* 3 : 139.

Morad Asaad, A., Zayed Al-Ayed, M.S., & Ansar Qureshi, M. (2013). Emergence of unusual nonfermenting Gram-negative nosocomial pathogens in a Saudi hospital. *Jpn. J. Infect. Dis.* 66 : 507–511.

Moubareck, C.A., & Halat, D.H. (2020). Insights into *Acinetobacter baumannii* : A Review of Microbiological , Virulence , and Resistance Traits in a Threatening Nosocomial Pathogen.

Muhammad, M.H., Idris, A.L., Fan, X., Guo, Y., Yu, Y., Jin, X., *et al.* (2020). Beyond Risk: Bacterial Biofilms and Their Regulating Approaches. *Front. Microbiol.* 11 : 1–20.

Munita, J.M., & Arias, C.A. (2016). Mechanisms of antibiotik resistance. *Virulence Mech. Bact. Pathog.* 481–511.

Murray, P.R. (2018). Basic Medical Microbiology, First. ed, Military Medicine. Philadelphia : Elsevier.

Niba, E.T.E., Naka, Y., Nagase, M., Mori, H., & Kitakawa, M. (2007). A genome-wide approach to identify the genes involved in biofilm formation in *E. coli*. *DNA Res.* 14 : 237–246.

Nirwati, H., Sinanjung, K., Fahrurissa, F., Wijaya, F., Napitupulu, S., Hati, V.P., *et al.* (2019). Biofilm formation and antibiotik resistance of *Klebsiella pneumoniae* isolated from clinical samples in a tertiary care hospital, Klaten, Indonesia. *BMC Proc.* 13 : 1–8.

O'Toole, G.A., & Kolter, R. (1998). Flagellar and twitching motility are necessary for.pdf. *Mol. Microbiol.* 30 : 295–304.

Papazian, L., Klompas, M., & Luyt, C.E. (2020). Ventilator-associated pneumonia in adults: a narrative review. *Intensive Care Med.* 46 : 888–906.

PDPI (2022). Pedoman Diagnosis dan Penatalaksanaan Pneumonia Komunitas di Indonesia.



- Pesavento, C., Becker, G., Sommerfeldt, N., Possling, A., Tschowri, N., Mehli, A., *et al.* (2008). Inverse regulatory coordination of motility and curli-mediated adhesion in *Escherichia coli*. *Genes Dev.* 22 : 2434–2446.
- Pratt, L.A., & Kolter, R. (1998). Genetic analysis of *Escherichia coli* biofilm formation: Roles of flagella, motility, chemotaxis and type I pili. *Mol. Microbiol.* 30 : 285–293.
- Prina, E., Ranzani, O.T., Torres, A., Paulo, S., & Paulo, S. (2015). Community-acquired pneumonia. *Lancet* 386 : 1097–1108.
- Qvortrup, K., Hultqvist, L.D., Nilsson, M., Jakobsen, T.H., Jansen, C.U., Uhd, J., *et al.* (2019). Small Molecule Anti-biofilm Agents Developed on the Basis of Mechanistic Understanding of Biofilm Formation. *Front. Chem.* 7.
- Ramirez, J.A., Wiemken, T.L., Peyrani, P., Arnold, F.W., Kelley, R., Mattingly, W.A., *et al.* (2017). Adults Hospitalized with Pneumonia in the United States: Incidence, Epidemiology, and Mortality. *Clin. Infect. Dis.* 65 : 1806–1812.
- Riedel, S., Morse, S., Mietzner, T., & Miller, S. (2019). Jawetz Melnick & Adelbergs Medical Microbiology, 28th ed. New York : McGraw-Hill Education.
- Runci, F., Gentile, V., Frangipani, E., Rampioni, G., Leoni, L., Lucidi, M., *et al.* (2019). Contribution of active iron uptake to *acinetobacter baumannii* pathogenicity. *Infect. Immun.* 87 : 1–16.
- Sagar, S., Kaistha, S., Das, A.J.J., & Kumar, R. (2019). Antibiotik resistant bacteria: A challenge to modern medicine, Antibiotik Resistant Bacteria: A Challenge to Modern Medicine.
- Saha, S., Devi, K.M., Damrolien, S., Devi, K.S., . K., & Sharma, K.T. (2018). Biofilm production and its correlation with antibiotik resistance pattern among clinical isolates of *Pseudomonas aeruginosa* in a tertiary care hospital in north-east India. *Int. J. Adv. Med.* 5 : 964.
- Sahu, P.K., Iyer, P.S., Oak, A.M., Pardesi, K.R., & Chopade, B.A. (2012). Characterization of eDNA from the clinical strain *acinetobacter baumannii* AIIMS 7 and its role in biofilm formation. *Sci. World J.* 2012.
- Samore, M., & Lipsitch, M. (2002). Antimicrobial use and antimicrobial resistance: a population perspective. *Emerg. Infect. Dis.* 8 : 347–354.
- Santella, B., Serretiello, E., De Filippis, A., Veronica, F., Iervolino, D., Dell’annunziata, F., *et al.* (2021). Lower respiratory tract pathogens and their antimicrobial susceptibility pattern: A 5-year study. *Antibiotiks* 10 : 1–12.
- Sarowska, J., Futoma-Koloch, B., Jama-Kmiecik, A., Frej-Madrzak, M., Ksiazczyk, M., Bugla-Ploskonska, G., *et al.* (2019). Virulence factors, prevalence and potential transmission of extraintestinal pathogenic

*Escherichia coli* isolated from different sources: Recent reports. *Gut Pathog.* 11 : 1–16.

Saxena, S., Banerjee, G., Garg, R., & Singh, M. (2014). Comparative study of biofilm formation in *Pseudomonas aeruginosa* isolates from patients of lower respiratory tract infection. *J. Clin. Diagnostic Res.* 8 : 9–11.

Schaudinn, C., Stoodley, P., Kainović, A., O’Keeffe, T., Costerton, B., Robinson, D., *et al.* (2007). Bacterial biofilms, other structures seen as mainstream concepts. *Microbe* 2 : 231–237.

Schuster, M., & Greenberg, E.P. (2006). A network of networks: Quorum-sensing gene regulation in *Pseudomonas aeruginosa*. *Int. J. Med. Microbiol.* 296 : 73–81.

Serra, D.O., Richter, A.M., & Hengge, R. (2013). Cellulose as an architectural element in spatially structured *Escherichia coli* biofilms. *J. Bacteriol.* 195 : 5540–5554.

Singh, S., Sharma, A., & Nag, V.L. (2020). Bacterial pathogens from lower respiratory tract infections : A study from Western Rajasthan.

Siswihanto, R., Mulatsih, S., Ikawahju, N., Khadirin, & Satrowiyoto, S. (2020). Laporan Kinerja RSUP Dr. Sardjito Yogyakarta Tahun 2020. Yogyakarta : .

Smani, Y., McConnell, M.J., & Pachón, J. (2012). Role of fibronectin in the adhesion of *Acinetobacter baumannii* to host cells. *PLoS One* 7.

Soren, O., Rineh, A., Silva, D.G., Cai, Y., Howlin, R.P., Allan, R.N., *et al.* (2020). Cephalosporin nitric oxide-donor prodrug DEA-C3D disperses biofilms formed by clinical cystic fibrosis isolates of *Pseudomonas aeruginosa*. *J. Antimicrob. Chemother.* 75 : 117–125.

Stepanović, S., Vuković, D., Dakić, I., Savić, B., & Švabić-Vlahović, M. (2000). A modified microtiter-plate test for quantification of staphylococcal biofilm formation. *J. Microbiol. Methods* 40 : 175–179.

Swedan, S., Shubair, Z., & Almaaytah, A. (2019). Synergism of cationic antimicrobial peptide WLBU2 with antibacterial agents against biofilms of multi-drug resistant *Acinetobacter baumannii* and *Klebsiella pneumoniae*. *Infect. Drug Resist.* 12 : 2019–2030.

Thappeta, K.R.V., Vikhe, Y.S., Yong, A.M.H., Chan-Park, M.B., & Kline, K.A. (2020). Combined Efficacy of an Antimicrobial Cationic Peptide Polymer with Conventional Antibiotics to Combat Multidrug-Resistant Pathogens. *ACS Infect. Dis.* 6 : 1228–1237.

Thorarinsdottir, H.R., Kander, T., Holmberg, A., Petronis, S., & Klarin, B. (2020). Biofilm formation on three different endotracheal tubes: A prospective clinical trial. *Crit. Care* 24 : 1–12.

Torres, A., & Cillóniz, C. (2015). Clinical management of bacterial pneumonia.



*Clin. Manag. Bact. Pneumonia* 1–98.

Uc-Cachón, A.H., Gracida-Osorno, C., Luna-Chi, I.G., Jiménez-Guillermo, J.G., & Molina-Salinas, G.M. (2019). High prevalence of antimicrobial resistance among gram-negative isolated bacilli in intensive care units at a tertiary-care hospital in Yucatán Mexico. *Med.* 55.

Vallet, I., Olson, J.W., Lory, S., Lazdunski, A., & Filloux, A. (2001). The chaperone/usher pathways of *Pseudomonas aeruginosa*: Identification of fimbrial gene clusters (cup) and their involvement in biofilm formation. *Proc. Natl. Acad. Sci. U. S. A.* 98 : 6911–6916.

Waack, U., Warnock, M., Yee, A., Huttinger, Z., Smith, S., Kumar, A., *et al.* (2018). Cpa is a glycan-specific adamalysin-like protease secreted by *acinetobacter baumannii* that inactivates coagulation factor xii. *MBio* 9 : 1–15.

Walsh, C., & Wencewicz, T. (2016). Antibiotiks That Target DNA and RNA Information Transfer, Antibiotiks. Washington DC : ASM Press.

Wilson, A., Gray, D., Karakiozis, J., & Thomas, J. (2012). Advanced endotracheal tube biofilm stage, not duration of intubation, is related to pneumonia. *J. Trauma Acute Care Surg.* 72 : 916–923.

Yang, C.H., Su, P.W., Moi, S.H., & Chuang, L.Y. (2019). Biofilm formation in *Acinetobacter baumannii*: Genotype-phenotype correlation. *Molecules* 24 : 1–12.

Yu, V.L., Hansen, D.S., Wen, C.K., Sagnimeni, A., Klugman, K.P., Von Gottberg, A., *et al.* (2007). Virulence characteristics of *Klebsiella* and clinical manifestations of *K. pneumoniae* bloodstream infections. *Emerg. Infect. Dis.* 13 : 986–993.