

## DAFTAR PUSTAKA

- Adams, C.J., Manley-Harris, M., & Molan, P.C. 2009. The origin of methylglyoxal in New Zealand manuka (*Leptospermum scoparium*) honey. *Carbohydrate research* 344(8): 1050–1053.
- Agyemang, P.A., Kabir, M.N., Kersey, C.M., & Dumenyo, C.K. 2020. The bacterial soft rot pathogens, *Pectobacterium carotovorum* and *P. atrosepticum*, respond to diferent classes of virulence-inducing host chemical signals. *Horticulturae* 6:13.
- Akgul, A., Nho S.W., Kalindamar, S., Tekedar, H.C., Abdalhamed, H., Lawrence, M.L., dan Karsi, A. 2018. Universal stress proteins contribute *Edwardsiella ictaluri* virulence in catfish. *Front. Microbiol.* 9:2931.
- Alanis A.J. 2005. Resistance to antibiotics: are we in the post-antibiotic era? *Archives of medical research* 36(6): 697–705.
- Allen, K.L., Molan, P.C., & Reid, G.M. 1991. A survey of the antibacterial activity of some New Zealand honeys. *The Journal of pharmacy and pharmacology*, 43(12): 817–822.
- Alvarez-Suarez, J.M., Gasparrini, M., Forbes-Hernández, T.Y., Mazzoni, L., & Giampieri, F. 2014. The Composition and Biological Activity of Honey: A Focus on Manuka Honey. *Foods (Basel, Switzerland)*, 3(3): 420–432.
- Anderson, C.T. & Kieber, J.J. 2020. Dynamic construction, perception, and remodeling of plant cell walls. *Annu. Rev. Plant Biol.* 71:8.1–8.
- Arizala, D., Dobhal, S., Paudel, S., Boluk, G., Silva, J., Ahmad, A.A., Uyeda, J., Sugano, J., Alvarez, A.M., & Arif, M. 2020. First Report of *Pectobacterium brasiliense* Causing Bacterial Soft Rot and Blackleg Diseases of Potato in Hawaii. *Plant Dis.* 104: 2515.
- Ashmawy N.A., El-Bebany A.F., Shams A.H.M., & Shoeib, AA. 2020. Identification and differentiation of soft rot and blackleg bacteria from potato using nested and multiplex PCR. *Journal of Plant Diseases and Protection* 127:141–153.
- Ava, S., Subandiyah, S., Rohman, M.S., Ogawa, N., & Joko, T. 2022. Manuka honey reduces the virulence of *Pectobacterium brasiliense* by suppressing genes that encode plant cell wall-degrading enzymes. *ASEAN Journal on science & Technology for Development* 39(3): 119-124.
- Ball, D.W. 2007. The chemical composition of honey. *Journal of Chemical Education* 84 (10): 1643.
- Bang, L.M., Bunting, C. & Molan, P., 2003. The effect of dilution on the rate of hydrogen peroxide production in honey and its implications for wound healing. *The Journal of Alternative and Complementary Medicine*, 9(2), pp.267 273.
- Barends, S., Zehl, M., Bialek, S., de Waal, E., Traag, B.A., Willemse, J., Jensen, O.N., Vijgenboom, E., & van Wezel, G.P. 2010. Transfer-messenger RNA controls the translation of cell-cycle and stress proteins in *Streptomyces*. *EMBO Rep.* 11(2):119-25.
- Bramhachari, P.V. 2018. Implication of quorum sensing system in biofilm formation and virulence. *Springer* : 143.

- Björklund, M & Marguerat, S. 2017. Editorial: determinants of cell size. *Front. Cell Dev. Biol.* 5:115.
- Boes, N., Schreiber, K., & Schobert, M. 2008. SpoT-triggered stringent response controls *usp* gene expression in *Pseudomonas aeruginosa*. *J Bacteriol.* 190(21): 7189-99.
- Cariddi, C. & Bubici, G. 2016. First report of bacterial pith soft rot caused by *Pectobacterium carotovorum* subsp. *brasiliense* on Artichoke in Italy. *J. Plant Pathol.* 98: 563–568.
- Carter, D.A., Blair, S.E., Cokcetin, N.N., Bouzo, D., Brooks, P., Schothauer, R., & Harry, E.J. 2016. Therapeutic Manuka Honey: No Longer So Alternative. *Frontiers in microbiology* 7: 569.
- Caruso, A., Licciardello, G., La Rosa, R., Catara, V., & Bella, P. 2016. Mixed infection of *Pectobacterium carotovorum* subsp. *carotovorum* and *P. carotovorum* subsp. *brasiliensis* in tomato stem rot in Italy. *J. Plant Pathol.* 98: 661–665.
- Charkowski, A.O. 2018. The changing face of bacterial soft-rot diseases. *Annu.Rev.Phytopathol* 56: 269–288.
- Chen, L., Zhou, L. & Pung, H.K. 2006. Universal Approximation and QoS Violation Application of Extreme Learning Machine. *Neural Process Lett* 28: 81–95.
- Chi, Y.H., Koo, S.S., Oh, H.T., Lee, E.S., Park, J.H., Phan, K.A.T., Wi, S.D., Bae, S.B., Paeng, S.K., Chae, H.B., Kang, C.H., Kim, M.G., Kim, W.Y., Yun, D.J., & Lee, SY. 2019. The physiological functions of universal stress proteins and their molecular mechanism to protect plants from environmental stresses. *Front. Plant Sci.* 10:750.
- Chirife, J., Zamora, M.C. & Motto, A., 2006. The correlation between water activity and % moisture in honey: Fundamental aspects and application to Argentine honeys. *J Food Eng*, 72: 287–292.
- Choi, O. & Kim, J. 2013. *Pectobacterium carotovorum* subsp. *brasiliense* causing soft rot on paprika in Korea. *J. Phytopathol.* 161: 125–127.
- Cokcetin, N.N., Pappalardo, M., Campbell, L.T., Brooks, P., Carter, D.A., Blair, S. E., & Harry, E.J. 2016. The antibacterial activity of Australian *Leptospermum* honey correlates with methylglyoxal levels. *PloS one* 11(12): e0167780.
- Cosgrove, D.J. 1997. Assembly and enlargement of the primary cell wall in plants. *Annu Rev Cell Dev Biol* 13: 171–201.
- Czajkowski, R., Perombelon, M.C.M., van Veen, J.A., & van der Wolf, J.M. 2011. Control of blackleg and tuber soft rot of potato caused by *Pectobacterium* and *Dickeya* species: a review. *Plant Pathol* 60: 999–1013
- Davidsson, P.R., Kariola, T., Niemi O., & Palva E.T. 2013. Pathogenicity of and plant immunity to soft rot pectobacteria. *Frontiers in Plant Science* 4(191).
- De Boer, SH. 2002. Relative incidence of *Erwinia carotovora* subsp. *atroseptica* in stolon end and peridermal tissue of potato tubers in Canada. *Plant Dis* 86:960–964.
- De Boer, S.H., Li, X., & Ward, L.J. 2012. *Pectobacterium* spp. associated with bacterial stem rot syndrome of potato in Canada. *Phytopathology* 102: 937–947.

- De Werra, P., Bussereau, F., Keiser, A., & Ziegler, D. 2015. First report of potato blackleg caused by *Pectobacterium carotovorum* subsp. *brasiliense* in Switzerland. *Plant Dis.* 99: 551.
- Drumm, J.E., Mi, K., Bilder, P., Sun, M., Lim, J., Bielefeldt-Ohmann, H., Basaraba, R., So, M., Zhu, G., Tufariello, J.M., Izzo, A.A., Orme, I.M., Almo, S.C., Leyh, T.S., & Chan, J. 2009. *Mycobacterium tuberculosis* universal stress protein Rv2623 regulates bacillary growth by ATP-Binding: requirement for establishing chronic persistent infection. *PLoS pathogens* 5: e1000460.
- Duarte, V., De Boer, S.H., Ward, L.J., & de Oliveira, A.M.R. 2004. Characterization of atypical *Erwinia carotovora* strains causing blackleg of potato in Brazil. *J. Appl. Microbiol.* 96: 535 – 545.
- Elhosseiny, N. M., Amin, M. A., Yassin, A. S., & Attia, A. S. 2015. *Acinetobacter baumannii* universal stress protein A plays a pivotal role in stress response and is essential for pneumonia and sepsis pathogenesis. *International Journal of Medical Microbiology* 305(1):114–123.
- Farewell, A., Kvint, K., dan Nystrom, T. 1998. *uspB*, a new sigmaS-regulated gene in *Escherichia coli* which is required for stationary-phase resistance to ethanol. *J. Bacteriol.* 180: 6140–6147.
- Fink, R. C., Evans, M. R., Porwollik, S., Vazquez-Torres, A., Jones-Carson, J., Troxell, B., Libby, S.J., McClelland, M., & Hassan, H.M. 2007. FNR is a global regulator of virulence and anaerobic metabolism in *Salmonella enterica* serovar *Typhimurium* (ATCC 14028s). *Journal of Bacteriology* 189(6): 2262–2273.
- Fuqua, W.C., Winans, S.C. & Greenberg, E.P. 1994. Quorum sensing in bacteria: the LuxR-LuxI family of cell density-responsive transcriptional regulators. *J. Bacteriol.* 176, 269–275.
- Galindo Blaha, C. A., & Schrank, I. S. 2003. An *Azospirillum brasilense* Tn5 mutant with modified stress response and impaired in flocculation. *Antonie Van Leeuwenhoek* 83(1): 35–43.
- Galindo, C. L., Sha, J., Moen, S. T., Agar, S. L., Kirtley, M. L., Foltz, S. M., McIver, L. J., Kozlova, E. V., Garner, H. R., & Chopra, A. K. 2010. Comparative Global Gene Expression Profiles of Wild-Type *Yersinia pestis* CO92 and Its Braun Lipoprotein Mutant at Flea and Human Body Temperatures. *Comparative and functional genomics* 342168.
- Ganz, T. 2003. Defensins: antimicrobial peptides of innate immunity. *Nat. Rev. Immunol.* 3: 710-720.
- Ghazzawi, Al.A., Ghoura, A.M, Beig, Al.N, Jaloul, A., & Mando, J. 2012. First report of *Pectobacterium carotovorum* subsp. *carotovorum* causing stem rot on greenhouse tomatoes in Syria. *J Plant Pathol* 94(4): 85-105.
- Gillis, A., Santana, M.A., Rodríguez, M., & Romay, G. 2017. First report of bell pepper soft-rot caused by *Pectobacterium carotovorum* subsp. *brasiliense* in Venezuela. *Plant Dis.* 101: 1671.
- Girma, A., Seo, W., & She, R.C. 2019. Antibacterial activity of varying UMF-graded Manuka honeys. *PLoS One* 14(10):e0224495.

- Gokul, G.G., Louis, V., Namitha, P.M., Mathew, D., Girija, D., Shylaja, M.R., & Abida, P.S. 2019. Variability of *Pectobacterium carotovorum* causing rhizome rot in banana. *Biocatal. Agric. Biotechnol.* 17: 60–81.
- Gottsberger, R.A. & Huss, H. 2016. *Pectobacterium carotovorum* subsp. *brasiliensis* causing a soft rot on Styrian oil pumpkin in Austria. *New Dis. Rep.* 33: 12.
- Hall, T.A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucl. Acids. Symp. Ser.* 41:95-98.
- Hammond, E.N. & Donkor, E.S. 2013. Antibacterial effect of Manuka honey on *Clostridium difficile*. *BMC Res Notes.* 6:188.
- Hugouvieux-Cotte-Pattat, N., Condemine, G., & Shevchik, V.E. 2014. Bacterial pectate lyases, structural and functional diversity. *Environ. Microbiol.* 6:427–440.
- Hutchings, M. I., Truman, A. W., & Wilkinson, B. 2019. Antibiotics: past, present and future. *Current opinion in microbiology* 51: 72–80.
- Jee, S., Choi, J.-G., Hong, S., Lee, Y.-G., & Kwon, M. 2018. First report of soft rot by *Pectobacterium carotovorum* subsp. *brasiliense* on amaranth in Korea. *Res. Plant Dis.* 24: 339–341.
- Jenkins, R., Burton, N., & Cooper, R. 2011. Effect of manuka honey on the expression of universal stress protein A in methicillin-resistant *Staphylococcus aureus*. *International Journal of Antimicrobial Agents* 37(4): 373–376.
- Jenkins R, Burton N, dan Cooper R. 2014. Proteomic and genomic analysis of methicillin-resistant *Staphylococcus aureus* (MRSA) exposed to manuka honey in vitro demonstrated down-regulation of virulence markers. *J Antimicrob Chemother.* 69(3): 603-15.
- Jiang, S.B., Lin, B.R., Yang, Q.Y., Zhang, J.X., Shen, H.F., Pu, X.M., & Sun, D.Y. 2019. First report of bacterial soft rot of potato caused by *Pectobacterium carotovorum* subsp. *brasiliense* in Guangdong Province, China. *Plant Dis.* 103: 2468.
- Jiang, X., Zghidi-Abouzid, O., Oger-Desfeux, C., Hommais, F., Greliche, N., Muskhelishvili, G., Nasser, W., & Reverchon, S. 2016. Global transcriptional response of *Dickeya dadantii* to environmental stimuli relevant to the plant infection. *Environmental microbiology*, 18(11), 3651–3672.
- Johnston, M., McBride, M., Dahiya, D., Owusu-Apenten, R., & Nigam, PS. 2018. Antibacterial activity of Manuka honey and its components: An overview. *AIMS Microbiol.* 4(4): 655-664.
- Joko, T., Hirata, H., & Tsuyumu, S. 2006. Sugar transporter (MfsX) of the major facilitator superfamily is required for flagella-mediated pathogenesis in *Dickeya dadantii* 3937. *J Gen Plant Pathol* 73:266–273.
- Joshi, J.R., Burdman, S., Lipsky A., Yariv, S., & Yedidia, I. 2016. Plant phenolic acids affect the virulence of *Pectobacterium aroidearum* and *P. carotovorum* ssp. *brasiliense* via quorum sensing regulation. *Molecular Plant Pathology* 17(4): 487–500.
- Jung, Y.J., Lee, S.Y., Moon, Y.S., Kang, K.K. 2012. Enhanced resistance to bacterial and fungal pathogens by overexpression of a human cathelicidin antimicrobial peptide (hCAP18/LL-37) in Chinese cabbage. *Plant Biotechnol. Rep.* 6: 39-46.

- Kamau, J.W., Ngaira, J., Kinyua, J., Gachamba, S., Ngundo, G., Janse, J., & Macharia, I. 2019. Occurrence of pectinolytic bacteria causing blackleg and soft rot of potato in Kenya. *J Plant Pathol* 101: 689–694.
- Kałużna, M., Kuras, A. & Puławska, J. 2017. Validation of reference genes for the normalization of the qRT-PCR gene expression of virulence genes of *Erwinia amylovora* in apple shoots. *Sci Rep* 7(1): 2034.
- Kato, Y., Umeda, N., Maeda, A., Matsumoto, D., Kitamoto, N., & Kikuzaki, H. 2012. Identification of a novel glycoside, leptosin, as a chemical marker of manuka honey. *Journal of agricultural and food chemistry*, 60(13): 3418–3423.
- Kim, H., Goo, E., Kang, Y., Hwang, I. 2011. Regulation of universal stress protein genes by quorum sensing and RpoS in *Burkholderia glumae*. *Journal of Bacteriology* 982–992.
- Kolomiiets, Y., Grygoryuk, I., Butsenko L.M, Bohoslavets, V., Blume, Y., & Yemets, A. 2020. Identification and biological properties of the pathogen of soft rot of tomatoes in the greenhouse. *The Open Agriculture Journal* 14: 290-298.
- Kolomiiets, Y.V., Grygoryuk, I.P., Butsenko, L.M., Kalinichenko, A.V. 2019. Biotechnological control methods against phytopathogenic bacteria in tomatoes. *Appl Ecol Environ Res*; 17(2): 3215-3230.
- Kubheka, G.C., Coutinho, T.A., Moleleki, N., & Moleleki, L.N. 2013. Colonization patterns of an mCherry-tagged *Pectobacterium carotovorum* subsp. *brasiliense* strain in potato plants. *Phytopathology* 103: 1268–1279.
- Kumar, G., Hummel, K., Welch, T. J., Razzazi-Fazeli, E., & El-Matbouli, M. 2017. Global proteomic profiling of *Yersinia ruckeri* strains. *Veterinary research*, 48(1), 55.
- Kumvinit, A. & Akarapisan, A. 2019. Characterization of blackleg and soft rot from potato in northern Thailand. *J. Phytopathol.* 167: 655–666.
- Kuramitsu, H.K., Chen, W., & Ikegami, A. 2005. Biofilm formation by the periodontopathic bacteria *Treponema denticola* and *Porphyromonas gingivalis*. *Journal of Periodontology* 76(11): 2047–2051.
- Kvint, K., Nachin, L., Diez, A., & Nyström, T. 2003. The bacterial universal stress protein: function and regulation. *Current Opinion in Microbiology* 6:140–145.
- Kwenda, S.T.V., Motlolometsi, P.R.J., Birch, L.N., & Moleleki. 2016. RNA-seq profiling reveals defense responses in a tolerant potato cultivar to stem infection by *Pectobacterium carotovorum* ssp. *brasiliense*. *Front.Plant.Sci.* 7:1-18.
- Lee, D.H., Kim, J.B., Lim, J.A., Han, S.W., & Heu, S. 2014. Genetic diversity of *Pectobacterium carotovorum* subsp. *brasiliensis* isolated in Korea. *Plant Pathol. J.* 30: 117–124.
- Lee, S., Vu, N.-T., Oh, E.-J., Rahimi-Midani, A., Thi, T.-N., Song, Y.-R., Hwang, I.-S., Choi, T.-J., & Oh, C.-S. 2021. Biocontrol of soft rot caused by *Pectobacterium odoriferum* with bacteriophage phiPccP-1 in kimchi cabbage. *Microorganisms* 9:779.
- Lee, E.S., Phan K.A.T., Jun, S.E., Park, J.H., Paeng, S.K., Chae, H.B., Wi, S.D., Bae, S.B., Kang, K.R., Kim, G., & Lee, S.Y. 2022. Universal stress protein (USP) enhances plant growth and development by promoting cell expansion. *Journal of Plant Biology* 65:231-239.

- Leite, L.N., de Haan, E.G., Krijger, M., Kastelein, P., van der Zouwen, P.S., van den Bovenkamp, G.W., Tebaldi, N.D., & van derWolf, J.M. 2014. First report of potato blackleg caused by *Pectobacterium carotovorum* subsp. *brasiliensis* in the Netherlands. *New Dis. Rep.* 29, 24.
- Levy, S.B., & Marshall, B. 2004. Antibacterial resistance worldwide: causes, challenges and responses. *Nature medicine*, 10(12): S122–S129.
- Leys, N., Baatout, S., Rosier, C., Dams, A., s'Heeren, C., Wattiez, R., & Mergeay M. . 2009. The response of *Cupriavidus metallidurans* CH34 to spaceflight in the international space station. *Antonie Van Leeuwenhoek* 96(2): 227–245.
- Li, L., Yuan, L., Shi, Y., Xie, X., Chai, A., Wang, Q., & Li, B.. 2019. Comparative genomic analysis of *Pectobacterium carotovorum* subsp. *brasiliense* SX309 provides novel insights into its genetic and phenotypic features. *BMC Genomics* 20:486.
- Liu, W. T., Karavolos, M. H., Bulmer, D. M., Allaoui, A., Hormaeche, R. D., Lee, J. J., & Khan, C. M. 2007. Role of the universal stress protein UspA of *Salmonella* in growth arrest, stress and virulence. *Microbial Pathogenesis* 42(1): 2–10.
- Liu, YK., Kuo, HC., Lai, CH. et al. 2020. Single amino acid utilization for bacterial categorization. *Sci Rep* 10 12686.
- Livak, K.J. & T.D. Schmittgen. 2001. Analysis of relative gene expression data using realtime quantitative PCR and the  $2^{-\Delta\Delta CT}$  method . *Methods* 25:402–40.
- Lu, J., Carter, D.A., Turnbull, L., Rosendale, D., Hedderley, D., Stephens, J., Gannabathula, S., Steinhorn, G., Schlothauer, R.C., Whitchurch, C.B., & Harry, E.J. 2013. The effect of new zealand kanuka, manuka and clover honeys on bacterial growth dynamics and cellular morphology varies according to the species. *PLoS ONE* 8(2): e55898.
- Ma, B., Hibbing, M.E., Kim, H.S., Reedy, R.M., Yedidia, I., Breuer, J., Glasner, J.D., Perna, N.T. *et al.*, 2007. Host range and molecular phylogenies of the Soft Rot Enterobacterial genera *Pectobacterium* and *Dickeya*. *Phytopathol.*, 97: 1150–1163.
- Majtan, J. et al., 2014. Anti-biofilm effects of honey against wound pathogens *Proteus mirabilis* and *Enterobacter cloacae*. *Phytother Res*, 28(1): 69-75.
- Mangalappalli-Illathu, A.K., & Korber, D.R. 2006. Adaptive resistance and differential protein expression of *Salmonella enterica* serovar Enteritidis biofilms exposed to benzalkonium chloride. *Antimicrobial Agents and Chemotherapy* 50(11): 3588–3596.
- Mantsebo C.C., Mazarura,U., Goss M., & Ngadze, E. 2014. The epidemiology of *Pectobacterium* and *Dickeya* species and the role of calcium in postharvest soft rot infection of potato (*Solanum tuberosum*) caused by the pathogens: A review. *Afr. J. Agric. Res.* 9(19): 1509-1515.
- Mavric, E., Wittmann, S., Barth, G., & Henle, T. 2008. Identification and quantification of methylglyoxal as the dominant antibacterial constituent of Manuka (*Leptospermum scoparium*) honeys from New Zealand. *Molecular nutrition & food research* 52(4): 483–489.
- Mejía-Sánchez, D., Aranda-Ocampo, S., Nava-Díaz, C., Teliz-Ortiz, D., Livera-Muñoz, M., De La Torre-Almaráz, R., & Ramírez-Alarcón, S. 2019.

- Pectobacterium carotovorum* subsp. *brasiliense* causes soft rot and death of *Neobuxbaumia tetetzo* in Zapotitlan Salinas Valley, Puebla, Mexico. *Plant Dis.* 103: 398–403.
- Meng, X., Chai, A., Shi, Y., Xie, X., Ma, Z., & Li, B. 2017. Emergence of bacterial soft rot in cucumber caused by *Pectobacterium carotovorum* subsp. *brasiliense* in China. *Plant Dis.* 101: 279–287.
- Moraes, A.J.G., Souza, E.B., Mariano, R.L.R., Silva, A.M.F., Lima, N.B., Peixoto, A.R., & Gama, M.A.S. 2017. First report of *Pectobacterium aroidearum* and *Pectobacterium carotovorum* subsp. *brasiliensis* causing soft rot of cucurbita pepo in Brazil. *Plant Dis.* 101: 379.
- Mukherjee, S., Chaki, S., Das, S., Sen, S., Dutta, S.K., & Dastidar, S.G. 2011. Distinct synergistic action of piperacillin and methylglyoxal against *Pseudomonas aeruginosa*. *Indian J Exp Biol* 49(7):547-551.
- Naas, H., Sebahia, M., Orfei, B., Rezzonico, F., Buonauro, R., & Moretti, C. 2018. *Pectobacterium carotovorum* subsp. *brasiliense* and *Pectobacterium carotovorum* subsp. *carotovorum* as causal agents of potato soft rot in Algeria. *Eur. J. Plant Pathol.* 151: 1027–1034.
- Nachin, L., Nannmark, U., Nyström, T. 2005. Differential roles of the universal stress proteins of *Escherichia coli* in oxidative stress resistance, adhesion, and motility. *J Bacteriol* 187: 6265–6272.
- Narayanasamy, P. 2020. Soilborne microbial plant pathogens and disease management. CRC Press: 201.
- Nazerian, E., Sijam, K., Meor Ahmad, Z.A., & Vadamalai, G. 2013. Characterization of *Pectobacterium carotovorum* subsp. *carotovorum* as a new disease on lettuce in Malaysia. *Australas Plant Dis Notes* 8(1): 105-7.
- Nolan VC, Harrison, J. & Jonathan A.G.C. 2019. Dissecting the Antimicrobial Composition of Honey. *Antibiotics* 8(25).
- Northcote, D.H. 1972. Chemistry of the plant cell wall. *Ann.Rev.Plant Pathol.* 23: 113-132.
- Nuryani, W., Yusuf S., Hanudin E., Djatnika I., & Marwoto, B. 2018. Kemangkusan biobakterisida terhadap penyakit busuk lunak (*Pseudomonas viridiflava*) pada *Phalaenopsis*. *J. Hort.* 22(4): 392-399.
- Nyström, T. & Neidhardt, F.C. 1994. Expression and role of the universal stress protein, UspA, of *Escherichia coli* during growth arrest. *Mol Microbiol* 11(3): 537-544.
- O'Toole R. & Williams H.D. 2003. Universal Stress Proteins and *Mycobacterium tuberculosis*. *Research in Microbiology* 154: 387–392.
- Onkendi, E.M. & Moleleki, L.N. 2016. Characterization of *Pectobacterium carotovorum* subsp. *carotovorum* and *brasiliense* from diseased potatoes in Kenya. *Eur. J. Plant Pathol.* 139: 557–566.
- Oulghazi, S., Moumni, M., Khayi, S., Robic, K., Sarfraz, S., Lopez-Roques, C., Vandecasteele, C., & Faure, D. 2020. Diversity of *Pectobacteriaceae* species in potato growing regions in Northern Morocco. *Microorganisms* 8, 895.
- Oulghazi, S., Sarfraz, S., Zaczek-Moczydłowska, M.A., Khayi, S., Ed-Dra, A., Lekbach, Y., Campbell, K., NovungayoMoleleki, L. O'Hanlon, R., & Faure, D.

2021. *Pectobacterium brasiliense*: genomics, host range and disease management. *Microorganisms* 9: 106.
- Ozturk, M. & Aksoy, H.M. 2016. First report of *Pectobacterium carotovorum* subsp. *brasiliense* causing blackleg and soft rot of potato in Turkey. *Journal Of Plant Pathology* 98 (3): 677-697.
- Panda, P., Fiers, M.A.W.J., Armstrong, K., & Pitman, A.R. 2012. First report of blackleg and soft rot of potato caused by *Pectobacterium carotovorum* subsp. *brasiliensis* in New Zealand. *New Dis. Rep.* 26: 15.
- Portier, P., Pédrón, J., Taghouti, G., Fischer-Le Saux, M., Caullireau, E., Bertrand, C., Laurent, A., Chawki, K., Oulgazi, S., Moumni, M., Andrivon, D., Dutrieux, C., Faure, D., Hélias, V., & Barny, M. A. 2019. Elevation of *Pectobacterium carotovorum* subsp. *odoriferum* to species level as *Pectobacterium odoriferum* sp. nov., proposal of *Pectobacterium brasiliense* sp. nov. and *Pectobacterium actinidiae* sp. nov., emended description of *Pectobacterium carotovorum* and description of *Pectobacterium versatile* sp. nov., isolated from streams and symptoms on diverse plants. *Int. J. Syst. Evol. Microbiol.* 69: 3207–3216.
- Portier, P., Pédrón, J., Taghouti, G., Dutrieux, C., & Barny, M.A. 2020. Updated taxonomy of *Pectobacterium* Genus in the CIRM-CFBP bacterial collection: when newly described species reveal “old” endemic population. *Microorganisms* 8: 1441.
- Raspoet, R., Gantois, I., Devloo, R., Martel, A., Haesebrouck, F., Pasmans, F., et al. 2011. *Salmonella enteritidis* universal stress protein (*usp*) gene expression is stimulated by egg white and supports oviduct colonization and egg contamination in laying hens. *Veterinary Microbiology*, 153(1–2): 186–190.
- Ren, J., Petzoldt, R., & Dickson, H. 2001. Screening and identification of resistance to bacterial soft rot in *Brassica rapa*. *Euphytica* 118: 271-280.
- Roberts, A., Brown, H.L., & Jenkins, R. 2015. On the antibacterial effects of Manuka honey: mechanistic insights. *Research and Reports in Biology*. 6:215-224.
- Roskopf, E. & Hong, J. 2016. First report of bacterial stem rot of “heirloom” tomatoes caused by *Pectobacterium carotovorum* subsp. *brasiliensis* in Florida. *Plant Dis.* 100: 1233.
- Schulze, A., Mitterer, F., Pombo, J.P., Schild, S. 2021. Biofilms by bacterial human pathogens: clinical relevance - development, composition and regulation - therapeutical strategies. *Microb Cell.* 8(2):28-56.
- Secor, G.A., Rivera-Varas, V.V., Brueggeman, R.S., Metzger, M.S., Rengifo, J., & Richards, J.K. 2016. First report of field decay of sugar beet caused by *Pectobacterium carotovorum* subsp. *brasiliense* in North America. *Plant Dis.* 100: 2160.
- Seifart, Gomes., C., Izar, B., Pazan, F., Mohamed, W., Mraheil, M. A., Mukherjee, K., et al. 2011. Universal stress proteins are important for oxidative and acid stress resistance and growth of *Listeria monocytogenes* EGD-e in vitro and in vivo. *PLoS One* 6(9): e24965.
- She, X.M., Lan, G.B., Tang, Y.F., & He, Z.F. 2017. *Pectobacterium carotovorum* subsp. *brasiliense* causing pepper black spot disease in China. *J. Plant Pathol.* 99: 769–772.

- Shi, L., Pigeonneau, N., Ravikumar, V., Dobrinic, P., Macek, B., Franjevic, D., Noiro-Gros, M-F., Mijakovic, I. 2014. Cross-phosphorylation of bacterial serine/threonine and tyrosine protein kinases on key regulatory residues. *Frontiers in Microbiology* 5.
- Sojka, M., Valachova, I., Bucekova, M., & Majtan, J. 2016. Antibiofilm efficacy of honey and bee-derived defensin-1 on multispecies wound biofilm. *J Med Microbiol.* 65(4):337-344.
- Sun, Y., Wang, M., Mur, L. A. J., Shen, Q., & Guo, S. 2020. Unravelling the roles of nitrogen nutrition in plant disease defences. *International journal of molecular sciences* 21(2): 572.
- Tamura, K., Stecher, G., & Kumar, S. 2021. MEGA6: Molecular Evolutionary Genetics Analysis Version 11. *Mol. Biol. Evol.* 38(7): 3022–3027.
- Tkaczuk, K. L., A Shumilin, I., Chruszcz, M., Evdokimova, E., Savchenko, A., & Minor, W. (2013). Structural and functional insight into the universal stress protein family. *Evolutionary applications*, 6(3), 434–449.
- Tsrur, L., Lebiush, S., Erlich, O., Galilov, I., Chalupowicz, L., Reuven, M., Dror, O., & Manulis-Sasson, S. 2019. First report of latent infection of *Malva nicaeensis* caused by *Pectobacterium carotovorum* subsp. *brasiliense* in Israel. *New Dis. Rep.* 39: 4.
- Udawat, P., Mishra, A., & Jha, B. 2014. Heterologous expression of an uncharacterized universal stress protein gene (SbUSP) from the extreme halophyte, *Salicornia brachiata*, which confers salt and osmotic tolerance to *E. coli*. *Gene* 536(1): 163–170.
- Van der Merwe, J.J.; Coutinho, T.A.; Korsten, L.; van der Waals, J.E. 2010. *Pectobacterium carotovorum* subsp. *brasiliensis* causing blackleg on potatoes in South Africa. *Eur. J. Plant Pathol.* 126, 175–185.
- Van Bogelen, R.A., Hutton, M.E., & Neidhardt, F.C. 1990. Gene-protein database of *Escherichia coli* K-12: Edition 3. *Electrophoresis*, 11(12): 1131–1166.
- Van den Berg, A.J., van den Worm, E., van Ufford, H.C., Halkes, S.B., Hoekstra, M.J., & Beukelman, C.J. 2008. An in vitro examination of the antioxidant and anti-inflammatory properties of buckwheat honey. *Journal of wound care* 17(4): 172–178.
- Van der Merwe, J.J., Coutinho, T.A., Korsten, L., & van der Waals, J.E. *Pectobacterium carotovorum* subsp. *brasiliensis* causing blackleg on potatoes in South Africa. *Eur. J. Plant Pathol.* 126: 175–185.
- Van Gijsegem F., der Wolf JM., Toth IK. 2021. *Plant Diseases Caused by Dickeya and Pectobacterium Species*. Springer.
- Vollmer, A.C. & Bark, S.J. 2018. Twenty-five years of investigating the universal stress protein: function, structure, and applications. *Advances in Applied Microbiology* 102.
- Voronina, M.V., Kabanova, A.P., Shneider, M.M., Korzhenkov, A.A., Toschakov, S.V., Miroshnikov, K.K., Miroshnikov, K.A., & Ignatov, A.N. 2019. First report of *Pectobacterium carotovorum* subsp. *brasiliense* causing blackleg and stem rot disease of potato in Russia. *Plant Dis.* 103: 364.

- Waleron, M., Waleron, K., & Lojkowska, E. 2015. First report of *Pectobacterium carotovorum* subsp. *brasiliense* causing soft rot on potato and other vegetables in Poland. *Plant Dis.* 99: 1271.
- Wang, J., Wang, Y.H., Dai, P.G., Chen, D.X., Zhao, T.C., Li, X.L., & Huang, Q. 2017. First report of tobacco bacterial leaf blight caused by *Pectobacterium carotovorum* subsp. *brasiliense* in China. *Plant Dis.* 101: 830.
- Woronowicz, K., Sha, D., Frese, R.N., & Niederman, R.A. 2011. The accumulation of the light-harvesting 2 complex during remodeling of the *Rhodobacter sphaeroides* intracytoplasmic membrane results in a slowing of the electron transfer turnover rate of photochemical reaction centers. *Biochemistry.* 50(22): 4819-4829.
- Yang, Q., Porter, A.J., Zhang, M., Harrington, D. J., Black, G. W., & Sutcliffe, I.C. 2012. The impact of pH and nutrient stress on the growth and survival of *Streptococcus agalactiae*. *Antonie Van Leeuwenhoek* 102(2): 277–287.
- Ye, X., van der Does, C., & Albers, S.V. 2020. SaUspA, the universal stress protein of *Sulfolobus acidocaldarius* stimulates the activity of the PP2A phosphatase and is involved in growth at high salinity. *Front Microbiol* 11: 598821.
- Yoon, S.S., Hennigan, R.F., Hilliard, G.M., Ochsner, U.A., Parvatiyar, K., Kamani, M. C., et al. 2002. *Pseudomonas aeruginosa* anaerobic respiration in biofilms: Relationships to cystic fibrosis pathogenesis. *Developmental Cell* 3(4): 593–603.
- Zlatković, N.; Prokić, A.; Gašić, K.; Kuzmanović, N.; Ivanović, M.; Obradović, A. 2019. First report of *Pectobacterium carotovorum* subsp. *brasiliense* causing soft rot on squash and watermelon in Serbia. *Plant Dis.* 103: 2667.