



DAFTAR PUSTAKA

- Apridamayanti, P., Pratiwi, R., Purwestri, Y. A., Sri Tunjung, W. A., & Rumiyati, R. (2017). Anthocyanin, nutrient contents, and antioxidant activity of black rice bran of *Oryza sativa* L. ‘Cempo Ireng’ from Sleman, Yogyakarta, Indonesia. *Indonesian Journal of Biotechnology*, 22 (1), 49–54.
- Batubara I, Maharni M, Sadiah S. 2017. The potency of white rice (*Oryza sativa*), black rice (*Oryza sativa* L. *indica*), and red rice (*Oryza nivara*) as antioxidant and tyrosinase inhibitor. *J Physics*:
- Behr, M., Lutts, S., Hausman, J. F., & Guerriero, G. (2018). Jasmonic acid to boost secondary growth in hemp hypocotyl. *Planta*, 248(4), 1029–1036.
- Behr, M., Pokorna, E., Dobrev, P. I., Motyka, V., Guignard, C., Lutts, S., Hausman, J. F., & Guerriero, G. (2019). Impact of jasmonic acid on lignification in the hemp hypocotyl. *Plant Signaling and Behavior*, 14(6), 1–3.
- Berno, N.D.; Tezotto-Uliana, J.V.; Santos, D.C.T.; Kluge, R.A.(2014). Storage temperature and type of cut affect thebiochemical and physiological characteristics of fresh-cut purple onions. *Postharvest Biol. Technol.* 93(1),91–96.
- Bolea C, Turturică M, Stănciuc N, Vizireanu, C. (2016). Thermal degradation kinetics of bioactive compounds from black rice flour (*Oryza sativa* L.) extracts. *J Cereal Sci* , 8(11), 1–19.
- Bravo, E., R., Alba, J. M., Pons, C., Granell, A., Kant, M. R., Moriones, E., & Fernández-Muñoz, R. (2016). A jasmonate-inducible defense trait transferred from wild into cultivated tomato establishes increased whitefly resistance and reduced viral disease incidence. *Frontiers in Plant Science*, 7(11), 1–16.
- Bridgemohan, P., & Bridgemohan, R. S. H. (2014). Evaluation of anti-lodging plant growth regulators on the growth and development of rice (*Oryza sativa*). *Journal of Cereals and Oilseeds*, 5(3), 12–16.
- Broun, P. (2005). Transcriptional control of flavonoid biosynthesis: A complex network of conserved regulators involved in multiple aspects of differentiation in *Arabidopsis*. *Current Opinion in Plant Biology*, 8(3), 272–279.
- Cagampang, G. B., Pathak, M. D., & Juliano, B. O. (1974). Metabolic Changes in the Rice Plant during Infestation by the Brown Planthopper, *Nilaparvata lugens* Stål (Hemiptera : Delphacidae). *Applied Entomology and Zoology*, 9(3), 174–184.
- Campos, M. L., Kang, J. H., & Honwe, G. A. (2014). Jasmonate Triggered Plant Immunity. *J Chem Ecol*, 40(7), 657–675.
- Chaerani. (2017). Virulensi Wereng Batang Cokelat (*Nilaparvata lugens* Stål) dan Strategi Pengelolaannya (Virulence of Brown Planthopper (*Nilaparvata lugens* Stål) and its. *Agro, Jurnal*, 13(1), 53–66.
- Chang, T., & Bardenas, E. A. (1965). The Morphology and Varietal Characteristics of the Rice Plant. In *The Morphology and Varietal Characteristics of the Rice Plant* (pp. 12–13).
- Creelman, R. A., & Mullet, J. E. (1997). Biosynthesis and action of jasmonates in plants. *Annual Review of Plant Biology*, 48(8), 355–381.



Debolt, S., Melino, V., & Ford, C. M. (2007). Ascorbate as a biosynthetic precursor in plants. *Annals of Botany*, 99(1), 3–8.

Dewi, K. Agustina, R.Nurmalika, F. (2016). Effects of Blue Light and Paclobutrazol on Seed Germination, Vegetative Growth, And Yield of Black Rice (*Oryza sativa L.* 'Cempo Ireng'). *BIOTROPIA*, 23(2), 84–95.

Ghaffar, M. B., Pritchard, J., & Ford-Lloyd, B. (2011). Brown planthopper (*N. lugens* stål) feeding behaviour on rice germplasm as an indicator of resistance. *PLoS ONE*, 6(7), 1–13.

Gill RS, Gupta ZK, Taggar GK and Taggar MS. (2010). Role of oxidative enzymes in plant defenses against herbivory. *Acta Phytopathol Entomol Hung*, (45)2,:277–290.

Guan, Y., Hu, W., Jiang, A., Xu, Y., Sa, R., Feng, K., Zhao, M., Yu, J., Ji, Y., Hou, M., & Yang, X. (2019). Effect of methyl jasmonate on phenolic accumulation in wounded broccoli. *Molecules*, 24(19), 1–18.

Han, C., Li, J., Jin, P., Li, X., Wang, L., & Zheng, Y. (2017). The effect of temperature on phenolic content in wounded carrots. *Food Chemistry*, 215, 116–123.

Hereward, J. P., Cai, X., Matias, A. M. A., Walter, G. H., Xu, C., & Wang, Y. (2020). Migration dynamics of an important rice pest: The brown planthopper (*Nilaparvata lugens*) across Asia—Insights from population genomics. *Evolutionary Applications*, 13(9), 2449–2459.

Hopkins, W., & Huner, N. P. (2009). *Introduction to Plant Physiology* (Fourth). John Wiley & Sons.

Hu, G., Lu, F., Zhai, B., Lu, M., Liu, W., Zhu, F., Wu, X., Chen, H., & Zhang, X. (2014). Outbreaks of the Brown Planthopper *Nilaparvata lugens* ° 1) in the Yangtze River Delta : Immigration or Local Reproduction . *PLoS ONE*, 9(2), 1–12.

Hou, X.; Ding, L.; Yu, H. (2013), Crosstalk between GA and JA signaling mediates plant growth and defense. *Plant Cell Rep*. 32(2), 1067–1074.

IRRI. (2002). *Standard Evaluation System for Rice (SES)*. International Rice Research Institute.

Ishida, T., Kurata, T., Okada, K., & Wada, T. (2008). A genetic regulatory network in the development of trichomes and root hairs. *Annual Review of Plant Biology*, 59, 365–386.

Jang, G., Yoon, Y., & Choi, Y. Do. (2020). Crosstalk with jasmonic acid integrates multiple responses in plant development. *International Journal of Molecular Sciences*, 21(1), 1–15.

Kane, S. N., Mishra, A., & Dutta, A. K. (2016). Preface: International Conference on Recent Trends in Physics (ICRTP 2016). *Journal of Physics: Conference Series*, 755(1), 4–10.



Kartohardjono, A. (2011). Penggunaan Musuh alami Komponen Pengendalian Hama Padi Berbasis Ekologi. *Pengembangan Inovasi Pertanian*, 4(1), 29–46.

Kim, E. H., Kim, Y.S., Park, S-H., Koo, Y.J., Choi, Y.D., Chung, Y-Y., Lee, I-N., and Kim, J-K. (2009). Methyl Jasmonate Reduces Grain Yield by Mediating Stress Signals to Alter Spikelet Development in Rice. *Plant Physiology*. 14(9), 1751-1760

Kraus, E. C., & Stout, M. J. (2019). Seed treatment using methyl jasmonate induces resistance to rice water weevil but reduces plant growth in rice. *PLoS ONE*, 14(9), 1–17.

Kurowska, M. M., Daszkowska-Golec, A., Gajecka, M., Kościelniak, P., Bierza, W., & Szarejko, I. (2020). Methyl jasmonate affects photosynthesis efficiency, expression of HvTIP genes and nitrogen homeostasis in Barley. *International Journal of Molecular Sciences*, 21(12), 1–23.

Li, X., Long, Q., Gao, F., Han, C., Jin, P., & Zheng, Y. (2017). Effect of cutting styles on quality and antioxidant activity in fresh-cut pitaya fruit. *Postharvest Biology and Technology*, 124, 1–7.

Maeda, H., Yamaguchi, T., Omoteno, M., Takarada, T., Fujita, K., Murata, K., Iyama, Y., Kojima, Y., Morikawa, M., Ozaki, H., Mukaino, N., Kidani, Y., & Ebitani, T. (2014). Genetic dissection of black grain rice by the development of a near isogenic line. *Breeding Science*, 64(2), 134–141.

Makarim, K. A., & Suhartatik, E. (2009). Morfologi dan Fisiologi Tanaman Padi. In *Balai Besar Penelitian Tanaman Padi*.

Mochida, O., & Okada, T. (1979). Taxonomy and biology of *Nilaparvata lugens* (Hom., Delphacidae). *Brown Planthopper: Threat To Rice Production in Asia*, 22–43.

Mousavi, S. A. R., Chauvin, A., Pascaud, F., Kellenberger, S., & Farmer, E. E. (2013). Glutamate Receptor Like Genes Mediate Leaf to Leaf Wound Signalling. *Nature*, 500(7463), 422–426.

Nafie, E., Hathout, T., & Al Mokadem, A. S. (2011). Jasmonic acid elicits oxidative defense and detoxification systems in *Cucumis melo* L. cells. *Brazilian Journal of Plant Physiology*, 23(2), 161–174.

Ni X, Quisenberry SS, Heng-Moss T, Markell JP, Higley LG, Baxendale F, Sarath G, Klucas R. (2002). Dynamic change in photosynthetic pigments and chlorophyll degradation elicited by cereal aphid feeding. *Entomol Exp Appl.* 20(2),43–53.

Pratiwi, R., Tunjung, W. A. S., Rumiyati, R., & Amalia, A. R. (2015). Black Rice Bran Extracts and Fractions Containing Cyanidin 3-glucoside and Peonidin 3-glucoside Induce Apoptosis in Human Cervical Cancer Cells. *Indonesian Journal of Biotechnology*, 20(1), 69–76.

Riyatun, Suharyana, Ramelan AH, Sutarno, Saputra OA, Suryanti V. (2018). Proximate nutritional evaluation of gamma-irradiated black rice (*Oryza sativa L.* cv. Cempo Ireng). IOP Conf Ser Mater Sci Eng 333: 012073.



- Rossato, L., MacDuff, J. H., Laine, P., Le Deunff, E., & Ourry, A. (2002). Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: Effects of methyl jasmonate on nitrate uptake, senescence, growth, and VSP accumulation. *Journal of Experimental Botany*, 53(371), 1131–1141.
- Ruan, J., Zhou, Y., Zhou, M., Yan, J., Khurshid, M., Weng, W., Cheng, J., & Zhang, K. (2019). Jasmonic Acid Signaling Pathway in Plants. *International Journal of Molecular Sciences*, 20(2479), 1–15.
- Rukmana, R. M., Soesilo, N. P., Rumiyati, R., & Pratiwi, R. (2016). The Effect of Ethanolic Extract of Black and White Rice Bran (*Oryza sativa* L.) on Cancer Cells. *Indonesian Journal of Biotechnology*, 21(1), 63–69.
- Sakamoto, T., Sakakibara, H., Kojima, M., Yamamoto, Y., Nagasaki, H., Inukai, Y., et al., (2006). Ectopic expression of KNOTTED1-like homeobox protein induces expression of cytokinin biosynthesis genes in rice. *Plant Physiol.* 142, 54–62.
- Santino A, Taurino M, Domenico SD, Bonsegna S, Poltronieri P, Pastor V.(2013). Jasmonate signaling in plant development and defense response to multiple abiotic stresses. *Plant Cell Rep* 32(3), 1085–1098.
- Salvador-Recatalà, V., Tjallingii, W. F., & Farmer, E. E. (2014). Real-time, in vivo intracellular recordings of caterpillar-induced depolarization waves in sieve elements using aphid electrodes. *New Phytologist*, 203(2), 674–684.
- Senthil-nathan, S., Kalaivani, K., Choi, M., & Paik, C. (2009). Effects of jasmonic acid-induced resistance in rice on the plant brownhopper , *Nilaparvata lugens* Stål (Homoptera : Delphacidae). *Pesticide Biochemistry and Physiology*, 95(2), 77–84.
- Seo, B., Kyo, J., Choi, B., Park, H., Lee, S., & Hoon, B. (2010). Journal of Asia-Pacific Entomology Survival rate and stylet penetration behavior of current Korean populations of the brown planthopper , *Nilaparvata lugens* , on resistant rice varieties. *Journal of Asia-Pacific Entomology*, 13(1), 1–7.
- Seo, B. Y., Kwon, Y. H., Jung, J. K., & Kim, G. H. (2009). Electrical penetration graphic waveforms in relation to the actual positions of the stylet tips of *Nilaparvata lugens* in rice tissue. *Journal of Asia-Pacific Entomology*, 12(2), 89–95.
- Shivaji R, Camas A, Ankala A, Engelberth J, Tumlinson JH, Williams WP et al., (2010). Plants on constant alert: elevated levels of jasmonic acid and jasmonate-induced transcripts in caterpillar-resistant maize. *J Chem Ecol*, 36(2), 179–191.
- Shyfa, C. B. A., & Dewi, K. (2021). Growth, oxalate and vitamin c content of red amaranth (*Amaranthus tricolor* l.) treated with salicylic acid. *HAYATI Journal of Biosciences*, 28(1), 23–30.
- Spiller, N. J. (1990). An ultrstructural study of the stylet pathway of the brown planthopper *Nilaparvata lugens*. *Entomol Exp Appl*, 54(1990), 191–193.
- Stella de Freitas, T. F., Stout, M. J., & Sant'Ana, J. (2019). Effects of exogenous methyl jasmonate and salicylic acid on rice resistance to Oebalus pugnax. *Pest Management Science*, 75(3), 744–752.



Suryanti, V., Saputra, O., Riyatun, Suharyana, & Sutarno. (2020). Antioxidant activity and compound constituents of gamma-irradiated black rice (*Oryza sativa L.*) var. Cempo Ireng indigenous of Indonesia. *Biodiversitas*, 21(9), 4205–4212.

Suttiarporn, P., Sookwong, P., & Mahatheeranont, S. (2016). Fractionation and Identification of Antioxidant Compounds from Bran of Thai Black Rice cv. Riceberry. *International Journal of Chemical Engineering and Applications*, 7(2), 109–114.

Tan, Y., Zhu, M., Xu, W., Zhoun, W., Lu, D., Shang, H., & Zhu, Z. (2017). Influence of water-stressed rice on feeding behavior of brown planthopper, *Nilaparvata lugens* (Stål). *Journal of Asia-Pacific Entomology*, 20(2), 665–670.

Thorpe, M. R., Ferrieri, A. P., Herth, M. M., & Ferrieri, R. A. (2007). ¹¹C-imaging: Methyl jasmonate moves in both phloem and xylem, promotes transport of jasmonate, and of photoassimilate even after proton transport is decoupled. *Planta*, 226(2), 541–551.

Truman, W., Bennet, M. H., Kubigsteltig, I., Turnbull, C., & Grant, M. (2007). Arabidopsis systemic immunity uses conserved defense signaling pathways and is mediated by jasmonates. *Proceedings of the National Academy of Sciences of the United States of America*, 104(3), 1075–1080.

Wan, P., Zhou, R., Nanda, S., He, J., & Yuan, S. (2019). Phenotypic and transcriptomic responses of two *Nilaparvata lugens* populations to the Mudgo rice containing Bph1. *Scientific Reports*, 9(May), 1–12.

Wang, Q., Cao, Y., Zhou, L., Jiang, C. Z., Feng, Y., & Wei, S. (2015). Effects of postharvest curing treatment on flesh colour and phenolic metabolism in fresh-cut potato products. *Food Chemistry*, 169, 246–254.

Wang, J., Wu, D., Wang, Y., & Xie, D. (2019). Jasmonate action in plant defense against insects. *Journal of Experimental Botany*, 70(13), 3391–3400.

War, A. R., Paulraj, M. G., Ahmad, T., Buhroo, A. A., Hussain, B., Ignacimuthu, S., & Sharma, H. C. (2012). Mechanisms of Plant Defense against Insect Herbivores. *Plant Signaling and Behavior*, 7(10), 1306–1320.

Wasternack, C., & Hause, B. (2013). Jasmonates: Biosynthesis, perception, signal transduction and action in plant stress response, growth and development. An update to the 2007 review in Annals of Botany. *Annals of Botany*, 111, 1021–1058.

Watanabe, T., & Kitagawa, H. (2000). Photosynthesis and Translocation of Assimilates in Rice Plants Following Phloem Feeding by the Planthopper *Nilaparvata lugens* (Homoptera: Delphacidae) Photosynthesis and Translocation of Assimilates in Rice Plants Following Phloem Feeding by the Planth. *Journal of Economic Entomology*, 93(4), 1192–1198.

Wolucka, B. A., Goossens, A., & Inzé, D. (2005). Methyl jasmonate stimulates the de novo biosynthesis of vitamin C in plant cell suspensions. *Journal of Experimental Botany*, 56(419), 2527–2538.

Yang, D. L., Yao, J., Mei, C. S., Tong, X. H., Zeng, L. J., Li, Q., Xiao, L. T., Sun, T. P., Li, J., Deng, X. W., Lee, C. M., Thomashow, M. F., Yang, Y., He, Z., & He,



S. Y. (2012). Plant hormone jasmonate prioritizes defense over growth by interfering with gibberellin signaling cascade. *Proceedings of the National Academy of Sciences of the United States of America*, 109(19).

Yeh, S. Y., Chen, H. W., Ng, C. Y., Lin, C. Y., Tseng, T. H., Li, W. H., & Ku, M. S. B. (2015). Down-Regulation of Cytokinin Oxidase 2 Expression Increases Tiller Number and Improves Rice Yield. *Rice*, 8(1), 1–13.

Yoshida, S. (1981). Fundamentals of rice Crop Science. In *Fundamentals of Rice Crop Science*. The International Rice Research Institute.

Zhang MW, Zhang RF, Zhang FX, Liu RH. 2010. Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties. *J Agric Food Chem*, 58 (4),7580-7587.

Zhang, Z., Cui, B., & Zhang, Y. (2015). Electrical penetration graphs indicate that tricin is a key secondary metabolite of rice , inhibiting phloem feeding of brown planthopper , *Nilaparvata lugens*. *Entomologia Experimentalis et Applicata*, 156(2007), 14–27.

Zhou, M., & Memelink, J. (2016). Jasmonate-responsive transcription factors regulating plant secondary metabolism. *Biotechnology Advances*, 34(4), 441–449