

DAFTAR PUSTAKA

- Abdulsahib, H.T., Taobi, A.H., and Hashem, S.S., 2015, A Novel Adsorbent Based on Lignin and Tannin for the Removal of Heavy Metals from Wastewater, *Res. J. Pharmacogn. Phytochem.*, 7, 38.
- Akhtar, S., Iqbal, Z., Ahmad, K., Nadeem, M., Ejaz, A., Iftikhar, M., and Arslan, M., 2022, Assessment of lead toxicity in diverse irrigation regimes and potential health implications of agriculturally grown crops in Pakistan, *Agric. Water Manag.*, 271, 107743.
- Akmaz, S., Dilaver Adgüzel, E., Yasar, M., and Erguven, O., 2013, The effect of ag content of the chitosan-silver nanoparticle composite material on the structure and antibacterial activity, *Adv. Mater. Sci. Eng.*, 2013, 12–18.
- Allen, C.V., Destiarti, L., and Zaharah, T.A., 2014, Recovery Timbal Dengan Ekstraksi Fase Padat Menggunakan Kitosan Termobilisasi Padat, *Jkk*, 3, 1–6.
- Arora, M., Kiran, B., Rani, S., Rani, A., Kaur, B., and Mittal, N., 2008, Heavy metal accumulation in vegetables irrigated with water from different sources, 111, 811–815.
- Arshad, M., Merlina, G., Uzu, G., Sobanska, S., Sarret, G., Dumat, C., Silvestre, J., Pinelli, E., and Kallerhoff, J., 2016, Phytoavailability of lead altered by two *Pelargonium* cultivars grown on contrasting lead-spiked soils, *J. Soils Sediments*, 16, 581–591.
- Bhuyan, M.S., Bakar, M.A., Akhtar, A., Hossain, M.B., Ali, M.M., and Islam, M.S., 2017, Heavy metal contamination in surface water and sediment of the Meghna River, Bangladesh, *Environ. Nanotechnology, Monit. Manag.*, 8, 273–279.
- Camel, V., 2003, Solid phase extraction of trace elements, 58, 1177–1233.
- Chen, A., Yang, C., Chen, Chia-yun, Chen, Chia-yuan, and Chen, Chia-wen, 2009, The chemically crosslinked metal-complexed chitosans for comparative adsorptions of Cu(II), Zn(II), Ni(II) and Pb(II) ions in aqueous medium, 163, 1068–1075.
- Crini, Ã. and Badot, P., 2008, Application of chitosan, a natural aminopolysaccharide , for dye removal from aqueous solutions by adsorption processes using batch studies : A review of recent literature, 33, 399–447.
- Das, D., Gupta, U., and Das, A.K., 2012, Recent developments in solid phase extraction in elemental speciation of environmental samples with special reference to aqueous solutions, *TrAC - Trends Anal. Chem.*, 38, 163–171.
- Das, D. and Pal, A., 2016, Adsolubilization phenomenon perceived in chitosan beads leading to a fast and enhanced malachite green removal, *Chem. Eng. J.*, 290, 371–380.
- Daşbaşı, T., Saçmacı, Ş., Ülgen, A., and Kartal, Ş., 2015, A solid phase extraction

procedure for the determination of Cd(II) and Pb(II) ions in food and water samples by flame atomic absorption spectrometry, *Food Chem.*, 174, 591–596.

- Dewage, N.B., Fowler, R.E., Pittman, C.U., Mohan, D., Misna, T., Bombuwala Dewage, N., Fowler, R.E., Pittman, C.U., Mohan, D., and Misna, T., 2018, Lead (Pb²⁺) sorptive removal using chitosan-modified biochar: batch and fixed-bed studies, *Rsc Adv.*, 8, 25368–25377.
- Djerahov, L., Vasileva, P., Karadjova, I., Kurakalva, R.M., and Aradhi, K.K., 2016, Chitosan film loaded with silver nanoparticles - Sorbent for solid phase extraction of Al(III), Cd(II), Cu(II), Co(II), Fe(III), Ni(II), Pb(II) and Zn(II), *Carbohydr. Polym.*, 147, 45–52.
- El-Ramady, Hassan R. Éva Domokos-Szabolcsy , Neama A. Abdalla , Hussein S. Taha, and M.F., 2015, Postharvest Management of Fruits and Vegetables Storage, *Sustain. Agric. Rev.*, 15, 65–152.
- Fadhilah, R., Kurniasi, E., and Rayhani, Z., 2017, Performa Bio-adsorben dan karbon aktif dalam proses pemurnian minyak jelantahpada alat prototype portable Bio-adsorber, *Pros. SNST Fak. Tek.*, 58–63.
- Faraji, M., Yamini, Y., and Gholami, M., 2019, Recent Advances and Trends in Applications of Solid-Phase Extraction Techniques in Food and Environmental Analysis, Springer Berlin Heidelberg.
- Fei, J., Wu, X., Sun, Y., Zhao, L., Min, H., Cui, X., Chen, Y., Liu, S., Lian, H., and Li, C., 2021, Analytica Chimica Acta Preparation of a novel amino functionalized ion-imprinted hybrid monolithic column for the selective extraction of trace copper followed by ICP-MS detection, *Anal. Chim. Acta*, 1162, 338477.
- Gao, J., Lei, H., Han, Z., Shi, Q., Chen, Y., and Jiang, Y., 2017, Dopamine functionalized tannic-acid-templated mesoporous silica nanoparticles as a new sorbent for the efficient removal of Cu²⁺ from aqueous solution, *Sci. Rep.*, 7, 1–11.
- Guan, Y.T., Wang, S.H., Wang, M.H., Hou, Z.X., Hu, X.D., Wang, H., Fan, H.L., and Zhang, N., 2014, Effect of initial concentration of Cu²⁺ on the adsorption performance of hydroxyapatite, *Adv. Mater. Res.*, 989–994, 312–315.
- Imran, K., Harinath, Y., Ramesh Naik, B., Sathish Kumar, N., and Seshaiyah, K., 2019, A new hybrid sorbent 2,2'-pyridil functionalized SBA-15 (Pyl-SBA-15) synthesis and its applications in solid phase extraction of Cu(II) from water samples, *J. Environ. Chem. Eng.*, 7, 103170.
- Islam, M.S., Ahmed, M.K., Habibullah-Al-Mamun, M., and Hoque, M.F., 2015, Preliminary assessment of heavy metal contamination in surface sediments from a river in Bangladesh, *Environ. Earth Sci.*, 73, 1837–1848.
- Jiang, X., An, Q., Xiao, Z., Zhai, S., and Shi, Z., 2019, Versatile core / shell-like alginate @ polyethylenimine composites for efficient removal of multiple

- heavy metal ions (Pb^{2+} , Cu^{2+} , CrO_4^{2+}): Batch and fixed- bed studies, *Mater. Res. Bull.*, 118, 110526.
- Jiménez-Soto, J.M., Cárdenas, S., and Valcárcel, M., 2009, Evaluation of carbon nanocones/disks as sorbent material for solid-phase extraction, *J. Chromatogr. A*, 1216, 5626–5633.
- Kanwar, V.S., Sharma, A., Srivastav, A.L., and Rani, L., 2020, Phytoremediation of toxic metals present in soil and water environment: a critical review, *Environ. Sci. Pollut. Res.*, 27, 44835–44860.
- Khoramzadeh, E., Nasernejad, B., and Halladj, R., 2013, Mercury biosorption from aqueous solutions by Sugarcane Bagasse, *J. Taiwan Inst. Chem. Eng.*, 44, 266–269.
- Kumar, T., Mohsin, R., Ghafir, M.F.A., Kumar, I., and Wash, A.M., 2018, Concerns over use of leaded aviation gasoline (AVGAS) fuel, *Chem. Eng. Trans.*, 63, 181–186.
- Limchoowong, N., Sricharoen, P., Areerob, Y., Nuengmatcha, P., Sripakdee, T., Techawongstien, S., and Chanthai, S., 2017, Preconcentration and trace determination of copper (II) in Thai food recipes using $Fe_3O_4@Chi-GQDs$ nanocomposites as a new magnetic adsorbent, *Food Chem.*, 230, 388–397.
- Liu, Q., Shi, J., Zeng, L., Wang, T., Cai, Y., and Jiang, G., 2011, Evaluation of graphene as an advantageous adsorbent for solid-phase extraction with chlorophenols as model analytes, *J. Chromatogr. A*, 1218, 197–204.
- Luo, X., Xue, Y., Wang, Y., Cang, L., Xu, B., and Ding, J., 2015, Chemosphere Source identification and apportionment of heavy metals in urban soil profiles, 127, 152–157.
- Manzoor, K., Ahmad, M., Ahmad, S., and Ikram, S., 2019, Removal of Pb(II) and Cd(II) from wastewater using arginine cross-linked chitosan-carboxymethyl cellulose beads as green adsorbent, *RSC Adv.*, 9, 7890–7902.
- Maranata, G.J., Surya, N.O., and Hasanah, A.N., 2021, Optimising factors affecting solid phase extraction performances of molecular imprinted polymer as recent sample preparation technique, *Heliyon*, 7, e05934.
- Medeiros Borsagli, F.G.L., Mansur, A.A.P., Chagas, P., Oliveira, L.C.A., and Mansur, H.S., 2015, O-carboxymethyl functionalization of chitosan: Complexation and adsorption of Cd(II) and Cr(VI) as heavy metal pollutant ions, *React. Funct. Polym.*, 97, 37–47.
- Pan, L., Wang, Z., Zhao, X., and He, H., 2019, International Journal of Biological Macromolecules Efficient removal of lead and copper ions from water by enhanced strength-toughness alginate composite fibers, *Int. J. Biol. Macromol.*, 134, 223–229.
- Pemerintah Republik Indonesia, 2021, Lampiran VI tentang Baku Mutu Air Nasional - PP Nomor 22 Tahun 2021 Tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup, *Sekr. Negara Republik*

Indones., 1, 483.

- Peng, Y., Huang, H., Wu, Y., Jia, S., Wang, F., Ma, J., Liao, Y., and Mao, H., 2021, Plant tannin modified chitosan microfibers for efficient adsorptive removal of Pb²⁺ at low concentration, *Ind. Crops Prod.*, 168, 113608.
- Petins, M.M.C., Sarria-Villa, R.A., Benítez, R.B., and Corredor, J.A.G., 2021, Chemical modified tannins from Pinus patula bark for selective biosorption of gold in aqueous media, *J. Environ. Chem. Eng.*, 9, .
- Petrović, M., Šoštarić, T., Stojanović, M., Milojković, J., Mihajlović, M., Stanojević, M., and Stanković, S., 2016, Removal of Pb²⁺ ions by raw corn silk (*Zea mays* L.) as a novel biosorbent, *J. Taiwan Inst. Chem. Eng.*, 58, 407–416.
- Quinn, C.W., Cate, D.M., Miller-Lionberg, D.D., Reilly, T., Volckens, J., and Henry, C.S., 2018, Solid-Phase Extraction Coupled to a Paper-Based Technique for Trace Copper Detection in Drinking Water, *Environ. Sci. Technol.*, 52, 3567–3573.
- Sadeghi, S. and Jahani, M., 2013, Selective solid-phase extraction using molecular imprinted polymer sorbent for the analysis of Florfenicol in food samples, *Food Chem.*, 141, 1242–1251.
- Sanagi, M.M., Salleh, S., Ibrahim, W.A.W., Naim, A.A., Hermawan, D., Miskam, M., Hussain, I., and Aboul-Enein, H.Y., 2013, Molecularly imprinted polymer solid-phase extraction for the analysis of organophosphorus pesticides in fruit samples, *J. Food Compos. Anal.*, 32, 155–161.
- Sanmartín, R., Romero, V., Lavilla, I., and Bendicho, C., 2022, Ultrasound-assisted dispersive micro-solid phase extraction of Pb(II) in water samples with in situ synthesis of magnetic Fe₃O₄-PbS nanocomposites followed by electrothermal atomic absorption spectrometry determination, *Spectrochim. Acta - Part B At. Spectrosc.*, 188, 106349.
- Saxena, P. and Kulshrestha, U.C., 2016, The impact of gasoline emission on plants – a review, *Chem. Ecol.*, 32, 378–405.
- Srijaranai, S., Autsawaputtanakul, W., Santaladchaiyakit, Y., Khameng, T., Siriraks, A., and Deming, R.L., 2011, Use of 1-(2-pyridylazo)-2-naphthol as the post column reagent for ion exchange chromatography of heavy metals in environmental samples, *Microchem. J.*, 99, 152–158.
- Su, C.K. and Lin, J.Y., 2020, 3D-Printed Column with Porous Monolithic Packing for Online Solid-Phase Extraction of Multiple Trace Metals in Environmental Water Samples, *Anal. Chem.*, 92, 9640–9648.
- Tangio, J.S., 2013, Adsorpsi logam timbal (Pb) dengan menggunakan biomassa enceng gondok (*Eichhornia crassipes*), *J. Entropi*, 8, 500–506.
- Taylor, P., Aini, W., Ibrahim, W., Imad, L., Ali, A., Sulaiman, A., Sanagi, M.M., Aboul-enein, H.Y., Aini, W., Ibrahim, W., Imad, L., Ali, A., Sulaiman, A., Sanagi, M.M., and Aboul-enein, H.Y., 2014, Critical Reviews in Analytical

Chemistry Application of Solid-Phase Extraction for Trace Elements in Environmental and Biological Samples : A Review Application of Solid-Phase Extraction for Trace Elements in Environmental and Biological Samples : A Review, 44, 233–254.

- Taylor, P., Jinadasa, B.K.K.K., and Edirisinghe, E.M.R.K.B., 2014, Food Additives & Contaminants : Part B : Surveillance Cadmium , lead and total mercury in Tilapia sp . in Sri Lankan reservoirs, 7, 90–94.
- Tescione, F., Tammaro, O., Bifulco, A., Del Monaco, G., Esposito, S., Pansini, M., Silvestri, B., and Costantini, A., 2022, Silica Meets Tannic Acid: Designing Green Nanoplatfoms for Environment Preservation, *Molecules*, 27, .
- Üçer, A., Uyanik, A., and Aygün, Ş.F., 2006, Adsorption of Cu(II), Cd(II), Zn(II), Mn(II) and Fe(III) ions by tannic acid immobilised activated carbon, *Sep. Purif. Technol.*, 47, 113–118.
- Uruş, S., Purtaş, S., Ceyhan, G., and Tümer, F., 2013, Solid phase extraction of Pb(II), Cu(II), Cd(II) and Cr(III) with syringe technique using novel silica-supported bis(diazoimine) ligands, *Chem. Eng. J.*, 220, 420–430.
- Utami, U.B.L., Mujiyanti, D.R., and Normilawati, 2015, Kajian Adsorpsi Cd (II) oleh Arang Apu- Apu Termodifikasi Kitosan-Glutaraldehida, *Sains dan Terap. Kim.*, 9, 12–22.
- Wang, G., Chen, Y., Xu, G., and Pei, Y., 2019, Effective removing of methylene blue from aqueous solution by tannins immobilized on cellulose microfibers, *Int. J. Biol. Macromol.*, 129, 198–206.
- Wang, Jing, Yang, Q., Zhang, L., Liu, M., Hu, N., and Zhang, W., 2018, A hybrid monolithic column based on layered double hydroxide-alginate hydrogel for selective solid phase extraction of lead ions in food and water samples, .
- Wang, Jianlong, Zhuang, S., and Wang, J., 2018, Technology Removal of various pollutants from water and wastewater by modified chitosan adsorbents, 3389, .
- Yavuz, E., Tokaliođlu, Ş., Şahan, H., and Patat, Ş., 2016, Nanosized spongelike Mn₃O₄ as an adsorbent for preconcentration by vortex assisted solid phase extraction of copper and lead in various food and herb samples, *Food Chem.*, 194, 463–469.
- Yuniar., Yanti, H., 2021, Jurnal Penelitian Sains, *J. Penelit. Sains*, 21, 46–51.
- Yuvaraja, G., Pang, Y., Chen, D.Y., Kong, L.J., Mehmood, S., Subbaiah, M.V., Rao, D.S., Mouli Pavuluri, C., Wen, J.C., and Reddy, G.M., 2019, Modification of chitosan macromolecule and its mechanism for the removal of Pb(II) ions from aqueous environment, *Int. J. Biol. Macromol.*, 136, 177–188.
- Zari, N., Hassan, J., Tabar-Heydar, K., and Ahmadi, S.H., 2016, On-line green solid phase extraction of trace rare earth elements and uranium in

environmental samples and ICP OES detection, *J. Braz. Chem. Soc.*, 27, 1881–1888.

Zhao, Y., Ren, Y., Wang, Xingzu, Xiao, P., Tian, E., Wang, Xiao, and Li, J., 2016, An initial study of EDTA complex based draw solutes in forward osmosis process, *DES*, 378, 28–36.

Zhou, Z., Liu, F., Huang, Y., Wang, Z., and Li, G., 2015, Biosorption of palladium(II) from aqueous solution by grafting chitosan on persimmon tannin extract, *Int. J. Biol. Macromol.*, 77, 336–343.