

## DAFTAR PUSTAKA

- Adshead, G., Moore, E., Humphrey, M., Wilson, C., & Tapp, J. (2013). *The role of mentalising in the management of violence*. 19, 67–76. <https://doi.org/10.1192/apt.bp.110.008243>
- Ahmed, A. O., Hunter, K. M., Houten, E. G. Van, Monroe, J. M., & Bhat, I. A. (2014). *Cognition and Other Targets for the Treatment of Aggression in People with Schizophrenia*. 2, 1–9.
- Ahmed, A. O., Richardson, J., Buckner, A., Romanoff, S., Feder, M., Oragunye, N., Ilnicki, A., Bhat, I., Hoptman, M. J., & Lindenmayer, J. P. (2018). Do cognitive deficits predict negative emotionality and aggression in schizophrenia? *Psychiatry Research*, 259(March 2017), 350–357. <https://doi.org/10.1016/j.psychres.2017.11.003>
- Alkan, E., Davies, G., & Evans, S. L. (2021). Cognitive impairment in schizophrenia: relationships with cortical thickness in fronto-temporal regions, and dissociability from symptom severity. *Npj Schizophrenia*, 7(1), 1–9. <https://doi.org/10.1038/s41537-021-00149-0>
- Araya, T., Ebnamelek, E., & Getachew, R. (2020). Prevalence and Associated Factors of Aggressive Behavior among Patients with Schizophrenia at Ayder Comprehensive Specialized Hospital, Ethiopia. *BioMed Research International*, 2020. <https://doi.org/10.1155/2020/7571939>
- Ayu, W., Putu, L., & Kusumaningsih, S. (2018). Hubungan antara Harga Diri dengan Perilaku Agresif pada Remaja Suku Komerling di Desa “ x ” Kabupaten Ogan Komerling Ulu Timur ( OKUT ). 13(2), 166–176.
- Bowie, C. R., & Harvey, P. D. (2006). Cognitive deficits and functional outcome in schizophrenia Profile of cognitive impairments in schizophrenia. *Neuropsychiatric Disease and Treatment*, 2(4), 531–536.
- Buss, A. H., & Perry, M. (1992). *PERSONALITY PROCESSES AND INDIVIDUAL The Aggression Questionnaire*. 63(3), 452–459.
- Caqueo-urizar, A., Fond, G., Urzúa, A., Boyer, L., & Williams, D. R. (2016). Violent behavior and aggression in schizophrenia: Prevalence and risk factors . A multicentric study from three Latin-America countries. *Schizophrenia Research*. <https://doi.org/10.1016/j.schres.2016.09.005>
- Causes - Schizophrenia - NHS. (2019). In *National Health Service* . <https://www.nhs.uk/mental-health/conditions/schizophrenia/causes/>
- Cho, H., Gonzalez, R., Lavaysse, L. M., Pence, S., Fulford, D., & Gard, D. E. (2017). Do people with schizophrenia experience more negative emotion and

- less positive emotion in their daily lives? A meta-analysis of experiencesampling studies. *Schizophrenia Research*, 183, 49–55. <https://doi.org/10.1016/j.schres.2016.11.016>
- Chung, S., Yoon, H., Jung, J., Ki, J., & Pyo, J. (2010). Association among aggressiveness, neurocognitive function, and the Val66Met polymorphism of brain-derived neurotrophic factor gene in male schizophrenic patients. *Comprehensive Psychiatry*, 51(4), 367–372. <https://doi.org/10.1016/j.comppsy.2009.10.003>
- Coccaro, E. F., Fanning, J. R., Keedy, S. K., & Lee, R. J. (2016). Social cognition in Intermittent Explosive Disorder and aggression. *Journal of Psychiatric Research*, 83, 140–150. <https://doi.org/10.1016/j.jpsychires.2016.07.010>
- Fazel, S., Wolf, A., Palm, C., & Lichtenstein, P. (2014). Violent crime, suicide, and premature mortality in patients with schizophrenia and related disorders: A 38-year total population study in Sweden. *The Lancet Psychiatry*, 1(1), 44–54. [https://doi.org/10.1016/S2215-0366\(14\)70223-8](https://doi.org/10.1016/S2215-0366(14)70223-8)
- Fritz, M. (2020). *Aggressive and Disruptive Behavior Among Psychiatric Patients With Major Depressive Disorder, Schizophrenia, or Alcohol Dependency and the Effect of Depression and Self-Esteem on Aggression*. 11(December), 1–9. <https://doi.org/10.3389/fpsy.2020.599828>
- Gaines, R. (2014). Culture & schizophrenia: How the manifestation of schizophrenia symptoms in Hue reflects Vietnamese culture. *Psychiatric and Mental Health Commons*, 1–33.
- Gejman, P. V., Sanders, A. R., & Duan, J. (2010). The role of genetics in the etiology of schizophrenia. *Psychiatric Clinics of North America*, 33(1), 35–66. <https://doi.org/10.1016/j.psc.2009.12.003>
- Green, M. F., Horan, W. P., & Lee, J. (2015). Social cognition in schizophrenia. *Nature Reviews Neuroscience*, 16(10), 620–631. <https://doi.org/10.1038/nrn4005>
- Haddad, C., Salameh, P., Sacre, H., Clément, J. P., & Calvet, B. (2021). General description of cognitive deficits in schizophrenia and assessment tools in Lebanon: A scoping review. *Schizophrenia Research: Cognition*, 25(April). <https://doi.org/10.1016/j.scog.2021.100199>
- Hahn, C., & Kim, D. (2014). *Is there a shared neurobiology between aggression and Internet addiction disorder?* 3(1), 12–20. <https://doi.org/10.1556/JBA.3.2014.1.2>

- Hodgins, S. (2017). Aggressive behavior among persons with schizophrenia and those who are developing schizophrenia: Attempting to understand the limited evidence on causality. *Schizophrenia Bulletin*, 43(5), 1021–1026. <https://doi.org/10.1093/schbul/sbx079>
- Hollander, E., Berlin, H. A., & Ph, D. (n.d.). *NEUROPSYCHIATRIC ASPECTS OF AGGRESSION AND IMPULSE*.  
-.
- Hundozi, Z., Ibishi, N. F., & Musliu, N. R. (2016). Cognitive functions and recidivism of aggressive behavior in schizophrenic inpatients at Forensic Unit Clinic of Psychiatry in Kosovo. *Cogent Psychology*, 3(1), 1–16. <https://doi.org/10.1080/23311908.2016.1233650>
- Keefe, R. S. E., & Harvey, P. D. (2012). Novel Antischizophrenia Treatments - Cognitive Impairment in Schizophrenia. *Handbook of Experimental Pharmacology*, 213, 11–37. <https://doi.org/10.1007/978-3-642-25758-2>
- Kusuma, S. A., & Setiawati, Y. (2020). Literature Review : Cognitive Dysfunction in Schizophrenia. *Jurnal Psikiatri Surabaya*, 9(2), 52–59.
- Lamsma, J., Cahn, W., & Fazel, S. (2020). Cognition and violent behavior in psychotic disorders: A nationwide case-control study. *Schizophrenia Research: Cognition*, 19(June), 100166. <https://doi.org/10.1016/j.scog.2019.100166>
- Legge, S. E., Santoro, M. L., Periyasamy, S., Okewole, A., Arsalan, A., & Kowalec, K. (2021). Genetic architecture of schizophrenia: A review of major advancements. *Psychological Medicine*, 51(13), 2168–2177. <https://doi.org/10.1017/S0033291720005334>
- Mi, W., Zhang, S., Liu, Q., Yang, F., Wang, Y., Li, T., Mei, Q., He, H., Chen, Z., Su, Z., Liu, T., Xie, S., Tan, Q., Zhang, J., Zhang, C., Sang, H., Chen, W., Shi, L., Li, L., ... Lu, L. (2017). Prevalence and risk factors of agitation in newly hospitalized schizophrenia patients in China: An observational survey. *Psychiatry Research*, 253, 401–406. <https://doi.org/10.1016/j.psychres.2017.02.065>
- Millan, M. J., Agid, Y., Brüne, M., Bullmore, E. T., Carter, C. S., Clayton, N. S., Connor, R., Davis, S., Deakin, B., Derubeis, R. J., Dubois, B., Geyer, M. A., Goodwin, G. M., Gorwood, P., Jay, T. M., Joëls, M., Mansuy, I. M., Meyer-Lindenberg, A., Murphy, D., ... Young, L. J. (2012). Cognitive dysfunction in psychiatric disorders: Characteristics, causes and the quest for improved therapy. *Nature Reviews Drug Discovery*, 11(2), 141–168. <https://doi.org/10.1038/nrd3628>
- Morozova, A., Zorkina, Y., Abramova, O., Pavlova, O., Pavlov, K., Soloveva, K., Volkova, M., Alekseeva, P., Andryshchenko, A., Kostyuk, G., Gurina, O., & Chekhonin, V. (2022). Neurobiological Highlights of Cognitive Impairment in

- Psychiatric Disorders. *International Journal of Molecular Sciences*, 23(3).  
<https://doi.org/10.3390/ijms23031217>
- Ndoro, S. (2020). Understanding aggressive behaviour in patients with schizophrenia through social cognitive theory: a narrative literature review. *British Journal of Mental Health Nursing*, 9(4), 1–10. <https://doi.org/10.12968/bjmh.2020.0002>
- New, A. S., Buchsbaum, M. S., Hazlett, E. A., Goodman, M., Koenigsberg, H. W., Lo, J., Iskander, L., Newmark, R., Brand, J., Flynn, K. O., & Siever, L. J. (2004). *Fluoxetine increases relative metabolic rate in prefrontal cortex in impulsive aggression*. 451–458. <https://doi.org/10.1007/s00213-004-1913-8>
- O'Reilly, K., Donohoe, G., Coyle, C., O'Sullivan, D., Rowe, A., Losty, M., McDonagh, T., McGuinness, L., Ennis, Y., Watts, E., Brennan, L., Owens, E., Davoren, M., Mullaney, R., Abidin, Z., & Kennedy, H. G. (2015). Prospective cohort study of the relationship between neuro-cognition, social cognition and violence in forensic patients with schizophrenia and schizoaffective disorder. *BMC Psychiatry*, 15(1), 1–17. <https://doi.org/10.1186/s12888-015-0548-0>
- Panentu, D., & Irfan, M. (2013). Uji Validitas Dan Reliabilitas Butir Pemeriksaan Dengan Moteral Cognitive Assessment Versi Indonesia ( MoCA- INA ) Pada Insan Pasca Stroke Fase Recovery. *Jurnal Fisioterapi*, 13(April), 55–67. *Psychiatry*. (n.d.).
- Psychiatry, G., Zhao, N., Wang, X. H., Kang, C. Y., Zheng, Y., Yang, L. Y., Guan, T. F., Bai, Y. X., & Wei, R. (2021). Sex differences in association between cognitive impairment and clinical correlates in Chinese patients with first - episode drug - naïve schizophrenia. *Annals of General Psychiatry*, 1–9. <https://doi.org/10.1186/s12991-021-00347-1>
- Raine, A., & Liu, J. H. (2016). *Biological predispositions to violence and their implications for biosocial treatment and prevention*. 2744(June). <https://doi.org/10.1080/10683169808401752>
- Reinhardt, J., Reynolds, G., Dill, C., & Serper, M. (2014). Cognitive predictors of violence in schizophrenia: A meta-analytic review. *Schizophrenia Research: Cognition*, 1(2), 101–111. <https://doi.org/10.1016/j.scog.2014.06.001>
- Rosca, E. C., Cornea, A., & Simu, M. (2020). Montreal Cognitive Assessment for evaluating the cognitive impairment in patients with schizophrenia: A systematic review. *General Hospital Psychiatry*, 65(10), 64–73. <https://doi.org/10.1016/j.genhosppsych.2020.05.011>
- Rowland, L. M., Demyanovich, H. K., Wijtenburg, S. A., Eaton, W. W., Rodriguez, K., Gaston, F., Cihakova, D., Talor, M. V., Liu, F., McMahon, R. R., Hong, L.

- E., & Kelly, D. L. (2017). Antigliadin antibodies (AGA IgG) are related to neurochemistry in schizophrenia. *Frontiers in Psychiatry*, 8(JUN), 1–7. <https://doi.org/10.3389/fpsyt.2017.00104>
- Rupani, K., & Sousa, A. De. (2017). *Psychodynamic theories of Schizophrenia – revisited*. 4(Figure 1), 6–15.
- Sandyk, R. (1993). *AGGRESSIVE BEHAVIOR IN SCHIZOPHRENIA : RELATIONSHIP TO AGE OF ONSET AND CORTICAL ATROPHY*. 68(1937), 1–10.
- Savla, G. N., Vella, L., Armstrong, C. C., Penn, D. L., & Twamley, E. W. (2013). *Deficits in Domains of Social Cognition in Schizophrenia : A Meta-Analysis of the Empirical Evidence*. 39(5), 979–992. <https://doi.org/10.1093/schbul/sbs080>
- Serper, M. R. (2011). Aggression in schizophrenia. *Schizophrenia Bulletin*, 37(5), 897–898. <https://doi.org/10.1093/schbul/sbr090>
- Siagian, J. M., Loebis, B., Camellia, V., & Effendy, E. (2021). Factors associated with cognitive score in people with schizophrenia at prof. Dr. m. ildrem mental hospital medan. *Open Access Macedonian Journal of Medical Sciences*, 9(T3), 212–222. <https://doi.org/10.3889/oamjms.2021.6303>
- St, P., Kondej, M., & Kaczor, A. A. (2018). *Current Concepts and Treatments of Schizophrenia*. <https://doi.org/10.3390/molecules23082087>
- Torniainen, M. (2013). *Cognitive Impairment in Schizophrenia : Related Risk Factors and Clinical Characteristics*.
- Volicer, L., Citrome, L., & Volavka, J. (2017). Measurement of agitation and aggression in adult and aged neuropsychiatric patients: Review of definitions and frequently used measurement scales. *Journal of the Australian Mathematical Society*, 103(2), 407–414. <https://doi.org/10.1017/S1092852917000050>
- World Health Organisation. (1992). *The ICD-10 Classification of Mental and Behavioural Disorders*. 55(1993), 135–139.
- Wu, Y., Kang, R., Yan, Y., Chi, X., & Xia, L. (2018). *Epidemiology of schizophrenia and risk factors of schizophrenia-associated aggression from 2011 to 2015*. <https://doi.org/10.1177/0300060518786634>
- Yakeley, J. (2018). Psychodynamic approaches to violence. *BJPsych Advances*, 24(2), 83–92. <https://doi.org/10.1192/bja.2017.23>
- Yang, Z., Amirah, N., Rashid, A., Feng, Y., Lam, M., Mei, Y., Maniam, Y., Dauwels, J., Leet, B., & Lee, J. (2018). Montreal Cognitive Assessment as ascreening

instrument for cognitive impairments in schizophrenia. *Schizophrenia Research*, 8–13. <https://doi.org/10.1016/j.schres.2018.03.008>

Zhou, J. S., Zhong, B. L., Xiang, Y. T., Chen, Q., Cao, X. L., Correll, C. U., Ungvari, G. S., Chiu, H. F. K., Lai, K. Y. C., & Wang, X. P. (2016). Prevalence of aggression in hospitalized patients with schizophrenia in China: A meta-analysis. *Asia-Pacific Psychiatry*, 8(1), 60–69. <https://doi.org/10.1111/appy.12209>