

BAB VI

DAFTAR PUSTAKA

- Al-Ryalat, N.T., Ryalat, S.A.S. Al, Mahafza, W.S., Samara, O.A., Ryalat, A.T. & Al-Hadidy, A.M., 2017, *Myelopathy associated with age-related cervical disc herniation: A retrospective review of magnetic resonance images*, *Annals of Saudi Medicine*, 37(2), 130–137.
- Bakhsheshian, J., Mehta, V.A. & Liu, J.C., 2017, *Current Diagnosis and Management of Cervical Spondylotic Myelopathy*, *Global Spine Journal*, 7(6), 572–586.
- Bican, O., Minagar, A. & Pruitt, A.A., 2013, ‘The Spinal Cord: A Review of Functional Neuroanatomy’, *Neurologic Clinics*, 31(1), 1–18.
- Chrispin, A.R. & Lees, F., 1963, ‘The spinal canal in cervical spondylosis’, *Journal of Neurology, Neurosurgery & Psychiatry*, 26(2), 166–170.
- DeSai C, Reddy V & Agarwal A., 2022, *Treasure Island (FL): Anatomy, Back, Vertebral Column.*, StatPearls Publishing.
- Diaz, E. & Morales, H., 2016, ‘Spinal Cord Anatomy and Clinical Syndromes’, *Seminars in Ultrasound, CT and MRI*, 37(5), 360–371.
- El-Feky, M. & Gaillard, F., 2008, ‘Ossification of the posterior longitudinal ligament’, *Radiopaedia.org*, Radiopaedia.org.
- Ferreira, P., Auger, L.M., Zubizarreta, K.K., Chinchon, G. & Herrera, G., 2021, *Pla A, et al. MRI findings in cervical spondylotic myelopathy with gadolinium enhancement: Review of seven cases MRI findings in cervical spondylotic myelopathy with gadolinium enhancement: Review of seven cases.*
- Fouyas, I.P., Statham, P.F.X. & Sandercock, P.A.G., 2002, ‘Cochrane Review on the Role of Surgery in Cervical Spondylotic Radiculomyelopathy’, *Spine*, 27(7), 736–747.
- George Ehni, 1984, ‘Cervical arthrosis: diseases of cervical motion segments (spondylosis, disk rupture, radiculopathy, and myelopathy)’, *Year Book Medical*, vol. 14, pp. 26–43, Kessler, Chicago.
- Green, C., Butler, J., Eustace, S., Poynton, A. & O’Byrne, J.M., 2012, ‘Imaging Modalities for Cervical Spondylotic Stenosis and Myelopathy’, *Advances in Orthopedics*, 2012, 1–4.
- Harrop, J.S., Hanna, A., Silva, M.T. & Sharan, A., 2007, ‘Neurological Manifestations of Cervical Spondylosis’, *Neurosurgery*, 60(1), S1-14.
- Hurwitz, E.L., Randhawa, K., Yu, H., Côté, P. & Haldeman, S., 2018, ‘The Global Spine Care Initiative: a summary of the global burden of low back and neck pain studies’, *European Spine Journal*, 27(S6), 796–801.
- Kang, Y., Lee, J.W., Koh, Y.H., Hur, S., Kim, S.J., Chai, J.W. & Kang, H.S., 2011, ‘New MRI grading system for the cervical canal stenosis’, *American Journal of Roentgenology*, 197(1).
- Krishna Chaitanya Reddy, D., Ericson Lingamdenne, P., L N Moorthy, N. & Madan, S., 2020a, ‘Measurement of cervical spinal canal diameter by radiographs to study the degree of cervical spinal canal stenosis in an Indian population; Predictive value of

- Torgs ratio to assess cervical spinal canal stenosis', *Indian Journal of Clinical Anatomy and Physiology*, 7(1), 91–97.
- Krishna Chaitanya Reddy, D., Ericson Lingamdenne, P., L N Moorthy, N. & Madan, S., 2020b, 'Measurement of cervical spinal canal diameter by radiographs to study the degree of cervical spinal canal stenosis in an Indian population; Predictive value of Torgs ratio to assess cervical spinal canal stenosis', *Indian Journal of Clinical Anatomy and Physiology*, 7(1), 91–97.
- Lebl, D.R., Hughes, A., Cammisa Frank P., J.P. & O'Leary, P.F., 2011, *Cervical Spondylotic Myelopathy: Pathophysiology, Clinical Presentation, and Treatment*, *HSS Journal*, 7(2), 170–178.
- Lee, M.J., Aronberg, R., Manganaro, M.S., Ibrahim, M. & Parmar, H.A., 2019, 'Diagnostic approach to intrinsic abnormality of spinal cord signal intensity', *Radiographics*, 39(6), 1824–1839.
- Longatti, P., Fiorindi, A., Marton, E., Sala, F. & Feletti, A., 2022, 'Where the central canal begins: endoscopic in vivo description', *Journal of Neurosurgery*, 136(3), 895–904.
- M. Takahashi, Y. Sakamoto, M. Miyawaki & H. Bussaka, 1987, 'Increased MR Signal Intensity Secondary to Chronic Cervical Cord Compression', *Neuroradiology*, 29(6), 550–556.
- McCormick, J.R., Sama, A.J., Schiller, N.C., Butler, A.J. & Donnally, C.J., 2020, *Cervical spondylotic myelopathy: A guide to diagnosis and management*, *Journal of the American Board of Family Medicine*, 33(2), 303–313.
- Modes, R.J. & Lafci Fahrioglu, S., 2022, *Anatomy, Back*.
- Moon, M.S., Choi, W.R., Lim, H.G., Lee, S.Y. & Wi, S.M., 2021, 'Pavlov's ratio of the cervical spine in a korean population: A comparative study by age in patients with minor trauma without neurologic symptoms', *CiOS Clinics in Orthopedic Surgery*, 13(1), 71–75.
- Nell, C., Bülow, R., Hosten, N., Schmidt, C.O. & Hegenscheid, K., 2019, 'Reference values for the cervical spinal canal and the vertebral bodies by MRI in a general population', *PLoS ONE*, 14(9).
- Pavlov, H., Torg, J.S., Robie, B. & Jahre, C., 1987, 'Cervical spinal stenosis: determination with vertebral body ratio method.', *Radiology*, 164(3), 771–775.
- Sastroasmoro, S. & Ismael, S., 2011, *Dasar-dasar metodologi penelitian klinis*, 4th edn., Sagung Seto, Jakarta.
- Suk, K.S., Kim, K.T., Lee, J.H., Lee, S.H., Kim, J.S. & Kim, J.Y., 2009, 'Reevaluation of the Pavlov ratio in patients with cervical myelopathy.', *Clinics in orthopedic surgery*, 1(1), 6–10.
- Theodore, N., 2020, 'Degenerative Cervical Spondylosis', *New England Journal of Medicine*, 383(2), 159–168.
- Wu, J.-C., Ko, C.-C., Yen, Y.-S., Huang, W.-C., Chen, Y.-C., Liu, L., Tu, T.-H., Lo, S.-S. & Cheng, H., 2013, 'Epidemiology of cervical spondylotic myelopathy and its risk of causing spinal cord injury: a national cohort study', *Neurosurgical Focus*, 35(1), E10.
- Yue, W.-M., Tan, S.-B., Tan, M.-H., Koh, D.C.-S. & Tan, C.-T., 2001, *The Torg-Pavlov Ratio in Cervical Spondylotic Myelopathy A Comparative Study Between Patients*

*With Cervical Spondylotic Myelopathy and a Nonspondylotic, Nonmyelopathic
Population*, vol. 26, Glasg.