

## DAFTAR PUSTAKA

- Amin, R. dan Smith, T. N. (1998) "Interfacial tension and spreading coefficient under reservoir conditions," *Fluid Phase Equilibria*, 142(1–2), hal. 231–241.
- Angstadt, H.P, dan Tsao, H. (1987) "Kinetic study of the decomposition of surfactants for EOR," *SPE (Society of Petroleum Engineers) Reserv. Eng.*, 2:4.
- Azis, M.M., Rachmadi, H., Wintoko, J., Yuliansyah, A.T., Hasokowati, W., Purwono, S., Rochmadi, dan Murachman, B. (2017) "On the use of sodium lignosulphonate for enhanced oil recovery," *IOP Conf. Ser. Earth Environ. Sci.*, 65 (1).
- Azis, M.M., Febrina, F., Anindia, I., Darmawati, G.A., Fenyka, D.A., Purwono, S., dan Rochmadi. (2021) "Development of ultralow interfacial tension lignosulfonate from kraft black liquor for enhance oil recovery," *Journal of Engineering and Technological Science*, 53(2).
- Barnes, Julian R., Smit, Johan P., Smit, Jasper R., Shpakoff, P. Gregory, Raney, Kirk H., dan Maura C. Puerto. (2008) "Phase behaviour methods for the evaluation of surfactants for chemical flooding at higher temperature reservoir conditions," *Proceedings - SPE Symposium on Improved Oil Recovery*, 1, hal. 453–461.
- Baruah, A., Pathak, A. K. dan Ojha, K. (2015) "Phase behaviour and thermodynamic properties of lamellar liquid crystal developed for viscoelastic surfactant based fracturing fluid," *Chemical Engineering Science*, 131, hal. 146–154.
- Bera, A., Ojha, K., Mandal, A., dan, Kumar, T. (2011) "Interfacial tension and phase behavior of surfactant-brine-oil system," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 383(1–3), hal. 114–119.
- Bera, A., Mandal, A. dan Guha, B. B. (2014) "Synergistic effect of surfactant and salt mixture on interfacial tension reduction between crude oil and water in enhanced oil recovery," *Journal of Chemical and Engineering Data*, 59(1), hal. 89–96.
- Borthakur A., Sarmah A, Rahman M, dan Subrahmanyam B. (1996) "Synthesis of sodium petroleum sulphonates and their interfacial activity against Indian crude oil," *Indian Journal of Chemical Technology*, 3(2), hal. 107–111.
- bp Statistical Review of World Energy, The editor (2022) 71st edition, BP p.l.c.
- Bryant, R.S., Burchfield, T.E., Chase, K.L., Bertus, K.M., dan A.K. Stepp. (1989) "Optimization of microbial formulations for oil recovery. Mechanisms of oil mobilization, transport of microbes and metabolites, and effects of additives," *Society of Petroleum Engineers of AIME, (Paper) SPE, GAMMA*.

- Chang, L. Y. dan Pope, G. A. (2019) "Prediction of the Aqueous Stability Limit of Surfactant EOR Formulations," *Proceedings of the Annual Offshore Technology Conference*, 2019-May(May), hal. 6–9.
- Chen, L., Shang, Y., Liu, H., dan Hu, Y. (2007) "Middle-phase microemulsion induced by brine in region of low cationic gemini surfactant content," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 305(1–3), hal. 29–35.
- Chen, Z. Z., Gang, H. Z., Liu, J. F., Mu, B. Z., dan Yang, S. Z. (2019) "A thermal-stable and salt-tolerant biobased zwitterionic surfactant with ultralow interfacial tension between crude oil and formation brine," *Journal of Petroleum Science and Engineering*, 181(June), hal. 106181.
- DeBons, F. E. dan Whittington, L. E. (1992) "Improved Oil Recovery Surfactants Based on Lignin," *Journal of Petroleum Science and Engineering*, 7(1–2), hal. 131–138.
- Eni, H., Syahrial, E. dan Sugihar, S. (2022) "Screening Test dan Karakterisasi Surfaktan yang Efektif untuk Injeksi Kimia," *Lembaran publikasi minyak dan gas bumi*, 44(2), hal. 108–116.
- Hendraningrat, L., Li, S. dan Torsæter, O. (2013) "Effect of some parameters influencing enhanced oil recovery process using Silica Nanoparticles: An experimental investigation," *Society of Petroleum Engineers - SPE Reservoir Characterisation and Simulation Conference and Exhibition, RCSC 2013: New Approaches in Characterisation and Modelling of Complex Reservoirs*, 1(September), hal. 186–195.
- Hocine, S., Cuenca, A., Magnan, A., Tay, A., dan P. Moreau. (2016) "An Extensive Study of the Thermal Stability of Anionic Chemical EOR Surfactants - Part 1 Stability in Aqueous Solutions," hal. 1–22.
- Hocine, S., Pousset, B., Courtaud, T., dan Guillaume D. (2018) "Long Term Thermal Stability of Chemical EOR Surfactants," *Society of Petroleum Engineers - SPE EOR Conference at Oil and Gas West Asia 2018*, 2018-March(March), hal. 26–28.
- Hu, P. C. dan Tuvell, M. E. (1988) "A mechanistic approach to the thermal degradation of  $\alpha$ -olefin sulfonates," *Journal of the American Oil Chemists' Society*, 65(6), hal. 1007–1012.
- Kamal, M. S., Hussein, I. A. dan Sultan, A. S. (2017) "Review on Surfactant Flooding: Phase Behavior, Retention, IFT, and Field Applications," *Energy and Fuels*, 31(8), hal. 7701–7720.
- Kon-No, K. dan Kitahara, A. (1971) "Solubility behavior of water in nonaqueous

- solutions of oil-soluble surfactants: Effect of molecular structure of surfactants and solvents,” *Journal of Colloid And Interface Science*, 37(2), hal. 469–475.
- Li, G. Z., Mu, J. H., Li, Y., dan Yuan, S. L. (2000) “An experimental study on alkaline/surfactant/polymer flooding systems using nature mixed carboxylate,” *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 173(1–3), hal. 219–229.
- Li, S., Lau, H. C., Torsæter, O., Hendraningrat, L., dan Temizel, C. (2021) "Nanoparticles for enhanced oil recovery", *Sustainable Materials for Oil and Gas Applications: Volume 1 in Advanced Materials and Sensors for the Oil and Gas Industry*, Ch. 4.
- Lim, Z.Q., Aziz, N.A., Idris, A.K., dan Md Akhir, N.A. (2020) “Green Lignosulphonate as co-surfactant for wettability alteration,” *Petroleum Research*, 5(2), hal. 154–163.
- Massarweh, O. dan Abushaikh, A. S. (2020) “The use of surfactants in enhanced oil recovery: A review of recent advances,” *Energy Reports*, 6, hal. 3150–3178.
- Miranda, C. R., De Lara, L. S. dan Tonetto, B. C. (2012) “Stability and mobility of functionalized silica nanoparticles for enhanced oil recovery applications,” *Society of Petroleum Engineers - SPE International Oilfield Nanotechnology Conference 2012*, hal. 311–321.
- Misono, T. (2019) “Measurement Techniques and Practices of Colloid and Interface Phenomena,” *Measurement Techniques and Practices of Colloid and Interface Phenomena*, hal. 39–44.
- Munshi, A. M., Singh, V. N., Kumar, Mukesh, dan Singh, J. P. (2008) “Effect of nanoparticle size on sessile droplet contact angle,” *Journal of Applied Physics*, 103(8).
- Outlook Energi Indonesia 2021, Tim Penyusun. (2021) " Perspektif Teknologi Energi Indonesia: Tenaga Surya untuk Penyediaan Energi Charging Station," Pusat Pengkajian Industri Proses dan Energi (PPIPE), Badan Pengkajian dan Penerapan Teknologi (BPPT).
- Pal, N., Kumar, S., Bera, A., & Mandal, A. (2019) “Phase behaviour and characterization of microemulsion stabilized by a novel synthesized surfactant: Implications for enhanced oil recovery,” *Fuel*, 235(June 2018), hal. 995–1009.
- Prakoso, N. I., Purwono, S. dan Rochmadi (2017) “Synthesis of sodium lignosulphonate from oil palm empty fruit bunches’s lignin,” *AIP Conference Proceedings*, 1823(March 2017), hal. 1–6.
- Pribadi, A. (2021) "Ini Empat Upaya Capai Target 1 Juta Barel Minyak di 2030,"

Kementerian Energi dan Sumber Daya Mineral Republik Indonesia,  
<https://www.esdm.go.id/>, Diakses pada 5 Juni 2023 pukul 21.00 WIB.

- Puerto, M., Hirasaki, G. J., Miller, C. A., dan Julian R. B. (2010) “Surfactant Systems for EOR in High-Temperature, High-Salinity Environments,” *SPE Journal*, 17(1), hal. 11–19.
- Puerto, M. C. dan Gale, W. W. (1977) “estimation of optimal salinity and solubilization parameters for alkylorthoxylene sulfonate mixtures,” *Soc Pet Eng AIME J*, 17(3), hal. 193–200.
- Ren, H., Shi, C., Song, S., Zeng, Q., dan Zhang, Y. (2016) “Synthesis of diacyl amino acid surfactant and evaluation of its potential for surfactant–polymer flooding,” *Applied Petrochemical Research*, 6(1), hal. 59–63.
- Rezaei, A., Riazi, M., Escrochi, M., dan Elhaei, R. (2020) "Integrating surfactant, alkali and nano-fluid flooding for enhanced oil recovery: A mechanistic experimental study of novel chemical combinations," *Journal of Molecular Liquids*.
- Roustaei, A., Saffarzadeh, S. dan Mohammadi, M. (2013) “An evaluation of modified silica nanoparticles’ efficiency in enhancing oil recovery of light and intermediate oil reservoirs,” *Egyptian Journal of Petroleum*, 22(3), hal. 427–433.
- Sahni, V., Dean, R. M., Britton, C., Kim, D. H., Weerasooriya, U., dan Gary A. Pope. (2010) “The role of co-solvents and co-surfactants in making chemical floods robust,” *Proceedings - SPE Symposium on Improved Oil Recovery*, 2(1976), hal. 1515–1532.
- Salter, S. J. (1977) “The influence of type and amount of alcohol on surfactant-oil-brine phase behavior and properties,” *Proceedings - SPE Annual Technical Conference and Exhibition*, 1977-Octob.
- Sheng, J. J. (2011) *Modern Chemical Enhanced Oil Recovery*. UK: Elsevier.
- Shuit, S. H. dan Tan, S. H. (2014) “Feasibility study of various sulphonation methods for transforming carbon nanotubes into catalysts for the esterification of palm fatty acid distillate,” *Energy Conversion and Management*, 88, hal. 1283–1289.
- Shupe, R. D. dan Baugh, T. D. (1991) “Thermal stability and degradation mechanism of alkylbenzene sulfonates in alkaline media,” *Journal of Colloid And Interface Science*, 145(1), hal. 235–254.
- Speight, J. G. (2016) *Nonthermal Methods of Recovery, Introduction to Enhanced Recovery Methods for Heavy Oil and Tar Sands*.
- Statistik Minyak dan Gas Bumi Semester I 2022, Editor (2022) Direktorat Jenderal

Minyak dan Gas Bumi Kementerian Energi dan Sumber Daya Mineral, [www.migas.esdm.go.id](http://www.migas.esdm.go.id), Diakses pada 6 Juni 2023 pukul 09.00 WIB.

- Sudarmoyo, Swadesi, B., Andini, A. N. Siregar, S., Kurnia, R., Buhari, A., Budiaman, I. G. S. (2018) "Laboratory study: The development of a sodium lignosulfonate (SLS) surfactant formulation for light oil reservoir to improve oil recovery," *AIP Conference Proceedings*, 1977 (1): 030033.
- Sudrajat, R. W., Kasmiyatun, M., Suherman, S., Pramudono, B. Purba, D. A., Harlika, F. K. A. (2020) "Synthesis and characterization of sodium lignosulfonate surfactant with polyethylene glycol for enhanced oil recovery," *AIP Conference Proceedings*, 2 January 2020, 2197 (1): 080001.
- Sugihardjo, B. (2020) "Surfactant Properties Evaluation for Chemical Flooding," *Nonionic Surfactants*, hal. 99–292.
- Tan, W., Wang, K., He, X., Zhao, X.J., Drake, T., Wang, L., dan Bagwe, R.P. (2004) "Bionanotechnology based on silica nanoparticles," *Medicinal Research Reviews*, 24(5), hal. 621–638.
- Tavassoli, S., Korrani, A. K., Pope, G. A., dan Sepehrnoori, K. (2016) "Low-salinity surfactant flooding - A multimechanistic enhanced-oil-recovery method," *SPE Journal*, 21(3), hal. 744–760.
- Tay, B., Ping, Y. dan Yusof, M. (2009) "Characteristics and Properties of Fatty Acid Distillates from Palm Oil," *Oil Palm Bulletin*, 59(November), hal. 5–11.
- Thomas, S. (2008) "Enhanced Oil Recovery-An Overview," *Oil & Gas Science and Technology*, 63(1), hal. 9–19.
- Vindy, F. S., Setiati, R., Syahnoedi, U., dan Alli, Y. F. (2021) "Effect of use of co-surfactant with thermal stability," *IOP Conference Series: Materials Science and Engineering*, 1098(6), hal. 062030.
- Virdianingsih, R. (2002) "Mempelajari Stabilitas Termal dari *Bacillus pumilus* y1 dalam pelarut Heksana, Toluena, dan Benzena," Skripsi: Institut Pertanian Bogor, Bogor.
- Wei, P., Pu, W., Sun, L., Zhou, W., dan Ji, X. (2018) "Foam stabilized by alkyl polyglycoside and isoamyl alcohol for enhancing oil recovery in the low-permeable reservoir," *Journal of Petroleum Science and Engineering*, 171(August), hal. 1269–1278.
- Wu, Y., Iglauder, S., Shuler, P.J., Tang, Y., dan Goddard, W.A. (2010) "Branched alkyl alcohol propoxylated sulfate surfactants for improved oil recovery," *Tenside, Surfactants, Detergents*, 47(3), hal. 152–161.

- Wu, Y., Chen, W., Dai, C., Huang, Y., Li, H., Zhao, M., He, L., dan Jiao, B. (2017). “Reducing surfactant adsorption on rock by silica nanoparticles for enhanced oil recovery,” *Journal of Petroleum Science and Engineering*, 153(August 2016), hal. 283–287.
- Xu, D., Bai, B., Meng, Z., Zhou, Q., Li, Z., Lu, Y., Wu, H., Hou, J., dan Kang, W. (2018) “A novel ultra-low interfacial tension nanofluid for enhanced oil recovery in super-low permeability reservoirs,” *Society of Petroleum Engineers - SPE Asia Pacific Oil and Gas Conference and Exhibition 2018, APOGCE 2018*.
- Zhao, M., Cheng, Y., Wu, Y., Dai, C., Gao, M., Yan, R., dan Guo, X. (2022) “Enhanced oil recovery mechanism by surfactant-silica nanoparticles imbibition in ultra-low permeability reservoirs,” *Journal of Molecular Liquids*, 348, hal. 118010.
- Zulkifli, N. N., Mahmood, S. M., Akbari, S., Manap, A. A. A., Kechut, N. I., Elrais, K. A. (2020) “Evaluation of new surfactants for enhanced oil recovery applications in high-temperature reservoirs,” *Journal of Petroleum Exploration and Production Technology*, 10(2), hal. 283–296.