

DAFTAR PUSTAKA

- Acee, A., & Fahs, M. (2012). *Can treating depression improve diabetic management?* The Nurse Practitioner, 37(1), 46-52. doi:10.1097/01.NPR.0000408509.34689.72
- Ahmad A, Abujbara M, Jaddou H, et al. *Anxiety and depression among adult patients with diabetic foot: prevalence and associated factors*. J Clin Med Res. 2018;10(5):411-418. <https://doi.org/10.14740/jocmr3352w>.
- Ahmeddani, M.Y., Ahsan, S., Haque, M.S.U., Fawwad, A., & Basit, A.(2017). *Association of Depression and its Treatment on the Outcome of Diabetic Foot Ulcer*. Journal of Diabetology, 8(3), 61-67. <https://doi.org/10.4103/jod.jod>
- Anderson, M.R., Wickramaratne, P., Syob, C., & Miller, L. (2020) *Religiosity and Depression at Midlife: A Prospective Study*. Religions, 12(1), 28. <https://doi.org/10.3390/rel12010028> 10.3390/rel12010028
- Anderson, R. J., Freeland, K. E., Clouse, R., & Lustman, P. (2001). *The prevalence of co-morbid depression in adults with diabetes: A meta-analysis*. Diabetes Care, 24(6), 1069-1078. doi:10.2337/diacare.24.6.1069
- Auliana Arshita, Yunir EM, Putranto Rudi, Nugroho Pringgodigdo. *Pengaruh Depresi Terhadap Perbaikan Infeksi Ulkus Kaki Diabetik*. Jurnal Penyakit Dalam Indonesia. 2017:02.DOI: 10.7454/jpdi.v2i4.88
- Arya AK, Garg S, Kumar S, et al. *Estimation of lymphocyte apoptosis in patients with chronic non-healing diabetic foot ulcer*. Int J Med Sci Pub Health. 2013;2(4):766-768.
- Armstrong DG, Boulton AJM, Bus SA. *Diabetic Foot Ulcers and their Recurrence*. N Engl J Med. 2017;376:2367-2375
- Bot, M., Pouwer, F., Zuidersma, M., van Melle, J. P., & de Jonge, P. (2012). *Association of coexisting diabetes and depression with mortality after myocardial infarction*. Diabetes Care, 35, 503-509.
- Cezaretto, A., Ferreira, S.R.G., Sharma, S., Sadeghirad, B., & Kolahdooz, F.(2016). *Impact of Lifestyle interventions on depressive symptoms in individuals at risk of, or with, type 2 diabetes mellitus: A systemic review and meta-analysis of randomized controlled trials*. Nutrión, Metabolism and Cardiovascular Diseases, 26(8), 649-662. <https://doi.org/10.1016/j.numecd.2016.04.009>

- Chen, P., Callisaya, M., Wills, K., Greenaway, T., & Winzenberg, T. (2019). Associations of health literacy with risk factors for diabetic foot disease : a cross- sectional analysis of the Southern Tasmanian Health Literacy and Foot Ulcer Development in Diabetes Mellitus Study. 1–10. <https://doi.org/10.1136/bmjopen-2018-025349>
- Conway, B., & Peltier, A. (2013). *Diabetic neuropathy*. Retrieved from <http://cdn.intechopen.com/pdfs-wm/43301.pdf>
- Dahlan, M. S. 2013. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Edisi 3, C. Jakarta: Penerbit Salemba Medika.
- Dinh T, Tecilazich F, Kafanas A, et al. *Mechanisms involved in the development and healing of diabetic foot ulceration*. Diabetes. 2012;61(11):2937-2947.
- Djarmiko, A.T. 2014. *Hubungan Tingkat Religiusitas dengan Depresi pada Penderita Kusta di RSUD Kelet Jepara*. Tesis. Bagian Ilmu Kedokteran Jiwa Fakultas Kedokteran UGM/RS Dr. Sardjito Yogyakarta.
- Ferrari, A. J., Charlson, F. J., Norman, R. E., Patten, S. B., Freed- man, G., Murray, C. J., Whiteford, H. A. (2013). *Burden of depressive disorders by country, sex, age, and year: Findings from the global burden of disease study 2010*. PLoS Medicine, 10(11), e1001547.
- Fitria E, Nur A, Marissa N, Ramadhan N. *Karakteristik Ulkus Diabetikum pada Penderita Diabetes Mellitus di RSUD dr . Zainal Abidin dan RSUD Meuraxa Banda Aceh*. 2017:153-160.
- Gupta, S., Ayasthi, A., & Kumar, S. (2011). *Realtionship between religiosity and psychopatology in patients with depression*. Indian Journal of Psychiatry, 54(4),330
- Hobizal KB, Wukich DK. Diabetic foot infections: current concept review. Diabet Foot Ankle. 2012;3.
- Ibrahim A, Jude E, Langdon DC, Martinez F, Harkless L, Gawish H, Huang Y *IDF Clinical Practice Recommendations on the Diabetic Foot – 2017*. International Diabetes Federation. 2017; 1- 70.
- Iversen, M.M., Midthjell, K., Tell, G.S., Moum, T., Ostbye, T., Nortvedt, M.W., Uhrlving, S., & Hanestad, B.R. (2015), *Is depression a risk factor for diabetic foot ulcer 11-years follow up of the Nord Trondelag Health Study (HUNT)*. Journal of Diabetes and its Complications, 29(1), 20-25. <https://doi.org/10.1016/j.jdiacomp.2014.09.006>

- Kateel R, Augustine AJ, Prabhu S, Ullal S, Pai M, Adhikari P. *Clinical and microbiological profile of diabetic foot ulcer patients in a tertiary care hospital*. Diabetes Metab Syndr Clin Res Rev. 2017:8-11. doi:10.1016/j.dsx.2017.08.008.
- Kartikasari, N.D. 2014. 2014. *Hubungan antara Religiusitas dengan Kesejahteraan Psikologis pada Penderita Diabetes Mellitus Tipe -2*. Tesis. Surakarta. Fakultas Psikologis Universitas Muhammadiyah Surakarta
- Kementrian Kesehatan RI., 2020. *Tetap Produktif, Cegah, dan atasi Diabetes Melitus*. Pusat Data dan Informasi Kementrian Kesehatan Republik Indonesia
- Kistyanti, N,M.R. 2015. *Hubungan Antara Harga Diri dan Religiusitas dengan Stress Related Growth pada Individu dengan Disabiliats Fisik*. Skripsi, Fakultas Psikologi. Universitas Gadjah Mada Yogyakarta.
- Kiani F., Hesabi N., 2016. *The Relationship Between the Religious Beliefs of the Diabetic Patients and Depression in a Diabetes Clinic in Iran*. Health Promotion Research Center, Zahedan University of Medical Sciences. J Relig Health. DOI 10.1007/s10943-016-0222-y
- Koenig, H.G. 2004. Religion, Spirituality, and Medecine: *Reserch Findings and Implications For Clinical Practice*. Southern Medical Journal 97(12): 119-1200
- Koenig, H.G. 2009. *Reseacrh on religion, spirituality and mental health: A Review*. The Canadian Journal pf Psychiatry, 54, 283-291
- Kusuma, P. 2016a. *Efektivitas Patient Health Questionnaire-9 (PHQ-9) terhadap edinburgh postnatal depression scale (EPDS) untuk Mendeteksi Risiko Depresi Postpartum*. Universitas Gadjah Mada, Yogyakarta.
- Levis, B., Benedetti, A., Thombs, B. D., Screening, D., & Collaboration, D. D. 2019. Accuracy of Patient Health Questionnaire-9 (PHQ-9) for screening to detect major depression : individual participant data meta-analysis. British Medical Journal, (365): 11476. doi: 10.1136/bmj.11476
- Lepine, Jean Pierre, Mike Briley. The increase burden of depression. Neuropsychiatr Dis trear. 2011; 7(Suppl 1):S3-7.
- Levin, J. 2010. Religion and mental health: Theory and Reserch. International journal of Applied Psychoanalitic studies.

Lipsky BA, Berendt AR, Cornia PB. (2012) *Infectious Diseases Society of America clinical practice guideline for the diagnosis and treatment of diabetic foot infections*. Clin Infect Dis. 2012;54(12):e132-e173.

Lloyd, C.E., Pouwer, F., & Hermans, N. (2013). *Screening for Depression and Other Psychological Problem in Diabetes A Practical Guide* (ISSUE c). Springer. <https://doi.org/10.15713/ins.mmj.3>

Lumongga, D.R.N. (2016). *Depresi: Tinjauan psikologis*. Kencana.

Mariam, T. G., Alemayehu, A., Tesfaye, E., Mequannt, W., Temesgen, K., Yetwale, F., & Limenih, M. A. (2017). Prevalence of Diabetic Foot Ulcer and Associated Factors among Adult Diabetic Patients Who Attend the Diabetic Follow-Up Clinic at the University of Gondar Referral Hospital, North West Ethiopia, 2016: Institutional-Based Cross-Sectional Study. Journal of Diabetes Research, 2017. <https://doi.org/10.1155/2017/2879249>

Mellenia N, Halim W, Muchtar M. (2022) Hubungan Antara Lama Menderita Ulkus Diabetikum Dengan Tingkat Depresi Tahun 2021. Medika Alkhairaat: Kurnal Penelitian Kedokteran dan Kesehatan 4(1):8-13 e-ISSN: 2656-7822, p-ISSN: 2657-179x

Naningsih, Tri Nur., Yugistiyowati, Anafrin (2017). *Dukungan Keluarga Dan Hubungannya Dalam Proses Penyembuhan Luka Diabetes Mellitus Grade I-III Di RSUD Wates Kulon Progo*. Jurnal Keperawatan Respati Yogyakarta diakses dari <http://nursing.jurnal.respati.ac.id/index.php/JKRY/index>

Neeru B, Gagandeep K, Pal AJ,. *Psychosocial, psychiatric, and clinical implications of diabetic foot ulceration: a prospective analysis*. J Soc Health Diabetes. 2015;3(2):89-94.

Pearson S, Nash T, Ireland V. *Depression symptoms in people with diabetes attending outpatient podiatry clinics for the treatment of foot ulcers*. J Foot Ankle Res. 2014;7(1):47. doi:10.1186/s13047-014-0047-4

Polikandrioti M, Vasilopoulos G, Koutelekos I. *Quality of life in diabetic foot ulcer: associated factors and the impact of anxiety/depression and adherence to self-care*. Int J Low Extrem Wounds, Jan. 2020. <https://doi.org/10.1177/1534734619900415>.

Ren P, Qin X, Zhang Y, Zhang R. *Is social support a cause or consequence of depression? A longitudinal study of adolescents*. Front Psychol. 2018;9:1634. <https://doi.org/10.3389/fpsyg.2018.01634>.

- Riskesdas. (2018). Riset kesehatan dasar. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan Ri.
- Salome GM, Blanes L, Ferreira LM. *Assesment of depressive symptoms in people with diabetes mellitus and foot ulcer*. Rev Col Bras Cir. 2011;38(5):327-33.
- Sastrianegara, F.M.(2014). *Pengaruh Religiusitas Terhadap Tingkat Depresi, Kecemasan, Strss, dan Kualitas Hidup Penderita Penyakit Kronis di Kota Makassar*. Jurnal Kesehatan, VII (1): 288-3004.
- Sastroasmoro, S., & Ismael, S. (Eds.). 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-5. Jakarta: Sagung Seto
- Saffari M, Lin CY, Chen, Pakpour AH. *The role of religious coping and social support on medication adherence and quality of life among the elderly with type 2 diabetes*. Qual Life Res 2019; 28:2183-2193 [PMID:31037591]
- Scherrer, J. F., Garfield, L. D., Chrusciel, T., et al. (2011). *Increased risk of myocardial infarction in de- pressed patients with type 2 diabetes*. Diabetes Care, 34, 1729-1734.
- Soelistijo S, Novida H, Rudijanto A,. *Konsensus pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015*. 2015:1-93.
- Spanos K, Saleptsis V, Athanasoulas A,. *Factors associated with ulcer healing and quality of life in patients with diabetic foot ulcer*. Angiology. 2017;68(3):242-250.
- Spellicy. *The MTHFR C677T Variant is Associated with responsiveness to disulfiram treatment for Cocaine dependency*.Front Psychiatry.2013;14(3):109.
- Spanos K, Saleptsis V, Athanasoulas A,. *Factors associated with ulcer healing and quality of life in patients with diabetic foot ulcer*. Angiology. 2017;68(3):242-250.
- Sulistiani, W., & Kristiana, I. F. (2022). *Validation of The Indonesian Version of The (MSPSS): A RASCH Model Approach*. 21(1), 89–103.
- Sumpio BE. *Contemporary evaluation and management of the diabetic foot*. Scientifica. 2012;435487
- Suryati, I., Primal, D., & Pordiati, D. (2019). *Hubungan Tingkat Pengetahuan Dan Lama Menderita Diabetes Mellitus (Dm) Dengan Kejadian Ulkus Diabetikum*

Pada Pasien Dm Tipe 2. Jurnal Kesehatan Perintis (Perintis's Health Journal), 6(1), 1–8. <https://doi.org/10.33653/jkp.v6i1.214>

Roza, R. L., Afriant, R., & Edward, Z. (2015). *Faktor Risiko Terjadinya Ulkus Diabetikum pada Pasien Diabetes Mellitus yang Dirawat Jalan dan Inap di RSUP Dr. M. Djamil dan RSI Ibnu Sina Padang. Jurnal Kesehatan Andalas*, 4(1), 243–248. <https://doi.org/10.25077/jka.v4i1.229>

Upton, D., Solowiej, K. L., & Woo, K. Y. (2014). *A multinational health professional perspective of the prevalence of mood disorders in patients with acute and chronic wounds. International Wound Journal*, 11(6), 625-635. doi:10.1111/iwj.12018

Vedhara K, Miles J, Wetherell M, Dawe K, Searle A, Tallon D. *Coping style and depression influence the healing of diabetic foot ulcers: observational and mechanistic evidence. Diabetologia*. 2010;53(8):1590-8.

Wang X, Cai L, Qian J, Peng J. *Social support moderates stress effects on depression. Int J Ment Health Syst*. 2014;8(1):41. <https://doi.org/10.1186/1752-4458-8-41>.

Watkins YJ, Quinn LT, Ruggiero L, Quinn MT, Choi YK. *Spiritual and Religious beliefs and practices and social supports relationship to diabetes self-care activities in African Americans. Diabetes Educ* 2013; 39:231-239 [PMID: 23411653]

World Health Organization. (2015). *Diabetes Fact Sheet*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs312/en/>