

## DAFTAR PUSTAKA

- Achour, Y., & Pourghasemi, H. R. (2020). How do machine learning techniques help in increasing accuracy of landslide susceptibility maps? *Geoscience Frontiers*, 11(3), 871–883. <https://doi.org/10.1016/j.gsf.2019.10.001>
- Aditian, A., Kubota, T., & Shinohara, Y. (2018). Comparison of GIS-based landslide susceptibility models using frequency ratio, logistic regression, and artificial neural network in a tertiary region of Ambon, Indonesia. *Geomorphology*, 318, 101–111. <https://doi.org/10.1016/j.geomorph.2018.06.006>
- Aleotti, P., & Chowdhury, R. (1999). Landslide hazard assessment: summary review and new perspectives. In *Bull Eng Geol Env* (Vol. 58). Springer-Verlag.
- Amato, G., Palombi, L., & Raimondi, V. (2021). Data-driven classification of landslide types at a national scale by using Artificial Neural Networks. *International Journal of Applied Earth Observation and Geoinformation*, 104. <https://doi.org/10.1016/j.jag.2021.102549>
- Ansori, C., Setiawan, N. I., Warmada, I. W., & Yogaswara, H. (2022). Identification of geodiversity and evaluation of geosites to determine geopark themes of the Karangsambung-Karangbolong National Geopark, Kebumen, Indonesia. *International Journal of Geoheritage and Parks*, 10(1), 1–15. <https://doi.org/10.1016/j.ijgeop.2022.01.001>
- Asikin, S. (1974). (1974) : *Evolusi geologi Jawa Tengah dan sekitarnya ditinjau dari segi tektonik dunia yang baru. Laporan tidak dipublikasikan, disertasi, Dept. Teknik Geologi ITB, 103 hal.*
- Asikin, S., Handoyo, A., Busono, H., & Gafoer, S. (1992). *Peta geologi skala 100.000 lembar Kebumen.*
- Ayalew, L., & Yamagishi, H. (2005). The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. *Geomorphology*, 65(1–2), 15–31. <https://doi.org/10.1016/j.geomorph.2004.06.010>
- Balogun, A. L., Rezaie, F., Pham, Q. B., Gigović, L., Drobnjak, S., Aina, Y. A., Panahi, M., Yekeen, S. T., & Lee, S. (2021). Spatial prediction of landslide susceptibility in western Serbia using hybrid support vector regression (SVR) with GWO, BAT and COA algorithms. *Geoscience Frontiers*, 12(3). <https://doi.org/10.1016/j.gsf.2020.10.009>
- Blahut, J., van Westen, C. J., & Sterlacchini, S. (2010). Analysis of landslide inventories for accurate prediction of debris-flow source areas. *Geomorphology*, 119(1–2), 36–51. <https://doi.org/10.1016/j.geomorph.2010.02.017>
- BNPB. (2022, May 19). <https://dibi.bnbp.go.id/xdibi>.
- BPBD Kebumen. (2021). *KAJIAN RISIKO BENCANA KABUPATEN KEBUMEN TAHUN 2021-2025 PEMERINTAH DAERAH KABUPATEN KEBUMEN DOKUMEN.*
- Brock, J., Schratz, P., Petschko, H., Muenchow, J., Micu, M., & Brenning, A. (2020). The performance of landslide susceptibility models critically depends

- on the quality of digital elevations models. *Geomatics, Natural Hazards and Risk*, 11(1), 1075–1092. <https://doi.org/10.1080/19475705.2020.1776403>
- Cascini, L. (2008). Applicability of landslide susceptibility and hazard zoning at different scales. *Engineering Geology*, 102(3–4), 164–177. <https://doi.org/10.1016/j.enggeo.2008.03.016>
- Chauhan, S., Sharma, M., & Arora, M. K. (2010). Landslide susceptibility zonation of the Chamoli region, Garhwal Himalayas, using logistic regression model. *Landslides*, 7(4), 411–423. <https://doi.org/10.1007/s10346-010-0202-3>
- Chen, T., & Guestrin, C. (2016). *XGBoost: A Scalable Tree Boosting System*. <https://github.com/dmlc/xgboost>
- Dwi Raharjo, P., Mustofa Nur, A., Bidang Penginderaan Jauh dan SIG, P., Bidang Geologi, P., & Informasi dan Konservasi Kebumian Karangsembung, B. (2013). Landslides Mapping Karangsembung Geological Nature Preserve Using Remote Sensing and GIS. In *Forum Geografi* (Vol. 27, Issue 2).
- Fawcett, T. (2006). An introduction to ROC analysis. *Pattern Recognition Letters*, 27(8), 861–874. <https://doi.org/10.1016/j.patrec.2005.10.010>
- García-Flórez, I., & Tsige, M. (2013). Geological and Structural Control of Earthquake-Induced Landslides in El Salvador. In *Landslide Science and Practice* (pp. 287–293). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-642-31427-8\\_37](https://doi.org/10.1007/978-3-642-31427-8_37)
- Goyes-Peñafiel, P., & Hernandez-Rojas, A. (2021). Landslide susceptibility index based on the integration of logistic regression and weights of evidence: A case study in Popayan, Colombia. *Engineering Geology*, 280. <https://doi.org/10.1016/j.enggeo.2020.105958>
- Guzzetti, F., Ardizzone, F., Cardinali, M., Rossi, M., & Valigi, D. (2009). Landslide volumes and landslide mobilization rates in Umbria, central Italy. *Earth and Planetary Science Letters*, 279(3–4), 222–229. <https://doi.org/10.1016/j.epsl.2009.01.005>
- Hadmoko, D. S., Lavigne, F., & Samodra, G. (2017). Application of a semiquantitative and GIS-based statistical model to landslide susceptibility zonation in Kayangan Catchment, Java, Indonesia. *Natural Hazards*, 87(1), 437–468. <https://doi.org/10.1007/s11069-017-2772-z>
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Hadi, P., & Winaryo. (2010). Landslide hazard and risk assessment and their application in risk management and landuse planning in eastern flank of Menoreh Mountains, Yogyakarta Province, Indonesia. *Natural Hazards*, 54(3), 623–642. <https://doi.org/10.1007/s11069-009-9490-0>
- Hadrien, J. (2020). *ESSENTIAL MATH FOR DATA SCIENCE*. O'Reilly Media, Inc.
- Hall, G. F. (1983). PEDOLOGY AND GEOMORPHOLOGY. In *Pedogenesis and Soil Taxonomy. Concepts and Interactions* (pp. 117–140). Elsevier Science Publishers .
- Handoyo Harsolumakso, A., Sapiie, B., Zain Tuakia, M., Harsolumakso, A. H., Tuakia, Z., Yudha, R. I., & Ulo Mélange, L. (2016). *India-Australia-Asia convergence and the tectonics of Tibet and SE Asia View project mamuju*

*View project Luk Ulo Melange Complex, Central Java, Indonesia;  
Characteristics, Origin and Tectonic significance STRUCTURAL  
CHARACTERISTICS DETAILED STRUCTURAL SECTION TECTONIC  
IMPLICATION SE21-A030 REGIONAL SETTING.*

<https://doi.org/10.13140/RG.2.2.14457.26728>

Hervás, J. (2013). *Encyclopedia of Natural Hazards* (P. T. Bobrowsky, Ed.).

Springer Netherlands. <https://doi.org/10.1007/978-1-4020-4399-4>

Highland, L. M. , and B. P. (2008). *The Landslide Handbook-A Guide to  
Understanding Landslides*. U.S. Geological Survey Circular 1325.

Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of  
landslide types, an update. In *Landslides* (Vol. 11, Issue 2, pp. 167–194).

Springer Verlag. <https://doi.org/10.1007/s10346-013-0436-y>

Hussain, M. A., Chen, Z., Wang, R., & Shoaib, M. (2021). Ps-insar-based  
validated landslide susceptibility mapping along karakorum highway,  
Pakistan. *Remote Sensing*, 13(20). <https://doi.org/10.3390/rs13204129>

Jaafari, A., Najafi, A., Pourghasemi, H. R., Rezaeian, J., & Sattarian, A. (2014).  
GIS-based frequency ratio and index of entropy models for landslide  
susceptibility assessment in the Caspian forest, northern Iran. *International  
Journal of Environmental Science and Technology*, 11(4), 909–926.

<https://doi.org/10.1007/s13762-013-0464-0>

Kadarusman, A., Massonne, H. J., van Roermund, H., Permana, H., & Munasri.  
(2007). P-T evolution of eclogites and blueschists from the Luk Ulo complex  
of central Java, Indonesia. *International Geology Review*, 49(4), 329–356.

<https://doi.org/10.2747/0020-6814.49.4.329>

Kavzoglu, T., Kutlug Sahin, E., & Colkesen, I. (2015). Selecting optimal  
conditioning factors in shallow translational landslide susceptibility mapping  
using genetic algorithm. *Engineering Geology*, 192, 101–112.

<https://doi.org/10.1016/j.enggeo.2015.04.004>

Komac, M., & log cal Sur vey, G. (2012). Regional landslide susceptibility model  
using the Monte Carlo ap proach-the case of Slovenia. In *Geo log i cal Quar  
terly* (Vol. 56, Issue 1).

Krisnabudhi, A., Rachman, M. G., Rahmanto, B., Hapsoro, S. E., Sulaeman, H. I.,  
Imam, R., & Pratama, R. (2015). *TECTONIC EVENT TRAILING BASED ON  
FRAGMENTS OF WATURANDA FORMATION, WADASMALANG,  
KARANGSAMBUNG, CENTRAL JAVA.*

<https://www.researchgate.net/publication/322900050>

Lin, Q., Lima, P., Steger, S., Glade, T., Jiang, T., Zhang, J., Liu, T., & Wang, Y.  
(2021). National-scale data-driven rainfall induced landslide susceptibility  
mapping for China by accounting for incomplete landslide data. *Geoscience  
Frontiers*, 12(6). <https://doi.org/10.1016/j.gsf.2021.101248>

Lombardo, L., & Mai, P. M. (2018). Presenting logistic regression-based landslide  
susceptibility results. *Engineering Geology*, 244, 14–24.

<https://doi.org/10.1016/j.enggeo.2018.07.019>

Mandal, S., & Mondal, S. (2019). *Environmental Science Geoinformatics and  
Modelling of Landslide Susceptibility and Risk An RS & GIS-based Model*

- Building Approach in the Eastern Himalaya.*  
<https://doi.org/https://doi.org/10.1007/978-3-030-10495-5>
- Mather, P., & Tso, B. (2009). *Classification Methodes For Remotely Sensed Data*. Taylor And Francais Group.
- McHugh, M. L. (2012). Interrater reliability: the kappa statistic. *Biochemia Medica*, 276–282. <https://doi.org/10.11613/BM.2012.031>
- Merghadi, A., Yunus, A. P., Dou, J., Whiteley, J., ThaiPham, B., Bui, D. T., Avtar, R., & Abderrahmane, B. (2020). Machine learning methods for landslide susceptibility studies: A comparative overview of algorithm performance. In *Earth-Science Reviews* (Vol. 207). Elsevier B.V. <https://doi.org/10.1016/j.earscirev.2020.103225>
- Muntohar, A. S. (2010). *Tanah Longsor Analisis, Prediksi & Mitigasi*.
- Muzani. (2021). *BENCANA TANAH LONGSOR Penyebab dan Potensi Longsor*.
- Nugroho, N. P., Priyono, & Cahyono, A. (2004). Dampak Sosial Ekonomi dan Ekologi Pengelolaan Hutan Pinus. *Prosiding Ekspose BP2TPDAS-IBB Surakarta*.
- Prasetyadi, C. (2007). *EVOLUSI TEKTONIK PALEOGEN JAWA BAGIAN TIMUR. Disertasi*.
- Projo Danoedoro. (2012). *Pengantar Penginderaan Jauh Digital* (P. Danoedoro, Ed.). Andi Yogyakarta.
- Purwaningsih, R., Sartohadi, J., & Anggri, M. (2020). Trees and crops arrangement in the agroforestry system based on slope units to control landslide reactivation on volcanic foot slopes in Java, Indonesia. *Land*, 9(9). <https://doi.org/10.3390/LAND9090327>
- R. A. Van Zuidam. (1983). *Guide to Geomorphologic-Aerial Photographic Interpretation and Mapping*. Guide to Geomorphologic - aerial photographic interpretation and mapping. Enschede: Section of Geology and Geomorphology.
- Raharjo, P. D. (2014). Penggunaan Model Analytic Hierarchy Process untuk Penentuan Potensi Ancaman Longsor Secara Spasial. *PROSIDING PEMAPARAN GEOTEKNOLOGI LIPI*, 513–525.
- Reichenbach, P., Rossi, M., Malamud, B. D., Mihir, M., & Guzzetti, F. (2018). A review of statistically-based landslide susceptibility models. In *Earth-Science Reviews* (Vol. 180, pp. 60–91). Elsevier B.V. <https://doi.org/10.1016/j.earscirev.2018.03.001>
- Risiko Bencana Indonesia. (2016). *RISIKO BENCANA INDONESIA B N P B* (Mohd. R. A. Raditya Jati, Ed.). Badan Nasional Penanggulangan Bencana.
- Samodra, G. (2022). Benchmarking landslide inventory data handling strategies for landslide susceptibility modeling based on different random forest machine learning workflows. *Research Square*. <https://doi.org/https://doi.org/10.21203/rs.3.rs-1441095/v1>
- Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2017). Comparing data-driven landslide susceptibility models based on participatory landslide inventory mapping in Purwosari area, Yogyakarta, Java. *Environmental Earth Sciences*, 76(4). <https://doi.org/10.1007/s12665-017-6475-2>

- Saraswat, M. (n.d.). *Beginners Tutorial on XGBoost and Parameter Tuning in R Tutorials & Notes / Machine Learning / HackerEarth*. Retrieved May 15, 2022, from <https://www.hackerearth.com/practice/machine-learning/machine-learning-algorithms/beginners-tutorial-on-xgboost-parameter-tuning-r/tutorial/>
- Sartohadi, J., Harlin Jennie Pulungan, N. A., Nurudin, M., & Wahyudi, W. (2018). The Ecological Perspective of Landslides at Soils with High Clay Content in the Middle Bogowonto Watershed, Central Java, Indonesia. *Applied and Environmental Soil Science*, 2018, 1–9. <https://doi.org/10.1155/2018/2648185>
- Scott, G. H. (1963). Uniformitarianism, the uniformity of nature, and paleoecology. *New Zealand Journal of Geology and Geophysics*, 6(4), 510–527. <https://doi.org/10.1080/00288306.1963.10420063>
- Shirzadi, A., Chapi, K., Shahabi, H., Solaimani, K., Kaviani, A., & Ahmad, B. bin. (2017). Rock fall susceptibility assessment along a mountainous road: an evaluation of bivariate statistic, analytical hierarchy process and frequency ratio. *Environmental Earth Sciences*, 76(4). <https://doi.org/10.1007/s12665-017-6471-6>
- Sueno Winduhutomo, Eko Puswanto, Kristiawan Widiyanto, P. D. Raharjo. (2013). Analisis Geologi Teknik Akibat Kegagalan Lereng Pada Bangunan Embung Di Kawasan Cagar Alam Geologi Karangsambung (Studi Kasus : Instabilitas Embung dan Cara Mengatasinya). *Prosiding Pemaparan Hasil Penelitian Pusat Penelitian Geoteknologi LIPI*.
- Suharsimi Arikunto. (2010). *Prosedur penelitian : suatu pendekatan praktik: Vol. Ed. Rev. VI, Cet. 14*. Rika Cipta. <https://kbbi.kemdikbud.go.id/entri/faktor>
- Sukendar Asikin. (1974). *Evolusi Geologi Jawa Tengah dan sekitarnya Ditinjau dari Segi Teori Tektonik- Dunia yang Baru*.
- Suparka, M. E. (1988). *Studi petrologi dan pola kimia kompleks ofiolit Karangsambung utara Luh Ulo, Jawa Tengah, Evolusi geologi Jawa Tengah* [Unpublished]. ITB.
- Sutanto. (1986). *Penginderaan Jauh Jilid 1*. Gadjah Mada University Press.
- Tobler, W. (2017). *Measuring spatial resolution*. <https://www.researchgate.net/publication/291877360>
- Toševski, A., Pollak, D., & Perković, D. (2021). Identification of rockfall source areas using the seed cell concept and bivariate susceptibility modelling. *Bulletin of Engineering Geology and the Environment*, 80(10), 7551–7576. <https://doi.org/10.1007/s10064-021-02441-w>
- Varnes, DJ. (1978). *Slope Movement Types and Processes Landslides: Analysis and Control* (Eds: Schuster, R. L. & Krizek, R. J.).
- Yang, J., Song, C., Yang, Y., Xu, C., Guo, F., & Xie, L. (2019). New method for landslide susceptibility mapping supported by spatial logistic regression and GeoDetector: A case study of Duwen Highway Basin, Sichuan Province, China. *Geomorphology*, 324, 62–71. <https://doi.org/10.1016/j.geomorph.2018.09.019>
- Zêzere, J. L., Pereira, S., Melo, R., Oliveira, S. C., & Garcia, R. A. C. (2017). Mapping landslide susceptibility using data-driven methods. *Science of the*

*Total Environment*, 589, 250–267.

<https://doi.org/10.1016/j.scitotenv.2017.02.188>

Zhao, F., Meng, X., Zhang, Y., Chen, G., Su, X., & Yue, D. (2019). Landslide susceptibility mapping of karakorum highway combined with the application of SBAS-InSAR technology. *Sensors (Switzerland)*, 19(12).

<https://doi.org/10.3390/s19122685>

Zhao, Z., Liu, Z. yuan, & Xu, C. (2021). Slope Unit-Based Landslide Susceptibility Mapping Using Certainty Factor, Support Vector Machine, Random Forest, CF-SVM and CF-RF Models. *Frontiers in Earth Science*, 9.

<https://doi.org/10.3389/feart.2021.589630>