

## DAFTAR PUSTAKA

- Abu-Ghefreh, A. A., Canatan, H., dan Ezeamuzie, C. I. 2009. *In vitro* and *in vivo* anti-inflammatory effects of andrographolide. *International Immunopharmacology* 9: 313–318.
- Adamu, M., Boonkaewwan, C., Gongruttananun, N., dan Vongpakorn, M. 2013. Hematological, Biochemical and Histopathological Changes caused by Coccidiosis in chicken. *Kasetsart J. (Nat. Sci.)* 47: 238 – 246.
- Adeleye, O. O., Ayeni, O. J., dan Ajamu, M. A. 2018. Traditional and medicinal uses of *Morinda lucida*. *Journal of Medicinal Plant Studies*, 6(2): 249-254.
- Ali, M., dan Ibrahim, I. S. 2019. Phytochemical Screening and Proximate Analysis of Garlic (*Allium sativum*). *An archive of Organic and Inorganic Chemical Science* 4: 478-482.
- Allen, P. C. 1997. Nitric oxide production during *Eimeria tenella* infections in chickens. *Poultry Science*, 76 (6): 810– 813.
- Anggraini, D. 2008. *Pengaruh pemberian ekstrak etanol sambiloto (Andrographis paniculata Ness) dosis bertingkat diberikan saat diinfeksi Eimeria tenella terhadap jumlah ookista pada tinja ayam*. Bogor: Institut Pertanian Bogor.
- Anonim. 2000. *Pedoman Pelaksanaan Uji Klinik Obat Tradisional*. Departemen Kesehatan Republik Indonesia, Direktorat Jenderal Pengawasan Obat dan Makanan, Direktorat Pengawasan Obat Tradisional.
- Anonim. 2017. *Peraturan Menteri Pertanian nomor 14 tahun 2017 tentang Klasifikasi Obat Hewan*. Jakarta: Kementrian Pertanian.
- Arlette, N. T., Nadia, N. A. C., Jeanette, Y., Gatrude, M. T., Stephanie, M. T., Josue, W. P., dan Mbida, M. 2019. The *In vitro* anticoccidial activity of aqueous and ethanolic extracts of *Ageratum conyzoides* and *Vernonia amygdalina* (Asteraceae); *World Journal of Pharmacy and Pharmaceutical Sciences*, 8(1): 38-49.
- Azmy, A. A., Apsari, I. A. P., dan Arda, I. B. K. 2015. Isolasi dan identifikasi ookista *Coccidia* dari tanah di sekitar tempat pembuangan sampah di kota Denpasar. *Medicus Veterinus*. 4: 163-169.
- Baghdadi, H. B., dan Al-Mathal, E. M. 2010. Anticoccidial effect of *Commiphora molmol* in the domestic rabbit (*Oryctolagus cuniculus domesticus* L.). *J. Egypt. Soc. Parasitol.* 40:653–668.
- Bakari, G. G., Max, R. A., Mdegela, R. H., Phiri, E. C., dan Mtambo, M. M. 2012. Effect of resinous extract from *Commiphora swynnertonii* (Burtt) on experimental coccidial infection in chickens. *Trop. Anim. Health Prod.* 45:455–459.

- Belli, S. I., Smith, N. C., dan Ferguson, D. J. P. 2006. The coccidian oocyst: a tough nut to crack. *Trends Parasitol.* 22: 416-423.
- Bessay, M., Vern, Y. L., Kerboeuf, D., Yvore, P., dan Quere, P. 1996. Changes in intestinal intraepithelial and systemic T-cell sub populations after an Eimeria infection in chickens: Comparative study between *E. acervulina* and *E. tenella*. *Vet. Res.* 27: 503-514.
- Cahyaningsih, U., Iswantini, D., dan Iskandar, T. 2007. *Pemanfaatan Tanaman Sambiloto (Andrographis paniculata Ness) sebagai substitusi Obat Antikoksidia dan anti peradangan untuk menanggulangi diare berdarah pada ayam akibat infeksi Eimera tenella*. Bogor: Institut Pertanian Bogor.
- Cahyaningsih, U., Riandci, R., dan Iswantini, D. 20012. Ekstrak Sambiloto (*Andrographis paniculata*) Menurunkan Jumlah Skizon, Mikrogamet, Makrogamet, dan Oosista *Eimeria tenella*. *Jurnal Veteriner September*. 3: 322-329.
- Cahyawati, P. N. 2021. A Mini Review: Efek Farmakologi *Andrographis Paniculata* (Sambiloto). *Jurnal Lingkungan dan Pembangunan*. 5(1): 19-24.
- Callow, R. K. 1936. *Steroids*. Proc. Royal, Soc London Series A., 157-194.
- Chapman, H. D. 2014. Milestones in avian koksidiosis research: a review. *Poultry Science*. 93(3): 501-511.
- Clark, E. L., dan Blake, D. P. 2012. Genetic mapping and coccidial parasites: Past achievements and future prospects. *Journal of Biosciences*, 37: 879-886.
- Dakpogan, H. B., Gandaho, C. S., Houndonougbo, P. V., Dossa, L. H., Houndonougbo, M. F., Chrysostome, C. 2019. Anticoccidial activity of *Khaya senegalensis*, *Senna siamea* and *Chamaecrista rotundifolia* in chicken (*Gallus gallus*). *Int. J. Biol. Chem. Sci.* 13: 2121-2128.
- Dandekar, D., Jayaprakasha, G. K. dan Patil, B. 2008. Hydrotropic Extraction of Bioactive Limonin from Sour Orange Seed. *Food Chemistry*. 109: 515-520.
- Das, S., Gautam, N., dan Dey, S. K. 2009. Oxidative stress in the brain of nicotine induced toxicity: protective role of *Andrographis paniculata* Nees and vitamin E. *Applied Physiology, Nutrition and Metabolism*, 34: 124-135.
- De, M., Krishna D., A., dan Banerjee, A. B. 1999. Antimicrobial screening of some Indian spices. *Phytother. Res.* 1: 616-618.
- De-Lucca, A., Clevaland, T., Rajasekara, K., Boue, S., dan Brown, B. 2005. Fungal properties of CAY-1, a plant saponin, for emerging fungal pathogens. *45th Interscience Conference in Antimicrobial agents and Chemotherapy*.

- Desalegn, A. Y. dan Ahmed, M. R. 2020. Anticoccidial Activity of Aloe debrana and Aloe pulcherrima Leaf Gel against Eimeria Oocysts. *Journal of Parasitology Research*. 1-10.
- Djara, D. V. S., Ardana, I. B. K., dan Winaya, I. B. O. 2020. Perubahan Patologik Sekum Ayam Pedaging (*Gallus gallus*) yang Terinfeksi Koksidiosis di Kabupaten Tabanan, Bali. *Indonesian Medicus Veterinus* 9(2): 187-196.
- Duffy, C.F., Mathis, G. F., dan Power, R. F. 2005. Effects of Natustat supplementation on performance, feed efficiency, and intestinal lesion scores in broiler chickens challenged with *Eimeria acervulina*, *Eimeria maxima*, and *Eimeria tenella*. *Vet Parasitol*. 130(3-4): 185-190.
- Edgar, S. A. dan Siebold, C. T. 1964. A New coccidium of chickens, *Eimeria mivati* sp. n. (Protozoa: Eimeriidae), with details of its life history. *Journal of Parasitology*, 50: 193-204.
- El-Shall, N. A., El-Hack, M. E. A., Albaqami, N. M., Khafaga, A. F., Taha, A. E., Swelum, A. A., El-Saadony, M. T., Salem, H. M., El-Tahan, A. M., AbuQamar, S. F., El-Tarabily, K. A., dan Elbestawy. 2022. Phytochemical control of poultry coccidiosis: a review. *Poultry Science*. 101:101542.
- Fanatico, A. 2007. *Parasite Management for Natural and Organic Poultry; Koksidiosis*. ATTRA - National Sustainable Agriculture Information Service.
- Felici, M., Tugnoli, B., Ghiselli, F., Massi, P., Tosi, G., Fiorentini, L., Piva, A., dan Grilli, E. 2020. *In vitro* anticoccidial activity of thymol, carvacrol, and saponins. *Poultry Science*, 99(11): 5350– 5355.
- Gadelhaq, S. M., Arafa, W. M., dan Abolhadid, S. M. 2018. *In vitro* activity of natural and chemical products on sporulation of Eimeria species oocysts of chickens. *Veterinary Parasitology*. 251: 12–16.
- Geetha, I., Catherine, P., dan Alexander, S. 2017. Antibacterial activity of *Andrographis paniculata* extracts. *The Pharma Innovation Journal*. 6(5): 01-04.
- Giannenas, I., Florou-Paner, P., Papazahariadou, M., Christaki, E., Botsoglou, N. A., dan Spai, A. B. 2003. Dietary oregano essential oil supplementation on performance of broilers challenged with *Eimeria tenella*. *Arch. Anim. Nutr*. 57: 99–106.
- Glorieux, M., Newman, L. J., Wang, Y. T., De Herdt, P., Hautekeur, J., De Gussem, M., Christiaens, I., dan Verbeke, J. 2022. Sustainable coccidiosis control implications based on susceptibility of European Eimeria field isolates to narasin + nicarbazin from farms using anticoccidial medication or coccidial vaccines. *J. Appl. Poult. Res*. 31:100263

- Gordon S. 2007. The macrophage: past, present, and future. *Eur J Immunol* 37: S9–S17
- Grumbles, L. C., Delaplane, J. P., Higgins, T. C. 1948. Continuous feeding of low concentrations of sulfaquinoxaline for the control of coccidiosis in poultry. *Poult Sci.* 27(5): 605–608.
- Hanus, L. O., Rezanka, T., Dembitsky, V. M., dan Moussaieff, A. 2005. Myrrh-commiphora chemistry. *Biomed. Pap. Med. Fac. Univ. Palacky Olomouc. Czech. Repub.* 149: 3-27.
- Hassan, S. M., El-Gayar, A. K., Cadwell, D. J., Bailey, C. A., Cartwright, A. L. 2008. Guar meal ameliorates Eimeria tenella infection in broiler chicks. *Veterinary Parasitology.* 157(1-2): 133–138.
- Horigome, T., Kumar, R., dan Okamoto, K. 1988. Effects of condensed tanins prepared from leaves of fodder plants on digestive enzymes *in vitro* and in the intestine of rats. *Brit J of Nutr* 60: 275-285
- Irizaary-Rovira, A. R. 2004. Avian and reptilian clinical pathology (Avian hematology & biochemical analysis), Section XI, pp. 282–313. In R.L. Cowell, (ed.). *Veterinary Clinical Pathology Secrets*. Elsevier Inc. St. Louis, MO, USA.
- Ishaq, A. N., Sani, D., Abdullahi, S. A., dan Jatau, I. D. 2022. *In vitro* anticoccidial activity of ethanolic leaf extract of Citrus aurantium L. against Eimeria tenella oocysts. *Sokoto Journal of Veterinary Sciences.* 20: 37-43.
- James, S. 1980. Thiamine uptake in isolated schizonts of Eimeria tenella and the inhibitory effects of amprolium. *Parasitology.* 80(2): 313–322.
- Jankiewicz, H. A., dan Schofield, R. H. 1934. The administration of heated oocysts of Eimeria tenella as a means of establishing resistance and immunity to cecal coccidiosis. *Jour. Amer. Vet. Med. Assoc.* 84: 507-526.
- Jarukamjorn, K., dan Nemoto, N. 2008. Pharmacological aspects of Andrographis paniculata on health and its major diterpenoid constituent andrographolide, *Journal of Health Science*, 54: 370-381.
- Johnson, J., Reid, W. M., 1970. Anticoccidial drugs: lesion scoring techniques in battery and floor-pen experiments with chickens. *Exp. Parasitology* 28(1): 30-6.
- Johnson, W. T. 1930. Director's annual report 1928-1930. *Oregon Agriculture Experiment Station.*
- Joseph, S. M. 2014. Scientific Aspects of the Therapeutic Use of Andrographis paniculata (kalmegh): A Review. *Int. J. Pharm. Sci. Rev. Res* 2: 10-16

- Julie, D. H. 1999. Coccidiosis in poultry. *Livestock Poultry Health Programs*, 2: 3-4.
- Kahn, C. M. 2008. *The Merck Veterinary Manual 9th ed.* White house station. N.J., USA: Merck and CO., INC. 2201-2206.
- Kaleem, Q. M., Akhtar, M., Awais, M. M., Saleem, M., Zafar, M., Iqbal, Z., Muhammad, F., dan Anwar, M. I. 2014. Studies on *Emblica officinalis* derived tanins for their immunostimulatory and protective activities against coccidiosis in industrial broiler chickens. *Sci. World J.* 2014:1–10.
- Kasem, S. M., Helal, I. B., Mira, N. M., dan Amer, S. 2019. Evaluating the *in vitro* efficiency of *Rosmarinus officinalis* extracts, formalin and sodium hypochlorite on sporulation of *Eimeria tenella* oocysts. *Jokull Journal*. 69(9): 36-54.
- Kumoro, A. C., dan Hasan, M. 2006. Modelling of andrographolide extraction from 20 *Andrographis paniculata* leaves in a soxhlet extractor. *Proceedings of the 1st International Conference on Natural Resources Engineering & Technology*; Putrajaya, Malaysia, 664-670
- Lal, K., Bromley, E., Oakes, R., Prieto, J. H., Sanderson, S. J., Kurian, D., Hunt, L., Yates, J. R., Wastling, J. M., Sinden, R. E., dan Tomley, F. M. 2009. Proteomic comparison of four *Eimeria tenella* life cycle stages: unsporulated oocyst, sporulated oocyst, sporozoite and second generation merozoite. *Proteomics*. 9(19): 4566–4576.
- Levine, N. D. 1985. *Veterinary Protozoology*. Ames: Iowa State University Press.
- Levine, P. P. 1942. A new coccidium pathogenic for chickens, *Eimeria brunetti* n. sp. (Protozoa: Eimeriidae). *Cornell Veterinarian*, 32: 430-439.
- Lichtman, M. A. 2006. Production, distribution, and fate of monocytes and macrophages. In: Lichtman, M.A., Beutler, E., Kipps, T.J. eds. *William's Hematology, 7th ed.* New York: McGraw - Hill; 987 – 991 .
- Long, P. L., Johnson, J., dan McKenzie, E. 1988. Anticoccidial Activity of Combinations of Narasin and Nicarbazine. *Poultry Science* 67: 248-252
- Madav, S. 1995. Analgesic and antiulcerogenic effects of andrographolide. *Indian Journal of Pharmaceutical Science*. 57: 121-125.
- Max, R., Kassuku, A., Kimambo, A., Mtenga, L., Wakelin, D., Buttery, P. 2009. The effect of wattle tanin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections. *J. Agric. Sci.* 147: 211–218.
- McDougald, L. R. 2013. “Coccidiosis” in *Diseases of Poultry*. DE. Swayne. Ed. Wiley-Blackwell.

- McDougald, L. R., dan Fitz-Coy, S. H. 2009. *"Protozoal infections," in Diseases of Poultry*, Y. M. Saif, Ed., Blackwell Publishing. Ames, Iowa, USA.
- McDougald, L. R. 2003. Coccidiosis. In: Saif, Y. M., Barnes, H. J., Fadly, A. M., Glisson, J. R., McDouglad, L. R., Swayne, D. E. (Eds.), *Poultry Diseases*. Iowa State Press, Iowa, 974–991.
- Meenatchisundaram, S. G., Parameswari, T., Subbraj, T., Suganya, T., dan Michael, A. 2009. Medicinal and Pharmacological Activities of *Andrographis paniculata*. *Review Ethnobotanical Leaflets* 13: 55 – 58.
- Mehlhorn, H. 2001. *Encyclopedic Reference of Parasitology. Second edition*. Springer-Verlag Heidelberg, Germany.
- Miryanti, Y. I. P. A., Sapei, L., Budiono, K., dan Indra, S. 2011. *Ekstraksi Antioksidan dari Kulit Buah Manggis (Garcinia mangostana L.)*. Lembaga Penelitian dan Pengabdian Kepada Masyarakat, Universitas Katolik Parahyangan Bandung.
- Mishra, S. K., Sangwan, N. S., Sangwan, R. S. 2007. Phcog Rev.: Plant Review *Andrographis paniculata* (Kalmegh): A Review. *Pharmacognosy Rev* 1: 283-298
- Misra, P., Pai, N. Y., Guru, P. Y., Katiyar, J. C., Srivastava, V., dan Tandon, J. C. 1992. Antimalarial Activity of *Andrographis paniculata* (kalmegh) against *Plasmodium berghei* NK 65 in *Mastomys malalensis*. *Int J Pharmacog.* 30(4): 263.
- Mohiti-Asli, M., dan Ghanaatparast-Rashti, M. 2015. Dietary oregano essential oil alleviates experimentally induced coccidiosis in broilers. *Prev. Vet. Med.* 120: 195–202.
- Molan, A. L., Z. Liu, dan S. De. 2009. Effect of pine bark (*Pinus radiata*) extracts on sporulation of coccidian oocysts. *Folia Parasitol.* 56: 1–5.
- Muchibi, J. 2018. *Prevention, control and management of coccidiosis in chicken*. Daily Nation.
- Muthamilselvan, T., Kuo, T. F., Wu, Y. C., Yang, W. C. 2016. Herbal Remedies for Coccidiosis Control: a Review of Plants, Compounds, and Anticoccidial Actions. *Evidence-Based Complementary and Alternative Medicine Volume 2016*.
- Nababan, B. M. 2008. *Pengaruh Pemberian Ekstrak Sambiloto (Andrographis Paniculata Nees) dengan Pelarut Etanol Dosis Bertingkat, Diberikan Sebelum dan Sesudah Infeksi Eimeria tenella terhadap Produksi Ookista pada Tinja Ayam*. Bogor: Institut Pertanian Bogor.



- Nematollahi, A., Moghaddam, G. H., dan Pourabad, R. F. 2009. Prevalence of Eimeria species among broiler chicks in Tubriz (North West of Iran). *Munis Entomology and Zoology*. 4(1): 53-58.
- Niranjan, A., Tewari, S. K., dan Lehri, A. 2010. Biological activities of KALMEGH (*A. paniculata*. Nees) and its active principles-A review. *Indian Journal of Natural Products and Resources*. 1(2): 125 – 135.
- Nkwocha, C. C., Ekeanyanwu, R. P., dan Uka. K. I. 2020. Effect of Methanol Extract of *Curcuma longa* L on some Biochemical and Haematological Parameters in Albino Rats. *Tropical Journal of Natural Product Resesearch*, November 2020; 4(11): 1019-1024
- Nyeem, M. A. B., Mannan, Md. A., Nuruzzaman, M., Kamrujjaman, K.M., dan Das, S. K. 2017. Indigenous king of bitter (*Andrographis paniculata*): A review. *Journal of Medicinal Plants Studies* 2017; 5(2): 318-324.
- Oomah, D. B. 2003. Isolation, characterization and assessment of secondary metabolites from plants for use in human health. *PBI Bull*. 13-20.
- Patarapanich, C., Laungcholatan, S., Mahaverawat, N., Chaichantipayuth, C., Pummangura, S. 2007. HPLC determination of active diterpene lactones from *Andrographis paniculata* Nees planted in various seasons and regions in Thailand. *Thai J Pharm Sci* 31:3-4
- Peek, H. W. 2010. *Resistance to anticoccidial drugs: alternative strategies to control coccidiosis in broilers*. Utrecht: Riddderprint Offsetdrukkerij b.v., Ridderkerk.
- Prihatini, R., Syarif, A., Bakhtiar, A., dan Mansyurdin. 2018. Leaf epidermis and phytochemical studies of sambiloto (*Andrographis paniculata* (Burm. F.) Nees). *J. Phys.: Conf. Ser.* 1116.
- Puri., Saxena, A. R., Saxena, R. P., dan Saxena, K. C. 1993. Immunostimulant Agent From *Andrographis paniculata*. *Journal of Natural Products*. 36(7) : 995–999.
- Raillet, A. dan Lucet, A. 1891. *Note sur quelques especes de coccidies encore peu etudiees*. Bulletin de la Société Zoologique de France. 16: 246-250.
- Raman, M., Banu, S. S., Gomathinayagam, S., dan Raj, G. D. 2011. Lesion scoring technique for assessing the virulence and pathogenicity of Indian field isolats of avian Eimeria species. *Veterinarski Archive*, 81: 259–271.
- Ratnani, R. D., Hartati, I., Anas, Y., Endah, D., dan Khilyati, D. D. D. 2015. Standardisasi Spesifik dan Non Spesifik Ekstraksi Hidrotropi *Andrographolid* dari Sambiloto (*Andrographis paniculata*). *Prosiding Seminar Nasional Peluang Herbal Sebagai Alternatif Medicine. Fakultas Farmasi Universitas Wahid Hasyim*. 147-155.

- Rogers, E. F., Clark, R. L., Becker, H. J., Pessolano, A. A., Leanza, W. J., McManus, E. C., Andriuli, F. L., dan Cuckler, A. C. 1964. Antiparasitic drugs V. Anticoccidial activity of 4-amino-2-theoxybenzoic acid and related compounds. *Proc Soc Exp Biol Med.* 117: 488–492.
- Rose, M. E., Hesketh, P., dan B. M. Ogilvie. 1979. Peripheral blood leukocyte response to coccidial infection: A comparison of the response in rats and chickens and its correlation with resistance to reinfection. *Immunology* 36: 71–79.
- Royani, J. I., Hardianto, D., dan Wahyuni, S. 2014. Analisa Kandungan Andrographolide pada Tanaman Sambiloto (*Andrographis Paniculata*) dari 12 Lokasi di Pulau Jawa. *Biotenologi dan Biosains Indonesia*, 1(1).
- Sanchez-Hernandez, C., Castaneda-Gomez del Campo, J. A., Trejo-Castro, L., Mendoza-Martínez, G. D., dan Gloria-Trujillo, A. 2019. Evaluation of a feed plant additive for coccidiosis control in broilers herbals for coccidiosis control. *Braz. J. Poult. Sci.* 21:1–6.
- Saxena, S., Jain, D. C., Bhakuni, R. S., dan Sharma, R. P. 1998. Chemistry and Pharmacology of *Andrographis* species, *Indian Drugs*, 35: 458-467.
- Shane, S. M. 2005. *Handbook of Poultry Disease: 2nd edition*. Singapore: American Soybean Assosiation.
- Sharma, S., Krishan, L., dan Handa, S. S. 1992. Standardization of the Indian crude drug Kalmegh by high pressure liquid chromatographic determination of andrographolide. *Phytochem Anal* 3:129- 131
- Sharma, U. N. S., Fernando, D. D., Wijesundara, K. K., Manawadu, A., Pathirana, I., dan Rajapakse, R. P. V. 2021. Anticoccidial effects of Herbal Additives to Control Coccidiosis 21 *Phyllanthus emblica* (Indian gooseberry) extracts: potential for controlling avian coccidiosis. *Vet. Parasitol.: Reg. Stud. Rep.* 25:100592.
- Sheeja, K., dan Kuttan, G. 2007. Modulation of natural killer activity, antibody dependent cellular toxicity, and antibody dependent complement mediated cytotoxicity by andrographolide in normal and ehrlich ascites carcinoma bearing mice. *Integr Cancer Ther.* 6: 66-73.
- Shirley, M. W. 1995. *Maintenance in Animal Hosts : Eimeria Species and Strains of Chickens*. Biotechnology Guideline on Techniques in Coccidiosis Reserch. Brussels- Luxembourg.
- Sidiropoulou, E., Skoufos, I., Marugan-Hernandez V., Giannenas, I., Bonos, E., Aguiar-Martins, K., Lazari, D., Blake, D. P., dan Tzora, A. 2020. *In vitro* anticoccidial study of oregano and garlic essential oils and effects on growth performance, fecal oocyst output, and intestinal microbiota *in vivo*. *Front. Vet. Sci.* 7:420



- Sies, H. 2000. What is Oxidative Stress?. In: Keaney, J.F. (eds) *Oxidative Stress and Vascular Disease*. Developments in Cardiovascular Medicine, 224. Springer, Boston, MA. [https://doi.org/10.1007/978-1-4615-4649-8\\_1](https://doi.org/10.1007/978-1-4615-4649-8_1)
- Smith, C. K., dan Galloway, R. B. 1983. Influence of monensin on cation influx and glycolysis of *Eimeria tenella* sporozoites *in vitro*. *J Parasitol.* 69(4): 666–670.
- Soulsby, E. J. L. 2002. *Helminths, Arthropods and Protozoan's of Domesticated Animals 7th ed*. London: Bailliere Tindall.
- Tabbu, C. R. 2002. *Penyakit Ayam dan Penanggulangannya Volume 2*. Yogyakarta: Kanisius.
- Taylor, M. A., Coop, R. L., dan Wall, R. 2007. *Veterinary Parasitology 3rd ed*. Oxford, UK: Blackwell Publishing. 475-483.
- Toah, E. T., Payne, V. K., Cedric, Y., Nadia, N. A. C., dan Joël, A. T. R. 2021. *In vitro* oocysticidal sporulation inhibition of *Eimeria tenella* and antioxidant efficacy of ethanolic and aqueous extracts of *Conyza aegyptiaca*. *Journal of Animal Science and Veterinary Medicine*, 6(1): 30-40.
- Tsinas, A., Giannenas, I., Voidarou, C., Tzora, A., dan Skoufos, J. 2011. Effects of an oregano based dietary supplement on performance of broiler chickens experimentally infected with *Eimeria acervulina* and *Eimeria maxima*. *J. Poult. Sci.* 48:194–200.
- Ultee, A., Bennik, M. H., dan Moezelaar, R. 2002. The phenolic hydroxyl group of carvacrol is essential for action against the foodborne pathogen *Bacillus cereus*. *Appl. Environ. Microbiol.* 68:1561–1568.
- Umadevi, U., and Kamalam, M. 2014. Phytochemical and Antioxidant Studies on An Important Indigenous Medicinal Plant *Andrographis Paniculata* (Burm.F) Nees. *IJPSR.* 5(12): 5240-5244.
- Underwood, J. C. 1999. *Patologi Umum dan Sistematik Vol 1*. Edisi ke-2. Jakarta: EGC. 247- 54.
- Varma, A., Padh, H., dan Shrivastava, N. 2011. Andrographolide: A New Plant Derived Antineoplastic Entity on Horizon. *Evidence based Complementary and Alternative Medicine.* 1-9.
- Vereecken, W., Dehaeck, B., Rathinam, T., Schelstraete, W., De Gussem, K., dan Chapman, H. D. 2021. Restoration of the sensitivity of *Eimeria acervulina* to anticoccidial drugs in the chicken following use of a live coccidiosis vaccine. *Veterinary Parasitology* 292 (2021) 109416.
- Wang W., Wang, J., Dong, S. F., Liu, C. H., Italiani, P., Sun, S. H., Xu, J., Boraschi, D., Ma, S. P., dan Qu, D. 2010. Immunomodulatory activity of

- andrographolide on macrophage activation and specific antibody response. *Acta pharmacol Sin.* 31(2):191-201. doi: 10.1038/aps.2009.205.
- Wang, C. C. 1976. Inhibition of the respiration of *Eimeria tenella* by quinolone coccidiostats. *Biochem Pharmacol.* 25(3): 343–349.
- Wang, C. C. 1978. *Biochemical and nutritional aspects of coccidia*. Pages 135–184 in Avian Coccidiosis. In: Long PL, Boorman KN, Freeman BM (eds) Proceedings of the 13th Poultry Science Symposium. British Poultry Science Ltd., Edinburgh, UK.
- Wardhana, A. P., Kencana, E., Nurmawati, Rahmaweni, dan Jatmiko, C. B. 2001. Pengaruh pemberian sediaan patika kebo (*Euphorbia hirta* L) terhadap jumlah eritrosit, kadar haemoglobin dan haematokrit pada ayam yang diinfeksi dengan *Eimeria tenella*. *JITV.* 2(6): 126- 133.
- Weber, F. J., dan de Bont, J. A. 1996. Adaptation mechanisms of microorganisms to the toxic effects of organic solvents on membranes. *Biochim. Biophys. Acta.* 1286: 225–245
- Wong, D. T., Horng, J. S., dan Wilkinson, J. R. 1972. Robenidine, an inhibitor of phosphorylation. *Biochem Biophys Res Commun.* 46: 621–627.
- Wongkittipong, R., Prat, L., Damronglerd, S., dan Gourdon, C. 2004. Solid Liquid Extraction of Andrographolide from Plants-Experimental Study, Kinetics Reaction and Model. *Separation and Purification Technology*, 40(2): 147-154.
- Yellita, Y., Cahyaningsih, U., Pradono, D. I., Winarsih, W., dan Manalu, W. 2011. Ekstrak Sambiloto Menurunkan Patogenesitas Ookista *E. tenella*. *Jurnal Veteriner* 12 (4): 307-318.
- Yin, J. dan Guo, L. 1993. *Contemporary traditional Chinese medicine*. Bei-jing: Xie Yuan.
- Yong, T., Chen, M., Li, Y., Song, X., Huang, Y., Chen, Y., Jia, R., Zou, Y., Li, L., Yin, L., He, C., Lv, C., Liang, X., Ye, G., dan Yin, Z. 2020. Anticoccidial effect of Fructus Meliae toosendan extract against *Eimeria tenella*. *Pharmaceutical Biology.* 58(1): 636-645.
- Yuniarti, T. 2008. *Ensiklopedia Tanaman Obat Tradisional*. Yogyakarta: MedPress.
- Yunita, E. 2021. Mekanisme Kerja Andrografolida dari Sambiloto sebagai Senyawa Antioksidan. *Herb-Medicine Journal.* 4(1): 43-56.