

## DAFTAR PUSTAKA

- Ajizah, A., 2004, Sensitivitas *Salmonella typhirium* terhadap Ekstrak Daun *Psidium guajava* L, *Bioscientiae*, 31-38.
- Allison, D., & Gilbert, P., 2004, *Bacteria*, in Denyer, S.P., Hodges, N.A., & Gorman, S.P. (Eds.), *Hugo and Russell's Pharmaceutical ICrobiology*, 7th Ed., Blackwell Science, Massachusetts.
- Andarwulan, N., Kurniasih, D., Apriady, R.A., Rahmat, H., Roto, A.V. & Bolling, B.W., 2012, Polyphenols, carotenoids, and ascorbic acid in underutilized medicinal vegetables, *Journal. Func. Foods*, 4(1): 339–347.
- Andrew, W., 1999, Folin-Ciocalteau ICro Method for Total Phenol in Wine, *Methods in Enzymology*, 299: 152–178.
- Aristyawan, A.D., Sugijanto, N.E. & Suciati, 2017, Potensi Antibakteri dari Ekstrak Etanol Spons *Agelas cavernosa*, *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 4(1).
- Bieski, I.G., Leonti, M., Arnason, J.T, Ferrier, J., Rapinski, M., Violante, I.M., Balogun, S.O., Pereira, J.F., Figueiredo, R.C., Lopes, C.R., Da Silva D.R., Pacini, A., Albuquerque, U.P. & Martins, D.T., 2015, Ethnobotanical study of medicinal plants by population of valley of Juruena region, Legal amazon, Mato grosso, Brazil, *Journal Ethnopharmacol*, 173: 383–423.
- Bole, S., Shivakumara, Singh, S., Rana, N., Kundu, S., Dubey, S. & Ab, V., 2013, PhytocheICal Screening and Biological Activities of *Impatiens balsamina* L. Seeds, *WJPPS*, 2: 5363-5376.
- Chan, E.W.C., Ng, Y.K., Wong, S.K. & Chan, H.T., 2021, *Pluchea indica*: An updated review of its botany, uses, bioactive compounds and pharmacological properties, *Pharm Sci Asia*, 49(1): 77-85.
- Cho, B.O., Yin, H.H., Park, S.H., Byun, E.B., Ha, H.Y. & Jang, S.I, 2016, Anti-inflammatory activity of myricetin from *Diospyros lotus* through suppression of NF- $\kappa$ B and STAT1 activation and Nrf2-mediated HO-1 induction in lipopolysaccharide-stimulated RAW264. 7 macrophages. *Bioscience, Biotechnology, and Biochemistry*, 80(8): 1520-1530.
- Chotchoungchatchai, S., Saralamp, P., Jenjittikul, T., Pornsiripongse, S. & Prathanturarug, S., 2012, Medicinal plants used with Thai traditional medicine in modern healthcare services: a case study in Kabchoeng hospital, Surin province, Thailand, *Journal Ethnopharmacol*, 141(1): 193–205.
- Cockerill, F.R., Wikler, M.A., Alder, J., Dudley, M.N., Eliopoulos, G.M., Ferraro, M.J., Hardy, D.J., Hecht, D.W., Hindler, J.A., Patel, J.B., Powell, M., Swenson, J.M., Thomson, R.B., Traczewski, M.M., Turnidge, J.D., Weinstein, M.P. & Zimmer, B.L., 2012, *Methods for Dilution AntiICrobal Susceptibility Tests for Bacteria That Grow Aerobically; Approved Standard—Ninth Edition*, CLSI.
- Dascota, M., 2017, Perbandingan Kandungan Minyak Atsiri Tanaman Sereh Wangi (*Cymbopogon nardus*) yang Ditanami di Lokasi yang Berbeda, Skripsi, Universitas udayana, Bali.

- Dewi, F.K., 2010, Aktivitas Antibakteri Ekstrak Etanol Buah Mengkudu (*Morinda citrifolia*, Linnaeus) terhadap Bakteri Pembusuk Daging Segar, Skripsi, Universitas Sebelas Maret, Surakarta.
- Emri, 2007, *Metodologi Penelitian Pendidikan : Kuantitatif dan Kualitatif*, 28, Raja Grafindo Persada, Jakarta.
- Fikri, F. & Purnama, M.T.E., 2020, Pharmacology and Phytochemistry Overview on *Sauropus androgynus*, *Sys Rev Pharm*, 11(6): 124-128.
- Gayathamma, K., Pavani, K.V. & Raji, R., 2012, CheICal constituents and antiICrobbial activities of certain plant parts of *Sauropus androgynus* L. *Int. Journal Pharma Bio Sci*, 3(2): 561–566.
- Grice, E.A., Kong, H.H. & Conlan, S., 2009, Topographical and temporal diversity of the human skin ICrobbiome, *Science*, 324(1): 1190-1192.
- Hafsari, A.R., Cahyanto, T., Sujarwo, T. & Lestari, R.I., 2015, Uji Aktivitas Antibakteri Ekstrak Daun Beluntas (*Pluchea indica* (L.) LESS. ) terhadap *Cutibacteriumacne* Penyebab Jerawat, *Media Pengembangan Islam, Sains dan Teknologi*, 9(1).
- Hardiana, Safrida, Y.D. & Maulianda, R.K., 2020, Aktivitas Antibakteri Ekstrak Etanol Daun Pacar Air (*Impatiens balsamina*) Terhadap Bakteri *E. coli*, *Serambi Engineering*, 5(4): 1385-1390.
- Hasanah, N., & Novian, D.R., 2020, Daya Hambat Ekstrak Daun Belimbing Wuluh (*Averrhoa bilimbi* L) Terhadap Bakteri Penyebab Jerawat (*Cutibacteriumacne*), *Parapemikir Jurnal Ilmiah Farmasi*, 9(1): 46-53.
- Hindritiani, R., Soedarwoto, A., Ruchiatan, K., Suwarsa, O., Budiarti, M.U., Husadani, D. & Pranata, A.Y., 2017, Resistensi Antibiotik *Cutibacteriumacne* dari Berbagai Lesi Kulit Akne vulgaris Di Rumah Sakit Dr. Hasan Sadikin Bandung, *Jurnal Pustaka Ilmiah Universitas Padjadjaran*, 44(1): 15-19.
- Hwang, D.H., Lee, D.Y., Koh, P., Yang, H.R., Kang, C. & Kim, E., 2020, *Rosa davurica* Pall. Improves *Propionibacterium acne*-Induced Inflammatory Responses in Mouse Ear Edema Model and Suppresses Pro-Inflammatory Chemokine Production via MAPK and NF- $\kappa$ B Pathways in HaCaT Cells, *Int. Journal. Mol. Sci*, 21(5): 1717.
- Izza, J.N. & Kundariati, M., 2021, Identifikasi Struktur Morfologi Tanaman Pacar Air (*Impatiens balsamina*) sebagai Sumber Belajar Mata Kuliah Struktur dan Perkembangan Tumbuhan Mahasiswa Calon Guru Biologi Universitas Negeri Malang, *JB&P : Jurnal Biologi dan Pembelajarannya*, 8(2): 54-63.
- Kim J., 2005, Review of the innate immune response in acne vulgaris: activation of Toll-like receptor 2 in acne triggers inflammatory cytokine responses, *Dermatology*, 211(1): 193-198.
- Kim, J., Ochoa, M.T., Krutzik, S.R., 2002, Activation of toll-like receptor 2 in acne triggers inflammatory cytokine responses, *Journal Immunol*, 169(1): 1535-1541.
- Kuldiloke, J., 2002, Effect Ultrasound, Temperature, and Pressure Treatment on Enzyme Activity and Quality Indicators of Fruit and Vegetables Juices. *Disertasi*, Universitas Berlin, Berlin.
- Laveena, K.B. & Chandra, M., 2018, Evaluation of bioactive compounds, antioxidant, and antibacterial properties of medicinal plants *Sauropus*

- androgynus* L. and *Erythrina variegata* L, *Asian Journal Pharmaceut. Clin. Res*, 11(12): 313.
- Lim, Y., Kim, I. & Seo, J., 2007, In vitro Activity of Kaempferol Isolated from the *Impatiens balsamina* alone and in Combination with Erythromycin or Clindamycin against *Cutibacteriumacne*, *The Journal of ICrobiology*, 45(5): 473-477.
- Mahomoodally, M.F., 2014, A quantitative ethnobotanical study of common herbal remedies used against 13 human ailments categories in Mauritius, *Afr J Tradit Complement Altern Med*, 11(6): 1–32.
- Miean, K.H & Mohamed, S., 2001 Flavonoid (myricetin, quercetin, kaempferol, luteolin, and apigenin) content of edible tropical plants, *Journal Agric. Food Chem*, 49: 3106-3112.
- Mihai, M.M., Popa, M.I., Clatici, V.G., Voicu, C., Maftei-Antoneag, I.M. & Giurcaneanu, C., 2014, Propionibacterium acne and acne etiopathogenesis. Propionibacterium acne și etiopatogenia acneeii, *Romanian Journal of Clinical and Experimental Dermatology*, 1(1): 78-80.
- Movita, T., 2013, Acne Vulgaris, *Continuing Medical Education-202*, 40(3).
- Mukhriani, Tahar, N. & Astha, A.S.W., 2014, Uji Aktivitas Antibakteri Hasil Fraksinasi dari Ekstrak Metanol Daun Katuk (*Sauropus androgynus*) terhadap Beberapa Bakteri Patogen, *Jurnal Farmasi FIK UINAM*, 2(1).
- Mulyani, Y.W.T., Hidayat, D., Isbiyantoro & Fatimah, Y., 2017, Ekstrak Daun Katuk (*Sauropus androgynus* (L) Merr) sebagai Antibakteri terhadap *Cutibacteriumacne* dan *Staphylococcus epidermidis*, *Jurnal Farmasi Lampung*, 6(2).
- Mursalim, N.A., 2017, Efektivitas Ekstrak Daun Beluntas (*Pluchea indica* Linn) sebagai Larvasida *Aedes aegypti* Instar III, Skripsi, UIN Alauddin Makassar, Makassar.
- Nuralifah, Armadani, F.I. & Astari, N.N.F., 2019, Uji Aktivitas Antibakteri Ekstrak Etanol Daun Kacaping (*Gardenia jasminoides* Ellis) Terhadap Bacteri *Staphylococcus aureus* dan *Cutibacteriumacne*, *Medula*, 6.
- Nyamukuru, A., Tabuti, J.R.S., Lamorde, M., Kato, B., Sekagya, Y. & Aduma, P.R., 2017, Medicinal plants and traditional treatment practices used in the management of HIV/AIDS clients in Mpigi district, Uganda, *Journal Herb Med*, 7: 51–58.
- Octora, D.D., & Waruwu, K., 2022, Uji Aktivitas Antibakteri Ekstrak Etanol Daun Pacar Air (*Impatiens balsamina* L.) terhadap Bakteri *Cutibacteriumacne*, *Jurnal Farmasi Medistra*, 4(2).
- Pelczar, M. J., Chan, E. C. S., 2008, *Dasar-Dasar Mikrobiologi 2*, UI Press, Jakarta.
- Prasad, S.B., 2016, Acne Vulgaris: A Review on Pathophysiology and Treatment, *Asian Journal of Pharmaceutical and Clinical Research*, 9(4): 54-59.
- Pratiwi, D.A.N., 2014, Aktivitas Antibakteri Ekstrak Etanol Daun Pacar Kuku (*Lawsonia inermis* L.) dan Bioautografi terhadap *Bacillus subtilis* dan *Shigella sonnei*, *Skripsi*, Universitas Muhammadiyah Surakarta, Surakarta.
- Pubchem, 2022, Citronellal, Citronellal | C10H18O - PubChem (nih.gov), 22 Oktober 2022.

- Pubchem, 2022, Kaempferol, Kaempferol | C15H10O6 - PubChem (nih.gov), 22 Oktober 2022.
- Pubchem, 2022, Myricetin, Myricetin | C15H10O8 - PubChem (nih.gov), 22 Oktober 2022.
- Pubchem, 2022, Quercetin, Quercetin | C15H10O7 - PubChem (nih.gov), 22 Oktober 2022.
- Puchem, 2022, Geraniol, Geraniol | C10H18O - PubChem (nih.gov), 22 Oktober 2022.
- Purbowati, I.S.M., Naufalin, R., Mustaufik, Mela, E., Astuti, S. D., Safitri, E., & Setianingsih, D.E., 2014, Skrining Fitokimia Ekstrak Daun Sereh Wangi (*Cymbopogon nardus* L) dengan Variasi Jenis Pelarut, *Prosiding Seminar Nasional "Pengembangan Sumber Daya Perdesaan dan Kearifan Lokal Berkelanjutan XI"*: 207-210.
- Ramdani, R., Sibero, & T., H., 2015, Treatment for Acne vulgaris, *Journal Majority*, 4(2): 87–95.
- Rismana, E., Kusumaningrum, S., Rosidah, I., Nizar & Yulianti, E., 2013 Pengujian Stabilitas Sediaan Anti Acne Berbahan Baku Aktif Nanopartikel Kitosan/ Ekstrak Manggis- Pegagan, *Bul. Penelitian Kesehatan*, 44(4).
- Rusdi, N.K., Hikmawanti, N.P.E., Maifitrianti, Ulfah, Y.S., Annisa, A.T., 2018, Aktivitas Afrodisiaka Fraksi dari Ekstrak Etanol 70% Daun Katuk (*Sauropus androgynus* (L. Merr) pada Tikus Putih Jantan, *Pharmaceutical Sciences and Research (PSR)*, 5(3): 123 - 132.
- Salahudin, F. & Cahyanto, H.A., 2020, Aktivitas Antibakteri *Propionibacterium acne* dan Formulasi Ekstrak Etanol Biji Pinang (*Areca catechu*, L) dalam Krim Anti Jerawat, *Jurnal Riset Industri Hasil Hutan*, 12(1): 21-28.
- Selvi, V.S., Govindaraju, G. & Basker, A., 2011, Antifungal activity and phytochemical analysis of *Cymbopogon citratus*, *Sauropus androgynus* and *Spilanthes acmella* plants, *World Journal Fun. Plant Bio*, 2(1): 6–10.
- Singleton, V.L., Orthofer, R. & Lamuela-Raventos, R.M., 1999, Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent, *Methods Enzymol*, 299: 152-178.
- Srisook, K., Jinda, S. & Srisook, E., 2021, Anti-inflammatory and antioxidant effects of *Pluchea indica* leaf extract in TNF  $\alpha$ -induced human endothelial cells, *Walailak Journal Sci Technol*, 18(10): 10271.
- Suhendra, C.P., Widarta, I.W.R. & Wiadnyani, A.A.I.S., 2019, Pengaruh Konsentrasi Etanol terhadap Aktivitas Antioksidan Ekstrak Rimpang Ilalang (*Imperata cylindrica* (L) Beauv.) pada Ekstraksi Menggunakan Gelombang Ultrasonik, *Jurnal Ilmu dan Teknologi Pangan*, 8(1): 27-35.
- Susetyarini, E., Latifa, R., Wahyono, P. & Nurrohman, E., 2019, Atlas Morfologi Anatomi Beluntas (*Pluchea indica*), UMM, Malang.
- Tibenda, J.J., Yi, Q., Wang, X. & Zhao, Q., 2022, Review of phytomedicine, phytochemistry, ethnopharmacology, toxicology, and pharmacological activities of *Cymbopogon* genus, *Front Pharmacol*, 13: 997918.
- Toyoda, M. & Morohashi, M., 2001, Pathogenesis of acne, *Med Electron ICrossc*, 34:29–40.

- Tsimogiannis, D. & Oreopoulou, V., 2019, Classification of Phenolic Compounds in Plants, *Polyphenols in Plants*, 16(2): 263-284.
- Tyagi, B., Dubey, A., Verma, A.K. & Tiwari, S., 2015, Antibacterial Activity of Phenolics Compounds Against Pathogenic Bacteria, *Int. Journal Pharm. Sci. Rev. Res*, 35(1): 16-18.
- Utari P., 2011, Skrining Fitokimia dan Uji Aktivitas Antibakteri Ekstrak Daun dari Tumbuhan Pacar Air (*Impatiens balsamina* L.) Terhadap Bakteri *Staphylococcus aureus*, *Staphylococcus epidermidis* dan *Pseudomonas aeruginosa*, Skripsi, Universitas Sumatera Utara, Medan.
- Utari, D. W., Fitra, D. R., & Katsubi, 2013, Hubungan perawatan wajah dengan timbulnya jerawat, *Keperawatan*, 6(2): 50–54.
- Wahyuni, Tri, D., Widjanarko & Bambang, S., 2014, Pengaruh Jenis Pelarut dan Lama Ekstraksi terhadap Ekstrak Karotenoid Labu Kuning dengan Metode Gelombang Ultrasonik, *Jurnal Pangan dan Agroindustri*, 3(2): 390-401.
- Widarta, I.W.R & Arnata.I.W., 2017, Ekstraksi Komponen Bioaktif Daun Alpukat dengan Bantuan Ultrasonik pada Berbagai Jenis dan Konsentrasi Pelarut, *Jurnal Agritech*, 37(2):148-157.
- Winato, B.M., Sanjaya, E., Siregar, L., Fau, S.K.Y.M.V. & Mutia, M.S., 2019, Uji Aktivitas Antibakteri Ekstrak Daun Serai Wangi (*Cymbopogon nardus*) terhadap Bakteri *Cutibacterium acne*, *BioLink : Jurnal Biologi Lingkungan, Industri dan Kesehatan*, 6(1): 50-58.
- Yenni, Amin, S. & Djawad, K., 2011, Perbandingan Efektivitas Adapelene 0.1% Gel Dan Isotretinoin 0.05% Gel Yang Dinilai Dengan Gambaran Klinis Serta Profil Interleukin 1 (IL-1) Pada Acne Vulgaris, *JST Kesehatan*, 1(1).
- Yulianto, D. & Savitri, S.R., 2019, Perbandingan Kadar Flavonoid Total Ekstrak Etanolik Daun Beluntas (*Pluchea Indica* L.) Berdasarkan Variasi Konsentrasi Pelarut secara Spektrofotometer Uv-Vis, *Jurnal Ilmiah Ilmu Keperawatan dan Ilmu Kesehatan Masyarakat*, 14(1): 18-25.
- Yulistian, D. P., Utomo, E. P., Ulfa, S. M. & Yusnawan, E., 2015, Studi Pengaruh Jenis Pelarut terhadap Hasil Isolasi dan Kadar Senyawa Fenolik dalam Biji Kacang Tunggak (*Vigna unguiculata* (L.) Walp) sebagai Antioksidan, *Jurnal Ilmu Kimia*, 1(1): 819–825.
- Zhang, B., Cheng, J., Zhang, C., Bai, Y., Liu, W., Li, W., Koike, K., Akihisa, T., Feng, F. & Zhang, J., 2020, *Sauropus androgynus* L. Merr.-A phytochemical, pharmacological and toxicological review, *Journal of Ethnopharmacology*, 257.