

DAFTAR PUSTAKA

- [1] I. McNeil, *An encyclopedia of the history of technology*. Routledge, 2002.
- [2] B. Williams, “An introduction to robotics,” *Mechanical Engineering, Ohio University*, 2019.
- [3] S. Cousins, “Willow garage retrospective [ros topics],” *IEEE Robotics & Automation Magazine*, vol. 21, no. 1, pp. 16–20, 2014.
- [4] J. Wallén, *The history of the industrial robot*. Linköping University Electronic Press, 2008.
- [5] T. Tsubouchi, “Introduction to simultaneous localization and mapping,” *Journal of Robotics and Mechatronics*, vol. 31, no. 3, pp. 367–374, 2019.
- [6] H. Durrant-Whyte and T. Bailey, “Simultaneous localization and mapping: part i,” *IEEE Robotics & Automation Magazine*, vol. 13, no. 2, pp. 99–110, 2006.
- [7] J. Liu, Q. Sun, Z. Fan, and Y. Jia, “Tof lidar development in autonomous vehicle,” in *2018 IEEE 3rd Optoelectronics Global Conference (OGC)*, 2018, pp. 185–190.
- [8] S. Nagla, “2d hector slam of indoor mobile robot using 2d lidar,” in *2020 International Conference on Power, Energy, Control and Transmission Systems (ICPECTS)*, 2020, pp. 1–4.
- [9] N. Yu and B. Zhang, “An improved hector slam algorithm based on information fusion for mobile robot,” in *2018 5th IEEE International Conference on Cloud Computing and Intelligence Systems (CCIS)*, 2018, pp. 279–284.
- [10] C. Nehate, R. Shinde, S. Naik, M. Aradwad, A. Bhurke, and F. Kazi, “Implementation and evaluation of slam systems for a mobile robot,” in *2021 IEEE 18th India Council International Conference (INDICON)*, 2021, pp. 1–6.
- [11] M. S. Alam Khan, D. Hussian, S. Khan, F. U. Rehman, A. Bin Aqeel, and U. S. Khan, “Implementation of slam by using a mobile agribot in a simulated indoor environment in gazebo,” in *2021 International Conference on Robotics and Automation in Industry (ICRAI)*, 2021, pp. 1–4.
- [12] Y. Wu and Z. Ding, “Research on laser navigation mapping and path planning of tracked mobile robot based on hector slam,” in *2018 International Conference on Intelligent Informatics and Biomedical Sciences (ICIIBMS)*, vol. 3, 2018, pp. 59–65.

- [13] Y. Chen, C. Li, Y. Zhou, F. Che, and H. Li, "Research on slam technology of robot based on ros," in *The 8th International Symposium on Test Automation and Instrumentation (ISTAI 2020)*, vol. 2020, 2020, pp. 197–205.
- [14] S. F. Andriawan Eka Wijaya, D. Setyo Purnomo, E. B. Utomo, and M. Akbaryan Anandito, "Research study of occupancy grid map mapping method on hector slam technique," in *2019 International Electronics Symposium (IES)*, 2019, pp. 238–241.
- [15] S. Zaman, W. Slany, and G. Steinbauer, "Ros-based mapping, localization, and autonomous navigation using a pioneer 3-dx robot and their relevant issues," in *2011 Saudi International Electronics, Communications and Photonics Conference (SIECPC)*, 2011, pp. 1–5.
- [16] M. Lučan, F. Duchoň, and M. Gulan, "Simultaneous localization and mapping on a mobile robot platform," in *2020 23rd International Symposium on Measurement and Control in Robotics (ISMCR)*, 2020, pp. 1–6.
- [17] Z. Xuexi, L. Guokun, F. Genping, X. Dongliang, and L. Shiliu, "Slam algorithm analysis of mobile robot based on lidar," in *2019 Chinese Control Conference (CCC)*, 2019, pp. 4739–4745.
- [18] M. Filipenko and I. Afanasyev, "Comparison of various slam systems for mobile robot in an indoor environment," in *2018 International Conference on Intelligent Systems (IS)*, 2018, pp. 400–407.
- [19] Y. Abdelrasoul, A. B. S. H. Saman, and P. Sebastian, "A quantitative study of tuning ros gmapping parameters and their effect on performing indoor 2d slam," in *2016 2nd IEEE International Symposium on Robotics and Manufacturing Automation (ROMA)*, 2016, pp. 1–6.
- [20] A. F. Olalekan, J. A. Sagor, M. H. Hasan, and A. S. Oluwatobi, "Comparison of two slam algorithms provided by ros (robot operating system)," in *2021 2nd International Conference for Emerging Technology (INCET)*, 2021, pp. 1–5.
- [21] W. WEI, B. Shirinzadeh, M. Ghafarian, S. Esakkiappan, and T. Shen, "Hector slam with icp trajectory matching," in *2020 IEEE/ASME International Conference on Advanced Intelligent Mechatronics (AIM)*, 2020, pp. 1971–1976.
- [22] B. Zhang, M. Zhu, C. Lin, and D. Zhu, "Research on agv map building and positioning based on slam technology," in *2022 IEEE 5th International Conference on Automation, Electronics and Electrical Engineering (AUTEEE)*, 2022, pp. 707–713.

- [23] K. Zheng, *ROS Navigation Tuning Guide*. Springer International Publishing, 06 2017, p. 23.
- [24] G. C. Lemus R, Díaz S, R. D, and E. F, “Slam-r algorithm of simultaneous localization and mapping using rfid for obstacle location and recognition,” *Journal of Applied Research and Technology*, no. 12(3), pp. 551–559, 2014.
- [25] R. A, “Penerapan slam gmapping dengan robot operating system menggunakan laser scanner pada turtlebot.” *Jurnal Rekayasa Elektrika*, 2020.
- [26] K. Madhira, J. Patel, D. Kothari, D. Panchal, and D. Patel, “A quantitative study of mapping and localization algorithms on ros based differential robot,” in *2017 Nirma University International Conference on Engineering (NUICONE)*, 2017, pp. 1–5.
- [27] F. E. J. Sturm, N. Engelhard and W. Burgard, “A probabilistic framework for robust 3d mapping using laser range data,” *Robotics and Autonomous Systems*, vol. 57, no. 12, pp. 1198–1210, 2009.
- [28] R. Siegwart, I. R. Nourbakhsh, and D. Scaramuzza, *Mobile Robot Kinematics*, 2011, pp. 57–99.
- [29] S. Liu, Y. Lei, and X. Dong, “Evaluation and comparison of gmapping and karto slam systems,” in *2022 12th International Conference on CYBER Technology in Automation, Control, and Intelligent Systems (CYBER)*, 2022, pp. 295–300.
- [30] Y. Huang, G. Wu, and Y. Zuo, “Research on slam improvement method based on cartographer,” in *9th International Symposium on Test Automation and Instrumentation (ISTAI 2022)*, vol. 2022, 2022, pp. 349–354.
- [31] N. P. HO KL, “Loop closure detection in slam by combining visual and spatial appearance [j],” *Robotics and Autonomous Systems*, vol. 54, no. 9, pp. 740–749, 2006.
- [32] MathWorks. (2023) Monte carlo localization algorithm. [Online]. Available: <https://www.mathworks.com/help/nav/ug/monte-carlo-localization-algorithm.html>
- [33] J. F. Smuts. (2010) Derivative control explained. [Online]. Available: <https://blog.opticontrols.com/archives/153>
- [34] StefanKohlbrecher. (2014) hector_slam. [Online]. Available: http://wiki.ros.org/hector_slam
- [35] TheoKanning. (2019) rplidar. [Online]. Available: <http://wiki.ros.org/rplidar>

- [36] AV. (2020) amcl. [Online]. Available: http://wiki.ros.org/base_local_planner?distro=melodic
- [37] FabriceLarribe. (2020) navigation. [Online]. Available: <http://wiki.ros.org/navigation>
- [38] NickLamprianidis. (2018) costmap_2d. [Online]. Available: http://wiki.ros.org/costmap_2d#Map_type_parameters
- [39] NicolasVaras. (2019) base_local_planner. [Online]. Available: http://wiki.ros.org/base_local_planner?distro=melodic
- [40] nickfragale. (2020) move_base. [Online]. Available: http://wiki.ros.org/move_base?distro=melodic
- [41] K. Zhu and T. Zhang, “Deep reinforcement learning based mobile robot navigation: A review,” *Tsinghua Science and Technology*, vol. 26, no. 5, pp. 674–691, 2021.
- [42] J. Zijlmans. (2017, August) Lsd-slam and orb-slam2, a literature based explanation. [Online]. Available: <https://medium.com/@j.zijlmans/lsd-slam-vs-orb-slam2-a-literature-based-comparison-20732df431d>
- [43] B. Sharma. (2022, November) What is lidar technology and how does it work? [Online]. Available: <https://www.geospatialworld.net/prime/technology-and-innovation/what-is-lidar-technology-and-how-does-it-work/>
- [44] S. Krishna. (2020) Ros control. [Online]. Available: <https://www.rosroboticslearning.com/ros-control>
- [45] S. Saat, W. A. Rashid, M. Tumari, and M. Saealal, “Hectorslam 2d mapping for simultaneous localization and mapping (slam),” *Journal of Physics: Conference Series*, vol. 1529, no. 4, p. 042032, apr 2020. [Online]. Available: <https://dx.doi.org/10.1088/1742-6596/1529/4/042032>
- [46] V. Digani, L. Sabattini, C. Secchi, and C. Fantuzzi, “Ensemble coordination approach in multi-agv systems applied to industrial warehouses,” *Automation Science and Engineering, IEEE Transactions on*, vol. 12, pp. 922–934, 07 2015.
- [47] W.-R. G. Tran Quoc Khai, Young-Jae Ryoo and D.-Y. Im, “Design of kinematic controller based on parameter tuning by fuzzy inference system for trajectory tracking of differential-drive mobile robot,” *International Journal of Fuzzy Systems*, June 2020.
- [48] TristanSchwörer. (2021) global_planner. [Online]. Available: http://wiki.ros.org/global_planner?distro=melodic