

## DAFTAR PUSTAKA

- Aiello, G., La Scalia, G., Enea, M., 2012. A multi objective genetic algorithm for the facility layout problem based upon slicing structure encoding. *Expert Syst. Appl.* 39, 10352–10358. <https://doi.org/10.1016/j.eswa.2012.01.125>
- Altuntas, S., Selim, H., Dereli, T., 2014. A fuzzy DEMATEL-based solution approach for facility layout problem: a case study. *Int. J. Adv. Manuf. Technol.* 73, 749–771. <https://doi.org/10.1007/s00170-014-5826-3>
- Amaral, A.R.S., 2022. A heuristic approach for the double row layout problem. *Ann. Oper. Res.* 316, 1–36. <https://doi.org/10.1007/s10479-020-03617-5>
- Amaral, A.R.S., 2019. A mixed-integer programming formulation for the double row layout of machines in manufacturing systems. *Int. J. Prod. Res.* 57, 34–47. <https://doi.org/10.1080/00207543.2018.1457811>
- Amaral, André R. S., 2013. Optimal solutions for the double row layout problem. *Optim. Lett.* 7, 407–413. <https://doi.org/10.1007/s11590-011-0426-8>
- Amaral, André R.S., 2013. A parallel ordering problem in facilities layout. *Comput. Oper. Res.* 40, 2930–2939. <https://doi.org/10.1016/j.cor.2013.07.003>
- Amaral, A.R.S., 2009. A new lower bound for the single row facility layout problem. *Discrete Appl. Math.* 157, 183–190. <https://doi.org/10.1016/j.dam.2008.06.002>
- Amaral, A.R.S., 2008. An Exact Approach to the One-Dimensional Facility Layout Problem. *Oper. Res.* 56, 1026–1033. <https://doi.org/10.1287/opre.1080.0548>
- Amaral, A.R.S., 2006. On the exact solution of a facility layout problem. *Eur. J. Oper. Res.* 173, 508–518. <https://doi.org/10.1016/j.ejor.2004.12.021>
- Azadivar, F., Wang, J., 2000. Facility layout optimization using simulation and genetic algorithms. *Int. J. Prod. Res.* 38, 4369–4383. <https://doi.org/10.1080/00207540050205154>
- Bixby, R.E., 2012. A Brief History of Linear and Mixed-Integer Programming Computation. *Documenta Mathematica*.
- Cao, H.-Q., Jiang, L., Duan, Q.-L., Zhang, D., Chen, H.-D., Sun, J.-H., 2019. An experimental and theoretical study of optimized selection and model reconstruction for ammonium nitrate pyrolysis. *J. Hazard. Mater.* 364, 539–547. <https://doi.org/10.1016/j.jhazmat.2018.10.048>
- Chae, J., Regan, A.C., 2020. A mixed integer programming model for a double row layout problem. *Comput. Ind. Eng.* 140, 106244. <https://doi.org/10.1016/j.cie.2019.106244>
- Chung, J., Tanchoco, J.M.A., 2010. The double row layout problem. *Int. J. Prod. Res.* 48, 709–727. <https://doi.org/10.1080/00207540802192126>
- Drezner, Z., 1987. A Heuristic Procedure for the Layout of a Large Number of Facilities. *Manag. Sci.* 33, 907–915. <https://doi.org/10.1287/mnsc.33.7.907>

- Drira, A., Pierreval, H., Hajri-Gabouj, S., 2007. Facility layout problems: A survey. *Annu. Rev. Control* 31, 255–267. <https://doi.org/10.1016/j.arcontrol.2007.04.001>
- Firdaus, Y.N., Buyung, N.L., Hermansyah, A., Nurhadiyati, R., Falani, I., Wiratmani, E., 2019. Implementasi Algoritma Branch and Bound dalam Penentuan Jumlah Produksi untuk Memaksimalkan Keuntungan. *STRING Satuan Tulisan Ris. Dan Inov. Teknol.* 4, 65. <https://doi.org/10.30998/string.v4i1.3717>
- Garcia-Hernandez, L., Pierreval, H., Salas-Morera, L., Arauzo-Azofra, A., 2013. Handling qualitative aspects in Unequal Area Facility Layout Problem: An Interactive Genetic Algorithm. *Appl. Soft Comput.* 13, 1718–1727. <https://doi.org/10.1016/j.asoc.2013.01.003>
- Guan, J., Lin, G., 2016. Hybridizing variable neighborhood search with ant colony optimization for solving the single row facility layout problem. *Eur. J. Oper. Res.* 248, 899–909. <https://doi.org/10.1016/j.ejor.2015.08.014>
- Hadke, A.B., Gupta, M.M., 2013. An Ergonomic Assessment of Workers at Nuclear Power Plant (NPCIL). *International Journal of Technology*.
- Hall, K.M., 1970. An  $r$ -Dimensional Quadratic Placement Algorithm. *Manag. Sci.* 17, 219–229. <https://doi.org/10.1287/mnsc.17.3.219>
- Heizer, J., Render, B., 2014. *Operations management: sustainability and supply chain management*, Eleventh edition. ed. Pearson, Boston.
- Heragu, S.S., 2008. *Facilities Design*, 0 ed. CRC Press. <https://doi.org/10.1201/9781420066272>
- Heragu, S.S., Kusiak, A., 1991. Efficient models for the facility layout problem. *Eur. J. Oper. Res.* 53, 1–13. [https://doi.org/10.1016/0377-2217\(91\)90088-D](https://doi.org/10.1016/0377-2217(91)90088-D)
- Heragu, S.S., Kusiak, A., 1988. Machine Layout Problem in Flexible Manufacturing Systems. *Oper. Res.* 36, 258–268. <https://doi.org/10.1287/opre.36.2.258>
- Hillier, F.S., Lieberman, G.J., 2001. *Introduction to operations research*, 7. ed., internat. ed. ed, McGraw-Hill series in industrial engineering and management science. McGraw-Hill, Boston.
- Ho, Su, T.-S., 2012. The machine layout within a TFT-LCD bay with a multiple-stacker crane in-line stocker. *Int. J. Prod. Res.* 50, 5152–5172. <https://doi.org/10.1080/00207543.2011.653591>
- Hosseini-Nasab, H., Fereidouni, S., Fatemi Ghomi, S.M.T., Fakhrzad, M.B., 2018. Classification of facility layout problems: a review study. *Int. J. Adv. Manuf. Technol.* 94, 957–977. <https://doi.org/10.1007/s00170-017-0895-8>
- Hungerländer, P., 2014. Single-row equidistant facility layout as a special case of single-row facility layout. *Int. J. Prod. Res.* 52, 1257–1268. <https://doi.org/10.1080/00207543.2013.828163>
- Hungerländer, P., Anjos, M.F., 2015. A semidefinite optimization-based approach for global optimization of multi-row facility layout. *Eur. J. Oper. Res.* 245, 46–61. <https://doi.org/10.1016/j.ejor.2015.02.049>
- Islam, S.M.S., 2008. *Linear Programming*. Kabir Publications, Dhaka.

- Izadinia, N., Eshghi, K., 2016. A robust mathematical model and ACO solution for multi-floor discrete layout problem with uncertain locations and demands. *Comput. Ind. Eng.* 96, 237–248. <https://doi.org/10.1016/j.cie.2016.02.026>
- Izadinia, N., Eshghi, K., Salmani, M.H., 2014. A robust model for multi-floor layout problem. *Comput. Ind. Eng.* 78, 127–134. <https://doi.org/10.1016/j.cie.2014.09.023>
- Jung, S., 2016. Facility siting and plant layout optimization for chemical process safety. *Korean J. Chem. Eng.* 33, 1–7. <https://doi.org/10.1007/s11814-015-0242-4>
- Jung, S., Ng, D., Lee, J.-H., Vazquez-Roman, R., Mannan, M.S., 2010. An approach for risk reduction (methodology) based on optimizing the facility layout and siting in toxic gas release scenarios. *J. Loss Prev. Process Ind.* 23, 139–148. <https://doi.org/10.1016/j.jlp.2009.06.012>
- Karp, R.M., Held, M., 1967. Finite-State Processes and Dynamic Programming. *SIAM J. Appl. Math.* 15, 693–718. <https://doi.org/10.1137/0115060>
- Koopmans, T.C., Beckmann, M.J., 1957. Assignment Problems and the Location of Economic Activities Author ( s ): Tjalling C . Koopmans and Martin Beckmann. *Econometrica* 25, 53–76.
- Kothari, R., Ghosh, D., 2013. Tabu search for the single row facility layout problem using exhaustive 2-opt and insertion neighborhoods. *Eur. J. Oper. Res.* 224, 93–100. <https://doi.org/10.1016/j.ejor.2012.07.037>
- Kusiak, A., Heragu, S.S., 1987. The facility layout problem. *Eur. J. Oper. Res.* 29, 229–251. [https://doi.org/10.1016/0377-2217\(87\)90238-4](https://doi.org/10.1016/0377-2217(87)90238-4)
- Lee, Y.H., Lee, M.H., 2002. A shape-based block layout approach to facility layout problems using hybrid genetic algorithm. *Comput. Ind. Eng.* 42, 237–248. [https://doi.org/10.1016/S0360-8352\(02\)00018-9](https://doi.org/10.1016/S0360-8352(02)00018-9)
- Love, R., Wong, J., 1976. On Solving A One-Dimensional Space Allocation Problem With Integer Programming. *INFOR Inf. Syst. Oper. Res.* 14, 139–143. <https://doi.org/10.1080/03155986.1976.11731633>
- Madhusudanan Pillai, V., Hunagund, I.B., Krishnan, K.K., 2011. Design of robust layout for Dynamic Plant Layout Problems. *Comput. Ind. Eng.* 61, 813–823. <https://doi.org/10.1016/j.cie.2011.05.014>
- Murray, C.C., Smith, A.E., Zhang, Z., 2013. An efficient local search heuristic for the double row layout problem with asymmetric material flow. *Int. J. Prod. Res.* 51, 6129–6139. <https://doi.org/10.1080/00207543.2013.803168>
- Neghabat, F., 1974. An Efficient Equipment-Layout Algorithm. *Oper. Res.* 22, 622–628. <https://doi.org/10.1287/opre.22.3.622>
- Niroomand, S., Hadi-Vencheh, A., Şahin, R., Vizvári, B., 2015. Modified migrating birds optimization algorithm for closed loop layout with exact distances in flexible manufacturing systems. *Expert Syst. Appl.* 42, 6586–6597. <https://doi.org/10.1016/j.eswa.2015.04.040>
- Nuraini, T.N., 2022. 3 Penyebab Kecelakaan Kerja, Perlu Diketahui Bagi Perusahaan Dan Para Pekerja. *Merdeka.Com*.

- Ou-Yang, C., Utamima, A., 2013. Hybrid Estimation of Distribution Algorithm for solving Single Row Facility Layout Problem. *Comput. Ind. Eng.* 66, 95–103. <https://doi.org/10.1016/j.cie.2013.05.018>
- Pérez-Gosende, P., Mula, J., Díaz-Madroñero, M., 2021. Facility layout planning. An extended literature review. *Int. J. Prod. Res.* 59, 3777–3816. <https://doi.org/10.1080/00207543.2021.1897176>
- Picard, J.-C., Queyranne, M., 1981. On the One-Dimensional Space Allocation Problem. *Oper. Res.* 29, 371–391. <https://doi.org/10.1287/opre.29.2.371>
- Prastiwi, A.M., 2015. 23-10-1989: Gas Bocor Sebabkan Ledakan, 23 Pekerja Pabrik Tewas. [liputan6.com](http://liputan6.com). URL <https://www.liputan6.com/global/read/2346912/23-10-1989-gas-bocor-sebabkan-ledakan-23-pekerja-pabrik-tewas> (accessed 5.8.23).
- Rifai, A.P., Windras Mara, S.T., Kusumastuti, P.A., Wiraningrum, R.G., 2020. A Genetic Algorithm for the Double Row Layout Problem. *J. Tek. Ind.* 22, 85–92. <https://doi.org/10.9744/jti.22.2.85-92>
- Rifai, A.P., Windras Mara, S.T., Ridho, H., Norcahyo, R., 2021. The double row layout problem with safety consideration: a two-stage variable neighborhood search approach. *J. Ind. Prod. Eng.* 39, 181–195. <https://doi.org/10.1080/21681015.2021.1968964>
- Ripon, K.S.N., Glette, K., Khan, K.N., Hovin, M., Torresen, J., 2013. Adaptive variable neighborhood search for solving multi-objective facility layout problems with unequal area facilities. *Swarm Evol. Comput.* 8, 1–12. <https://doi.org/10.1016/j.swevo.2012.07.003>
- Romero, D., Sánchez-Flores, A., 1990. Methods for the one-dimensional space allocation problem. *Comput. Oper. Res.* 17, 465–473. [https://doi.org/10.1016/0305-0548\(90\)90051-8](https://doi.org/10.1016/0305-0548(90)90051-8)
- Shayan, E., Chittilappilly, A., 2004. Genetic algorithm for facilities layout problems based on slicing tree structure. *Int. J. Prod. Res.* 42, 4055–4067. <https://doi.org/10.1080/00207540410001716471>
- Shikdar, A., Al-Araimi, S., Omurtag, B., 2002. Development of a software package for ergonomic assessment of manufacturing industry. *Comput. Ind. Eng.* 43, 485–493. [https://doi.org/10.1016/S0360-8352\(02\)00121-3](https://doi.org/10.1016/S0360-8352(02)00121-3)
- Simmons, D.M., 1971. Technical Note—A Further Note on One-Dimensional Space Allocation. *Oper. Res.* 19, 249–249. <https://doi.org/10.1287/opre.19.1.249>
- Simmons, D.M., 1969. One-Dimensional Space Allocation: An Ordering Algorithm. *Oper. Res.* 17, 812–826. <https://doi.org/10.1287/opre.17.5.812>
- Solimanpur, M., Vrat, P., Shankar, R., 2005. An ant algorithm for the single row layout problem in flexible manufacturing systems. *Comput. Oper. Res.* 32, 583–598. <https://doi.org/10.1016/j.cor.2003.08.005>
- Sriwahyuni, S., Santika, E., Khairunnas, K., Ishalyadi, I., Fahlevi, M.I., 2020. The Effect of Work Situation and Unsafety Action on Work Accident in PT. Raja Marga Nagan Raya District. *J-Kesmas J. Fak. Kesehat. Masy. Indones. J. Public Health* 7, 34. <https://doi.org/10.35308/j-kesmas.v7i1.1916>

- Suhendra, Z., 2015. Kecelakaan Kerja Sektor Konstruksi Paling Tinggi. *Bisnis Liputan6Com*. URL <https://beritagar.id/artikel/berita/kecelakaan-kerja-sektor-konstruksi-paling-tinggi> (accessed 3.8.22).
- Sulistyaningsih, E., Nugroho, A., 2022. Analisis Penyebab Kecelakaan Kerja Dengan Menggunakan Metode Analytic Hierarchy Process (AHP) di PT BSPL. *INSOLOGI J. Sains Dan Teknol.* 1, 376–384. <https://doi.org/10.55123/insologi.v1i4.701>
- Wan, X., Zuo, X., Li, X., Zhao, X., 2022. A hybrid multiobjective GRASP for a multi-row facility layout problem with extra clearances. *Int. J. Prod. Res.* 60, 957–976. <https://doi.org/10.1080/00207543.2020.1847342>
- Wang, S., Zuo, X., Liu, X., Zhao, X., Li, J., 2015. Solving dynamic double row layout problem via combining simulated annealing and mathematical programming. *Appl. Soft Comput.* 37, 303–310. <https://doi.org/10.1016/j.asoc.2015.08.023>
- Wignjosoebroto, S., 2009. Tata Letak Pabrik dan Pemindahan Bahan. Guna Widya, Surabaya.
- Yang, X., Cheng, W., Smith, A.E., Amaral, A.R.S., 2020. An improved model for the parallel row ordering problem. *J. Oper. Res. Soc.* 71, 475–490. <https://doi.org/10.1080/01605682.2018.1556570>
- Zhang, Z., Murray, C.C., 2012. A corrected formulation for the double row layout problem. *Int. J. Prod. Res.* 50, 4220–4223. <https://doi.org/10.1080/00207543.2011.603371>