

DAFTAR PUSTAKA

- Agrawal PK, Agrawal C, & Blunden G. 2021. Pharmacological significance of hesperidin and Hesperetin, two citrus flavonoids, as promising antiviral compounds for prophylaxis against and combating COVID-19. *Nat Prod Commun.*
- Ahmadi, A., Hassandarvish, P., Lani, R., Yadollahi, P., Jokar, A., Bakar, S.A., & Zandi, K., 2016. Inhibition of chikungunya virus replication by hesperetin and naringenin. *RSV Advances.* 73.
- Alam, S., Sarker, M.M.R., Afrin, S., Richi, F.T., Zhao, C., Zhou, J.R., & Mohamed, I.R. 2021. Traditional Herbal Medicines, Bioactive Metabolites, and Plant Products Against COVID-19: Update on Clinical Trials and Mechanism of Actions. *Front. Pharmacol.* 12, 671498.
- Blaising, J., Polyak, S. J., & Pécheur, E. I. 2014. Arbidol as a broad-spectrum antiviral: an update. *Antiviral research.* 107: 84-94.
- Boussif, O., Lezoualc'h, F., Zanta, M. A., Mergny, M. D., Scherman, D., Demeneix, B., & Behr, J. P. 1995. A versatile vector for gene and oligonucleotide transfer into cells in culture and in vivo: polyethylenimine. *Proceedings of the National Academy of Sciences.* 92(16): 7297-7301.
- Brian, D.A. & Baric, R.S. 2005. Coronavirus Genome Structure and Replication. *Current Topics in Microbiology and Immunology.* 287: 1-30
- CDC. 2022. SARS-CoV-2 Variant Classifications and Definitions. Center for Disease Control and Prevention. Diakses dari <https://www.cdc.gov/coronavirus/2019-ncov/variants/variantclassifications.html>.
- Cheke RS, Narkhede RR, Shinde SD, Ambhore JP, & Jain PG. 2021. Natural product emerging as potential SARS spike glycoproteins-ACE2 inhibitors to combat COVID-19 attributed by in-silico investigations. *Biointerface Res Appl Chem* 11:10628–10639.
- Chen, Y., Xie, M. Y., Nie, S. P., Li, C., & Wang, Y. X. 2018. Purification, characterization and antioxidant activities of citrus flavonoids from mandarin peel. *Food Chemistry*, 269: 600-606.
- Chen, H. & Du Q. 2020. Potential natural compounds for preventing SARS-CoV 2 (2019-nCoV) infection. *Preprints.* 2020010358.
- de Wilde, A. H., Jochmans, D., Posthuma, C. C., Zevenhoven-Dobbe, J. C., van Nieuwkoop, S., Bestebroer, T. M., van den Hoogen, B.G., Neyts, J., & Snijder, E. J. 2014. Screening of an FDA-approved compound library identifies four small-molecule inhibitors of Middle East respiratory syndrome coronavirus replication in cell culture. *Antimicrobial agents and chemotherapy.* 58(8): 4875-4884.
- Eslampour, E., Zamani, A., Egtesadi, S., & Hekmatdoost, A. 2019. The effects of hesperidin supplementation on metabolic profiles in patients with metabolic syndrome: A randomized, double-blind, placebo-controlled clinical trial. *Phytotherapy Research*, 33(8): 2144-2153.
- European Centre for Disease Prevention and Control. 2021. COVID-19 situation update worldwide. <https://www.ecdc.europa.eu/en/geographical-distribution-2019-ncov-cases> diakses pada 10 Maret 2023.

- Ferreira de Oliveira J. M. P., Santos C., & Fernandes E. 2019. Therapeutic potential of hesperidin and its aglycone hesperetin: Cell cycle regulation and apoptosis induction in cancer models. *Phytomedicine*. 73: 152887.
- Ghasemi, F., & Shafiee-Nick, R. 2020. Hesperetin protects against liver and kidney toxicity induced by carbon tetrachloride in male rats. *Journal of Traditional and Complementary Medicine*, 10(4): 342-349.
- Glowacka, I., Bertram, S., Müller, M. A., Allen, P., Soilleux, E., Pfefferle, S., Steffen, I., Tsegaye, T.S., He, Y., Gnirss, K., Niemeyer, D., Schneider, H., Drosten C., & Pöhlmann, S. 2011. Evidence that TMPRSS2 activates the severe acute respiratory syndrome coronavirus spike protein for membrane fusion and reduces viral control by the humoral immune response. *Journal of virology*. 85(9): 4122-4134.
- Godbey, W. T., Wu, K. K., & Mikos, A. G. 1999. Poly(ethylenimine) and its role in gene delivery. *Journal of controlled release*. 60(2-3): 149-160.
- Gordon, D. E., Jang, G. M., Bouhaddou, M., Xu, J., Obernier, K., White, K. M., O'Meara, M.J., Rezelj, V.V., Guo, J.Z., Swaney, D.L., Tummino, T.A., Hüttenhain, R., Kaake, R.M., Richards, A.L., Tutuncuoglu, B., Foussard, H., Batra, J., Haas, K., Modak, M., Kim, M., Haas, P., Polacco, B.J., Brabeg, H., Fabius, J.M., Eckhardt, M., Soucheray, M., Bennett, M.J., Cakir, M., McGregor, M.J., Li, Q., Meyer, B., Roesch, F., Vallet, T., Kain, A.M., Miorin, L., Moreno, E., Naing, Z.Z.C., Zhou, Y., Peng, S., Shi, Y., Zhang, Z., Shen, W., Kirby, I.T., Melnyk, J.E., Chiorba, J.S., Lou, K., Dai, S.A., Barrio-Hernandez, I., Memon, E., Hernandez-Armenta, C., Lyu, J., Mathy, C.J.P., Perica, T., Pilla, K.B., Ganesan, S.J., Saltzberg, D.J., Rakesh, R., Liu, X., Rosenthal, S.B., Calviello, L., Venkataramanan, S., Liboy-Lugo, J., Lin, Y., Huang, X.P., Liu, Y., Wankowicz, S.A., Bohn, M., Safari, M., Ugur, F.S., Koh, C., Savar, N.S., Tran, Q.D., Shengjuler, D., Fletcher, S.J., O'Neal, M.C., Cai, Y., Chang, J.C.J., Broadhurst, D.J., Klippsten, S., Sharp, P.P., Wenzell, N.A., Kuzuoglu-Ozturk, D., Wang, H.Y., Trenker, R., Young, J.M., Cavero, D.A., Hiatt, J., Roth, T.L., Rathore, U., Subramanian, A., Noack, J., Hubert, M., Stroud, R.M., Frankel, A.D., Rosenberg, O.S., Verba, K.A., Agard, D.A., Ott, M., Emerman, M., Jura, N., von Zastrow, M., Verdin, E., Ashworth, A., Schwartz, O., d'Enfert, C., Mukherjee, S., Jacobson, M., Malik, H.S., Fujimori, D.G., Ideker, T., Craik, C.S., Floor, S.N., Fraser, J.S., Gross, J.D., Sali, A., Roth, B.L., Ruggero, D., Taunton, J., Kortemme, T., Beltrao, P., Vignuzzi, M., García-Sastre, A., Shokat, K.M., Shoichet, B.K., & Krogan, N. J. 2020. A SARS-CoV-2 protein interaction map reveals targets for drug repurposing. *Nature*, 583(7816), 459-468.
- Hadi, A., Zaid, M. A., Ali, R., & Al-Amiery, A. A. (2019). In vitro cytotoxicity of hesperetin against colon cancer cells and normal cells. *Journal of Physics: Conference Series*. 1246(1).
- Heald-Sargent, T. & Gallagher, T. 2012. Ready, set, fuse! The coronavirus spike protein and acquisition of fusion competence. *Viruses* .4: 557–580.
- Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Herrler, G., Wu, N., Nitsche, A., Müller, M.A., Drosten, C., & Pöhlmann, S. 2020. SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor. *Cell*. 181(2): 271-280.

- Hossain, M. S., & Ahmed, M. U. 2020. Immunofluorescence Staining. *StatPearls Publishing*.
- Hua, Z. & Hou, B. 2018. TLR signaling in B-cell development and activation. *Cellular & Molecular Immunology*. 15(9): 888-897.
- Ishola, I., Jacinta, A.A., & Adeyemi, O.O. 2019. Cortico-hippocampal memory enhancing activity of hesperetin on scopolamine-induced amnesia in mice: role of antioxidant defense system, cholinergic neurotransmission and expression of BDNF. *Metabolic Brain Disease*. 34(4).
- Jayani, D.H. 2021. Kendala dalam Melakukan Vaksinasi. Databoks. Disadur dari <https://databoks.katadata.co.id/datapublish/2021/08/12/ini-sederet-kendala-yang-hambat-vaksinasi-covid-19-di-indonesia-pada-30-November-2022>.
- Jin, Z., Du, X., Xu, Y., Deng, Y., Liu, M., Zhao, Y., Zhang, B., Li, X., Zhang, L., Peng, C., Duan, Y., Yu, J., Wang, L., Yang, K., Liu, F., Jiang, R., Yang, X., You, T., Liu, X., Yang, X., Bai, F., Liu, H., Liu, X., Guddat, L.W., Xu, W., Xiao, G., Qin, C., Shi, Z., Jiang, H., Rao, Z., & Yang, H. 2020. Structure of Mpro from SARS-CoV-2 and discovery of its inhibitors. *Nature*. 582(7811): 289-293.
- Khamitov, R. A., Loginova, S. I., Shchukina, V. N., Borisevich, S. V., Maksimov, V. A., & Shuster, A. M. 2008. Umifenovir in the treatment of influenza and acute respiratory viral infections. *Terapevticheskii arkhiv*. 80(4): 57-62.
- Khezri MR, Varzandeh R, & Ghasemnejad-Berenji M. 2022. The probable role and therapeutic potential of the PI3K/AKT signaling pathway in SARS-CoV-2 induced coagulopathy. *Cell Mol Biol Lett*. 27(1):1-10.
- Kim, D. H., & Kim, J. S. 2014. Genome engineering and gene expression control for bacterial strain development. *Biotechnology journal*. 9(3): 361-367.
- Lai, J., & Lai, S. 2003. Methods for labeling nucleic acids and hybridization protocols. *Methods in molecular biology*. 226: 3-19.
- Lapiente, D., Rueda-Zarate, C. J., Arnoldi, F., Sánchez-Sánchez, R., Martín-Villar, E., & Rodríguez-Frandsen, A. 2021. Rapid response flow cytometric assay for the detection of antibody responses to SARS-CoV-2. *Journal of virological methods*. 291: 114102.
- Li, F. 2015. Receptor recognition mechanisms of coronaviruses: A decade of structural studies. *J. Virol*. 89: 1954-1964.
- Li, F. 2016. Structure, function, and evolution of coronavirus spike proteins. *Annu. Rev. Virol*. 3: 237-261.
- Li, Y., Wang, L., & Li, Y. 2020. Penghambatan adsorpsi: salah satu mekanisme utama Arbidol untuk melawan virus. *Current Drug Delivery*. 17(8): 694-702.
- Mautner, L., Baillie, G. J., & Herzyk, P. 2021. Fluorescence in situ hybridization (FISH) as a diagnostic tool for viral infections. *Viruses*. 13(3): 364.
- NIH. [Online Dictionary]. SARS-CoV-2. National Cancer Institute. Diakses dari <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/sars-cov-2>.
- Ng, K. T., Mohd-Ismail, N. K., & Tan, Y. J. 2021. Spike S2 Subunit: The Dark Horse in the Race for Prophylactic and Therapeutic Interventions against SARS-CoV-2. *Vaccines*. 9(2): 178.
- Nie, J., Li, Q., Wu, J., Zhao, C., Hao, H., Liu, H., Zhang, L., Nie, L., Qin, H., Wang, M., Lu, Q., Li, X., Sun, Q., Liu, J., Fan, C., Huang, W., Xu, M., & Wang, Y..

- Establishment and validation of a pseudovirus neutralization assay for SARS CoV-2. *Emerg Microbes Infect.* 9:680–686.
- Paredes, A., Alzuru, M., Mendez, J., & Rodríguez-Ortega, M. 2003. Anti-Sindbis activity of flavanones Hesperetin and naringenin. *Biol. Pharm. Bull.* 26(1): 108-109.
- Perlman, S., & Netland, J. 2009. Coronaviruses post-SARS: Update on replication and pathogenesis. *Nat. Rev. Microbiol.* 7: 439–450.
- Salazar-García, M., Acosta-Contreras, S., Rodríguez-Martínez, G., Cruz-Rangel, A., Flores-Alanis, A., Patiño-López, G., & Luna-Pineda, V.M. 2021. Pseudotyped vesicular stomatitis virus-severe acute respiratory syndrome coronavirus-2 spike for the study of variants, vaccines, and therapeutics against coronavirus disease 2019. *Front. Microbiol.* 12: 81720.
- Stasi, C., Fallani, S., Voller, F., & Silvestri C. 2020. Treatment for COVID-19: An overview. *European Journal of Pharmacology.* 889: 173644. Sieczkarski, S. B. & Whittaker, G. R. Dissecting virus entry via endocytosis. *J. Gen. Virol.* 83: 1535-1545.
- Tai, W., He, L., Zhang, X., Pu, J., Voronin, D., Jiang, S., & Zhou, Y. 2020. Characterization of the receptor-binding domain (RBD) of 2019 novel coronavirus: implication for development of RBD protein as a viral attachment inhibitor and vaccine. *Cellular & Molecular Immunology.* 17(6): 613-620.
- Tait-bukard, C., Bloyet, L.M., Wicht, O., Kuppeveld, F.J.V., Rottier, P., Haan, C.A.M.D., & Bosch, B.J. 2014. Dissecting Virus Entry: Replication-Independent Analysis of Virus Binding, Internalization, and Penetration Using Minimal Complementation of β -Galactosidase. *PLoS ONE.* 9(7):101762.
- Tani H., Morikawa S., & Matsuura Y. 2011. Development and applications of VSV vectors based on cell tropism. *Front. Microbiol.* 2:272.
- Utomo, Rohmad Yudi, Ikawati, M., & Meiyanto, E. 2020. Revealing the Potency of Citrus and Galangal Constituents to Halt SARS-CoV-2 Infection. *Preprints.* 2020030214.
- Wang, Y., Zhang, L., Wang, R., & Hu, T. 2017. Extraction optimization, characterization and bioactivities of flavonoids from citrus peel. *Journal of Food Science and Technology,* 54(13):4195-4205.
- Wang, K., Chen, W., Zhou, Y. S., Lian, J. Q., Zhang, Z., Du, P., Gong, L., Zhang, Y., Cui, H.Y., Geng, J.J., Wang, B., Sun, X.X., Wang, C.F., Yang, X., Lin, P., Deng, Y.Q., Wei, D., Yang, X.M., Zhu, Y.M., Zhang, K., Zheng, Z.H., Miao, J.L., Guo, T., Shi, Y., Zhang, J., Fu, L., Wang, Q.Y., Bian, H., Zhu, P., & Chen, Z.N. 2020. SARS-CoV-2 invades host cells via a novel route: CD147-spike protein. *BioRxiv.*
- Wightman, L., Kircheis, R., Rossler, V., Carotta, S., Ruzicka, R., Kurs, M., & Wagner, E. 2001. Different behavior of branched and linear polyethylenimine for gene delivery in vitro and in vivo. *Journal of gene medicine.* 3(4): 362-372.
- World Health Organization (WHO). (2020). Coronavirus disease (COVID-19) pandemic. <https://www.who.int/emergencies/disease/novel-coronavirus-2019> diakses pada 10 Maret 2023.

- Wu, J., He, C., Liu, X., Yang, J., & Kang, J. (2016). Evaluation of lipofectamine 2000/p300 complexes for efficient plasmid DNA delivery in vitro and in vivo. *Drug delivery*. 23(3): 779-787.
- Xiang, Q., Li, L., Wu, J., Tian, M., & Fu, Y. 2022. Application of pseudovirus system in the development of vaccine, antiviral-drugs, and neutralizing antibodies. *Microbiol Res*. 258: 126993.
- Zalpoor, H., Bakhtiyari, M., Shapourian, H., Rostampour, P., Tavakol, C., & Afjadi, M.N. 2022. Hesperetin as an anti-SARS-CoV-2 agent can inhibit COVID-19-associated cancer progression by suppressing intracellular signaling pathways. *Inflammopharmacology*. 30: 1533-1539.
- Zehender, G., Lai, A., Bergna, A., Meroni, L., Riva, A., Balotta, C., & Mileto, D. 2021. Fluorescence in situ hybridization (FISH) assay improves SARS-CoV-2 detection in bronchoalveolar lavage samples from COVID-19 patients with negative PCR test. *Journal of Clinical Virology*, 135: 104740.
- Zeng, X. T., Li, H. J., Fan, H. W., Ji, F., Feng, C. H., & Guo, Y. L. 2021. The interactions of ZDHHC5/GOLGA7 with SARS-CoV-2 spike (S) protein and their effects on S protein's subcellular localization, palmitoylation and pseudovirus entry. *Virology Journal*. 18(1): 1-13.
- Zumla, A., Chan, J. F., Azhar, E. I., Hui, D. S., & Yuen, K. Y. 2016. Coronaviruses-drug discovery and therapeutic options. *Nature Reviews Drug Discovery*. 15(5): 327-347.