

DAFTAR PUSTAKA

- Al-Sulaiman, F., Yilbas, B., Karatas, C., Keles, O., Usan, I., Usta, Y., Ahsan, M. and Bazoune, A. (2007) 'Laser Cutting of Kevlar and Mild Steel Composite Structure: End Product Quality Assessment', *Journal of Materials Engineering and Performance*, 16, pp. 22–29. Available at: <https://doi.org/10.1007/s11665-006-9003-1>.
- Ambaye, G. (2021) 'The performance of gear with backlash: A review', *Journal of Applied Mechanical Engineering*, 10(9), p. 389.
- Andersen, Ø.M. and Jordheim, M. (2008) 'Anthocyanins—food applications', *Proc. 5th Int. Congr. Pigments Foods: For Quality and Health*, 14, p. 16.
- Badan Pengawas Obat dan Makanan (2012) 'Pedoman Penggunaan Bahan Tambahan Pangan pada Pangan Industri Rumah Tngga dan Pangan Siap Saji Sebagai Pangan Jajanan Anak Sekolah', pp. 32–35. Available at: [moz-extension://3e57a346-16e9-4b44-ad39-b63e271aaa0a/enhanced-reader.html?openApp&pdf=https%3A%2F%2Fstandarpangan.pom.go.id%2Fdokumen%2Fpedoman%2FBuku_Pedoman_PJAS_untuk_Penggunaan_BTP.pdf](https://www.pom.go.id/extension/3e57a346-16e9-4b44-ad39-b63e271aaa0a/enhanced-reader.html?openApp&pdf=https%3A%2F%2Fstandarpangan.pom.go.id%2Fdokumen%2Fpedoman%2FBuku_Pedoman_PJAS_untuk_Penggunaan_BTP.pdf).
- Bageshwar, D., Pawar, A.S., Khanvilkar, V. and Kadam, V. (2010) 'Photoacoustic Spectroscopy and Its Applications – A Tutorial Review', *Eurasian Journal of Analytical Chemistry*, 5, pp. 187–203.
- Barr, M. (2001) 'Embedded systems programming', *Embedded Systems Programming*, 14(10), pp. 103–104.
- Bell, A.G. (1880) 'On the production and reproduction of sound by light', *American Journal of Science*, s3-20(118), pp. 305–324. Available at: <https://doi.org/10.2475/ajs.s3-20.118.305>.
- Boré, G. and Peus, S. (2000) 'Microphones Methods of Operation and Type Examples', in.
- Bowen, T., Nasoni, R.L., Pifer, A.E. and Sembroski, G.H. (1981) 'Some Experimental Results on the Thermoacoustic Imaging of Tissue Equivalent Phantom Materials', in *1981 Ultrasonics Symposium*. IEEE, pp. 823–827. Available at: <https://doi.org/10.1109/ULTSYM.1981.197738>.
- BPOM RI (2015) *Mari Mengenal Foodborne Illness (Sakit Akibat Pangan)*, KLUB POMPI-BADAN POM. Available at: <https://klubpompi.pom.go.id/news/mari-mengenal-foodborne-illness-sakit-akibat-pangan> (Accessed: 23 November 2022).
- BPOM RI (2019) 'Regulation of the Food and Drug Administration on Food Additives [Peraturan Badan Pengawas Obat Dan Makanan tentang Bahan Tambahan Pangan]', *Badan pengawas obat dan makanan republik indonesia*, pp. 1–10.
- Brice, R. (2001) '3 - Stand By Me – Microphones and their applications', in R. Brice (ed.) *Music Engineering (Second Edition)*. Second Edi. Oxford: Newnes, pp. 41–56. Available at: <https://doi.org/10.1016/B978-075065040-3/50023-3>.
- Cahyadi, W. (2009) 'Analisis dan Aspek Kesehatan Bahan Tambahan Makanan', *Jakarta: Bumi Aksara. Edisi kedua. Hal*, pp. 2–4.

- Chen, Q.X., Dewhurst, R.J., Payne, P.A. and Davies, A. (1993) 'Photo-acoustic probe for intra-arterial imaging and therapy', *Electronics Letters*, 29(18), p. 1632. Available at: <https://doi.org/10.1049/el:19931087>.
- Diosi, A. and Kleeman, L. (2005) 'Laser scan matching in polar coordinates with application to SLAM', in *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems*. IEEE, pp. 3317–3322. Available at: <https://doi.org/10.1109/IROS.2005.1545181>.
- Fathinatullabibah, F., Khasanah, L.U. and Kawiji, K. (2014) 'Stabilitas antosianin ekstrak daun jati (*Tectona grandis*) terhadap perlakuan pH dan suhu', *Jurnal Aplikasi Teknologi Pangan*, 3(2).
- Fatima, A., Kratkiewicz, K., Manwar, R., Zafar, M., Zhang, R., Huang, B., Dadashzadesh, N., Xia, J. and Avanaki, M. (2019) 'Review of Cost Reduction Methods in Photoacoustic Computed Tomography', *Photoacoustics*, 15, p. 100137. Available at: <https://doi.org/10.1016/j.pacs.2019.100137>.
- Fowles, G.R. and Cassiday, G.L. (2005) 'Analytical mechanics 7th Ed (Belmont: Thomson Brooks/Cole)'.
- Greenhalgh, C.W. (1977) 'Dyes and their Intermediates: (2nd edition) by E. N. Abraham. Pp. 265. Edward Arnold, London. 1976. £15', *Endeavour*, 1.
- Haisch, C. and Niessner, R. (2002) 'Light and sound-photoacoustic spectroscopy', *Spectroscopy Europe*, 14(5), pp. 10–15.
- Haley, D. and Pratt, O. (2017) 'Basic principles of lasers', *Anaesthesia & Intensive Care Medicine*, 18(12), pp. 648–650. Available at: <https://doi.org/https://doi.org/10.1016/j.mpaic.2017.10.001>.
- Halvorsen, H.-P. (2016) 'Introduction to LabVIEW'.
- Hanif, L.N., Satriawan, M. and Mitraryana (2022) 'The characterization of a photoacoustic tomography imaging system and its application to distinguish healthy liver and worm-infected liver', in, p. 090019. Available at: <https://doi.org/10.1063/5.0072418>.
- Hariri, A., Fatima, A., Mohammadian, N., Bely, N. and Nasirivanaki, M. (2016) 'Towards low cost photoacoustic Microscopy system for evaluation of skin health', in J.F. Silny and E.J. Ientilucci (eds), p. 99760X. Available at: <https://doi.org/10.1117/12.2238423>.
- Isaiev, M., Mussabek, G., Lishchuk, P., Dubyk, K., Zhylybayeva, N., Yarmukhamedova, G., Lacroix, D. and Lysenko, V. (2022) 'Application of the Photoacoustic Approach in the Characterization of Nanostructured Materials', *Nanomaterials*, 12(4), p. 708. Available at: <https://doi.org/10.3390/nano12040708>.
- Kim, C., Song, K.H., Gao, F. and Wang, L.V. (2010) 'Sentinel lymph nodes and lymphatic vessels: noninvasive dual-modality in vivo mapping by using indocyanine green in rats--volumetric spectroscopic photoacoustic imaging and planar fluorescence imaging.', *Radiology*, 255(2), pp. 442–450. Available at: <https://doi.org/10.1148/radiol.10090281>.
- Kim, G.R., Kang, J., Kwak, J.Y., Chang, J.H., Kim, S.I., Youk, J.H., Moon, H.J., Kim, M.J. and Kim, E.K. (2014) 'Photoacoustic Imaging of Breast Microcalcifications: A Preliminary Study with 8-Gauge Core-Biopsied Breast Specimens', *PLoS ONE*, 9(8), p. e105878. Available at:

- <https://doi.org/10.1371/journal.pone.0105878>.
- Kolkman, R.G.M., Steenbergen, W. and van Leeuwen, T.G. (2006) 'In vivo photoacoustic imaging of blood vessels with a pulsed laser diode', *Lasers in Medical Science*, 21(3), pp. 134–139. Available at: <https://doi.org/10.1007/s10103-006-0384-z>.
- Kreuzer, L.B. (1971) 'Ultralow Gas Concentration Infrared Absorption Spectroscopy', *Journal of Applied Physics*, 42(7), pp. 2934–2943. Available at: <https://doi.org/10.1063/1.1660651>.
- Kurniawan, E., Widyaningrum, R. and Mitrayana, L. (2017) 'Sistem Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon Condenser Sistem Fotoakustik Sederhana Berbasis Laser Dioda dan Mikrofon Condenser untuk Pengukuran Konsentrasi Darah (Simple Photoacoustic System Based on Diode Laser and Condenser Microphone)', *Risalah Fisika*, 1, pp. 47–51.
- Marpaung, A.M., Andarwulan, N., Hariyadi, P. and Nur Faridah, D. (2017) 'The colour degradation of anthocyanin-rich extract from butterfly pea (*Clitoria ternatea* L.) petal in various solvents at pH 7', *Natural Product Research*, 31(19), pp. 2273–2280. Available at: <https://doi.org/10.1080/14786419.2017.1303689>.
- Matua, G., Widodo, T. and Mitrayana, L. (2017) 'Penerapan Sistem Kendali XY-Stage dan Modulasi Laser Pada Tomografi Fotoakustik Menggunakan Arduino', *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 7, p. 149. Available at: <https://doi.org/10.22146/ijeis.18294>.
- Miklós, A., Schäfer, S. and Hess, P. (1999) 'Photoacoustic Spectroscopy, Theory', in.
- Mohiuddin, T., Nawrocki, M. and Bitter, R. (2006) *LabView*. CRC Press. Available at: <https://doi.org/10.1201/9780849333255>.
- De Montigny, E. (2011) 'Photoacoustic tomography: principles and applications', *Department of Physics Engineering, polytechnic school Montreal* [Preprint].
- Neamen, D.A. (2003) *Semiconductor physics and devices: basic principles*. McGraw-hill.
- Nugraha, M.K. and Mitrayana (2021) 'Karakterisasi Kinerja Sistem Pencitraan Fotoakustik Berbasis Cahaya Tampak 450 nm untuk Pencitraan Phantom Bahan Kontras Pewarna Sintetik'. Yogyakarta: FMIPA, UGM.
- Palzer, S. (2020) 'Photoacoustic-Based Gas Sensing: A Review', *Sensors*, 20(9), p. 2745. Available at: <https://doi.org/10.3390/s20092745>.
- Pavanelli, S., Bispo, G., Nascentes, N. and Augusti, R. (2011) 'Degradation of Food Dyes by Zero-Valent Metals Exposed to Ultrasonic Irradiation in Water Medium: Optimization and Electrospray Ionization Mass Spectrometry Monitoring', *Journal of the Brazilian Chemical Society*, 22, pp. 111–119. Available at: <https://doi.org/10.1590/S0103-50532011000100015>.
- Pemerintah Indonesia (2012) 'Undang-Undang Republik Indonesia Nomor 18 Tahun 2012 Tentang Pangan'. Jakarta.
- Pospiech, M. and Liu, S. (2004) 'Technical Introduction to Laser Diodes', *LASER DIODE SOURCE* [Preprint].

- Putra, I.R., Asterina, A. and Isona, L. (2014) 'Gambaran Zat Pewarna Merah pada Saus Cabai yang Terdapat pada Jajanan yang Dijual di Sekolah Dasar Negeri Kecamatan Padang Utara', *Jurnal Kesehatan Andalas*, 3(3).
- Rohmawati, D. (2014) 'Bahaya Pewarna Sintetik dalam Makanan'. Yogyakarta: UNY.
- Saparinto, C. and Hidayati, D. (2006) *Bahan Tambahan Pangan*. Yogyakarta: Kanisius.
- Sari, P., Agustina, F., Komar, M., Unus, M.F. and Lindriati, T. (2005) 'Ekstraksi dan stabilitas antosianin dari kulit buah duwet (*Syzygium cumini*)', *Jurnal Teknol. dan Industri Pangan*, 16(2), pp. 142–150.
- Schwartz, M. and Manickum, O. (2015) *Programming Arduino with LabVIEW*. Packt Publishing Ltd.
- Silalahi, H.M. (2017) 'Sistem Citra Fotoakustik Sederhana Berbasis Laser Dioda Dan Mikrofon Condenser'. Yogyakarta: FMIPA, UGM.
- Silfvast, W.T. (2004) *Laser fundamentals*. Cambridge university press.
- Song, K.H., Stein, E.W., Margenthaler, J.A. and Wang, L.V. (2008) 'Noninvasive photoacoustic identification of sentinel lymph nodes containing methylene blue in vivo in a rat model.', *Journal of biomedical optics*, 13(5), p. 54033. Available at: <https://doi.org/10.1117/1.2976427>.
- Trakoli, A. (2012) 'IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Volume 99: Some Aromatic Amines, Organic Dyes, and Related Exposures. International Agency for Research on Cancer', *Occupational Medicine*, 62(3), pp. 232–232. Available at: <https://doi.org/10.1093/occmed/kqs011>.
- Viengerov, M.L. (1938) 'New method of gas analysis based on tyndall-roentgen optoacoustic effect', *Doklady Akademii Nauk SSSR*, 19(687), p. 8.
- Wakerly, J.F. (2006) *Digital Design Principles and Practices*. 4th edn. New Jersey: Pearson Education, Inc.
- Widyaningrum, R., Sola, G.R., Agustina, D., Mudjosemedi, M., Mitrayana, M. and Miyosi, S.H. (2020) 'The Influence of Diode Laser Intensity Modulation on Photoacoustic Image Quality for Oral Soft Tissue Imaging', *Journal of Lasers in Medical Sciences*, 11(Suppl 1), pp. S92–S100. Available at: <https://doi.org/10.34172/jlms.2020.S15>.
- Wong, Y.H., Thomas, R.L. and Hawkins, G.F. (1978) 'Surface and subsurface structure of solids by laser photoacoustic spectroscopy', *Applied Physics Letters*, 32(9), pp. 538–539. Available at: <https://doi.org/10.1063/1.90120>.
- Xia, J., Yao, J. and Wang, L.H.V. (2014) 'PHOTOACOUSTIC TOMOGRAPHY: PRINCIPLES AND ADVANCES (Invited Review)', *Progress In Electromagnetics Research*, 147, pp. 1–22. Available at: <https://doi.org/10.2528/PIER14032303>.
- Xu, M. and Wang, L.V. (2006) 'Photoacoustic imaging in biomedicine', *Review of Scientific Instruments*, 77(4), p. 041101. Available at: <https://doi.org/10.1063/1.2195024>.
- Xu, Z., Li, C. and Wang, L.V. (2010) 'Photoacoustic tomography of water in phantoms and tissue', *Journal of Biomedical Optics*, 15(3), p. 036019. Available at: <https://doi.org/10.1117/1.3443793>.