

DAFTAR PUSTAKA

- [1] R. Ishangulyyev, S. Kim, dan S. H. Lee, “Understanding Food Loss and Waste—Why Are We Losing and Wasting Food?,” *Foods*, vol. 8, no. 8, hlm. 297, Jul 2019, doi: 10.3390/foods8080297.
- [2] A. A. El-Sebaei dan S. M. Shalaby, “Solar drying of agricultural products: A review,” *Renew. Sustain. Energy Rev.*, vol. 16, no. 1, hlm. 37–43, Jan 2012, doi: 10.1016/j.rser.2011.07.134.
- [3] K. R. Matthews, K. E. Knier, dan T. J. Montville, *Food microbiology: an introduction*, Fourth edition. Washington, DC: ASM Press, 2017.
- [4] O. Prakash dan A. Kumar, *Solar drying systems*, First edition. Boca Raton, FL: CRC Press, 2020.
- [5] V. R. Sagar dan P. Suresh Kumar, “Recent advances in drying and dehydration of fruits and vegetables: a review,” *J. Food Sci. Technol.*, vol. 47, no. 1, hlm. 15–26, Jan 2010, doi: 10.1007/s13197-010-0010-8.
- [6] O. Aumporn, B. Zeghamati, X. Chesneau, dan S. Janjai, “A numerical study of a solar greenhouse dryer with a phase change material energy storage medium,” *Heat Transf. Res.*, vol. 49, Jan 2018, doi: 10.1615/HeatTransRes.2018020132.
- [7] E. Getahun, M. A. Delele, N. Gabbiye, S. W. Fanta, P. Demissie, dan M. Vanierschot, “Importance of integrated CFD and product quality modeling of solar dryers for fruits and vegetables: A review,” *Sol. Energy*, vol. 220, hlm. 88–110, Mei 2021, doi: 10.1016/j.solener.2021.03.049.
- [8] T. Y. Tunde-Akintunde, “Mathematical modeling of sun and solar drying of chilli pepper,” *Renew. Energy*, vol. 36, no. 8, hlm. 2139–2145, Agu 2011, doi: 10.1016/j.renene.2011.01.017.
- [9] R. K. Sahdev, “Open Sun and Greenhouse Drying of Agricultural and Food Products: A Review,” *Int. J. Eng. Res.*, vol. 3, no. 3, hlm. 14, 2014.
- [10] P. Purohit, A. Kumar, dan T. C. Kandpal, “Solar drying vs. open sun drying: A framework for financial evaluation,” *Sol. Energy*, vol. 80, no. 12, hlm. 1568–1579, Des 2006, doi: 10.1016/j.solener.2005.12.009.
- [11] A. Dolinsky, K. Maletskaya, dan Y. Snezhkin, “FRUIT AND VEGETABLE POWDERS PRODUCTION TECHNOLOGY ON THE BASES OF SPRAY AND CONVECTIVE DRYING METHODS,” *Dry. Technol.*, vol. 18, no. 3, hlm. 747–758, Mar 2000, doi: 10.1080/07373930008917735.
- [12] O. Prakash dan A. Kumar, Ed., *Solar Drying Technology: Concept, Design, Testing, Modeling, Economics, and Environment*. dalam Green Energy and Technology. Singapore: Springer Singapore, 2017. doi: 10.1007/978-981-10-3833-4.
- [13] S. G. Kale dan S. N. Havaladar, “Performance enhancement techniques for indirect mode solar dryer: A review,” *Mater. Today Proc.*, vol. 72, hlm. 1117–1124, 2023, doi: 10.1016/j.matpr.2022.09.177.
- [14] A. Thesis dan C. R. Davis, “DEVELOPMENT AND VALIDATION OF TROMBE WALLS IN AUTODESK SIMULATION CFD TM,” hlm. 80.
- [15] A. Abdeen, A. A. Serageldin, M. G. E. Ibrahim, A. El-Zafarany, S. Ookawara, dan R. Murata, “Experimental, analytical, and numerical investigation into the



- feasibility of integrating a passive Trombe wall into a single room,” *Appl. Therm. Eng.*, vol. 154, hlm. 751–768, Mei 2019, doi: 10.1016/j.applthermaleng.2019.03.090.
- [16] M. Dhahri, N. Khalilpoor, H. Aouinet, A. Issakhov, H. Sammouda, dan S. Emani, “Numerical Study on the Thermal Performance of Trombe Wall for Passive Solar Building in Semiarid Climate,” *Int. J. Photoenergy*, vol. 2021, hlm. 1–12, Mar 2021, doi: 10.1155/2021/6630140.
- [17] E. S. Kaya, M. Aksel, S. Yigit, dan T. Acikara, “A numerical study on the effect of vent/wall area ratio on Trombe wall thermal performance,” *Proc. Inst. Civ. Eng. - Eng. Sustain.*, vol. 174, no. 5, hlm. 224–234, Okt 2021, doi: 10.1680/jensu.20.00064.
- [18] V. Aisya dan J. Hendrarsakti, “Computational and analytical study of Trombe wall configurations within Bandung weather condition,” dipresentasikan pada INTERNATIONAL CONFERENCE ON THERMAL SCIENCE AND TECHNOLOGY (ICTST) 2017, Bali, Indonesia, 2018, hlm. 020019. doi: 10.1063/1.5046603.
- [19] D. Liang, M. Ibrahim, T. Saeed, A. M. El-Refaey, Z. Li, dan M. A. Fagiry, “Simulation of a Trombe wall with a number of semicircular fins placed on the absorber plate for heating a room in the presence of nano-PCM,” *J. Build. Eng.*, vol. 50, hlm. 104173, Jun 2022, doi: 10.1016/j.job.2022.104173.
- [20] H. Teklu, M. Bayray, D. Abay, dan M. Kalamegam, “Performance Enhancement of Natural Convection Indirect Solar Dryer by Integrating Reflectors,” *Momona Ethiop. J. Sci.*, vol. 12, no. 2, hlm. 212–222, Mei 2021, doi: 10.4314/mejs.v12i2.4.
- [21] A. Lingayat, V. P. Chandramohan, dan V. R. K. Raju, “Design, Development and Performance of Indirect Type Solar Dryer for Banana Drying,” *Energy Procedia*, vol. 109, hlm. 409–416, Mar 2017, doi: 10.1016/j.egypro.2017.03.041.
- [22] S. M. Shamiq, P. Sudhakar, dan M. Cheralathan, “Experimental study of a solar dryer with different flow patterns of air in the drying chamber,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 402, hlm. 012014, Sep 2018, doi: 10.1088/1757-899X/402/1/012014.
- [23] M. A. Al-Neama dan I. Farkas, “Thermal efficiency of vertical and horizontal-finned solar collector integrated with forced air circulation dryer for Apple as a sample,” *Dry. Technol.*, vol. 37, no. 5, hlm. 546–558, Apr 2019, doi: 10.1080/07373937.2018.1488260.
- [24] M. Rezaei, M. Sefid, K. Almutairi, A. Mostafaeipour, H. X. Ao, S. S. Hosseini Dehshiri, S. Chowdhury, dan K. Techato, “Investigating performance of a new design of forced convection solar dryer,” *Sustain. Energy Technol. Assess.*, vol. 50, hlm. 101863, Mar 2022, doi: 10.1016/j.seta.2021.101863.
- [25] H. Ö. Güler, A. Sözen, A. D. Tuncer, F. Afshari, A. Khanlari, C. Şirin, dan A. Gungor, “Experimental and CFD survey of indirect solar dryer modified with low-cost iron mesh,” *Sol. Energy*, vol. 197, hlm. 371–384, Feb 2020, doi: 10.1016/j.solener.2020.01.021.



- [26] Y. Amanlou dan A. Zomorodian, "Applying CFD for designing a new fruit cabinet dryer," *J. Food Eng.*, vol. 101, no. 1, hlm. 8–15, Nov 2010, doi: 10.1016/j.jfoodeng.2010.06.001.
- [27] P. Demissie, M. Hayelom, A. Kassaye, A. Hailesilassie, M. Gebrehiwot, dan M. Vanierschot, "Design, development and CFD modeling of indirect solar food dryer," *Energy Procedia*, vol. 158, hlm. 1128–1134, Feb 2019, doi: 10.1016/j.egypro.2019.01.278.
- [28] P. X. Mutabilwa dan K. N. Nwaigwe, "Experimental evaluation of drying of banana using a double-pass solar collector (DPSC) and theoretical analysis using a CFD model," *Cogent Eng.*, vol. 7, no. 1, hlm. 1789363, Jan 2020, doi: 10.1080/23311916.2020.1789363.
- [29] W. Phomkong, T. Paiboon, dan S. Somchart, "Effect of drying air temperature and chemical pretreatments on quality of dried chilli," *Int. Food Res. J.*, vol. 16, hlm. 441–454, Jan 2009.
- [30] G. O. Sigge, C. F. Hansmann, dan E. Joubert, "EFFECT OF TEMPERATURE AND RELATIVE HUMIDITY ON THE DRYING RATES AND DRYING TIMES OF GREEN BELL PEPPERS (*CAPSICUM ANNUUM L*)," *Dry. Technol.*, vol. 16, no. 8, hlm. 1703–1714, Jan 1998, doi: 10.1080/07373939808917487.
- [31] A. Bulent Koc, Murat Toy, Ibrahim Hayoglu, dan Hasan Vardin, "Solar Drying of Red Peppers: Effects of Air Velocity and Product Size," *J. Appl. Sci.*, vol. 7, no. 11, hlm. 1490–1496, 2007.
- [32] D. Pangavhane, "Design, development and performance testing of a new natural convection solar dryer," *Energy*, vol. 27, no. 6, hlm. 579–590, Jun 2002, doi: 10.1016/S0360-5442(02)00005-1.
- [33] O. Yaldiz, C. Ertekin, dan H. I. Uzun, "Mathematical modeling of thin layer solar drying of sultana grapes," *Energy*, vol. 26, no. 5, hlm. 457–465, Mei 2001, doi: 10.1016/S0360-5442(01)00018-4.
- [34] A. K. Pandey, M. S. Hossain, V. V. Tyagi, N. Abd Rahim, J. A. /L. Selvaraj, dan A. Sari, "Novel approaches and recent developments on potential applications of phase change materials in solar energy," *Renew. Sustain. Energy Rev.*, vol. 82, hlm. 281–323, Feb 2018, doi: 10.1016/j.rser.2017.09.043.
- [35] A. Agrawal dan R. M. Sarviya, "A review of research and development work on solar dryers with heat storage," *Int. J. Sustain. Energy*, vol. 35, no. 6, hlm. 583–605, Jul 2016, doi: 10.1080/14786451.2014.930464.
- [36] M. Selvaraj, P. Sadagopan, N. Balakrishnan, dan M. Bhuvaneshwaran, "A REVIEW OF SOLAR ENERGY COLLECTION TECHNOLOGY TO HEAT AIR AS THERMAL, USING FLAT PLATE COLLECTOR AND INTEGRATED WITH DRYING CHAMBER FOR DRYING FOOD PRODUCTS," *Indian J. Sci. Res.*, hlm. 281–287, Mar 2018.
- [37] M. Sharma, O. Prakash, A. Sharma, dan A. Kumar, "Fundamentals and Performance Evaluation Parameters of Solar Dryer," dalam *Low Carbon Energy Supply: Trends, Technology, Management*, A. Sharma, A. Shukla, dan L. Aye, Ed., dalam Green Energy and Technology. Singapore: Springer, 2018, hlm. 37–50. doi: 10.1007/978-981-10-7326-7_3.



- [38] M. E. A. Slimani, M. Amirat, S. Bahria, I. Kurucz, M. Aouli, dan R. Sellami, "Study and modeling of energy performance of a hybrid photovoltaic/thermal solar collector: Configuration suitable for an indirect solar dryer," *Energy Convers. Manag.*, vol. 125, hlm. 209–221, Okt 2016, doi: 10.1016/j.enconman.2016.03.059.
- [39] A. B. Lingayat, V. P. Chandramohan, V. R. K. Raju, dan V. Meda, "A review on indirect type solar dryers for agricultural crops – Dryer setup, its performance, energy storage and important highlights," *Appl. Energy*, vol. 258, hlm. 114005, Jan 2020, doi: 10.1016/j.apenergy.2019.114005.
- [40] O. V. Ekechukwu dan B. Norton, "Review of solar-energy drying systems II: an overview of solar drying technology," *Energy Convers. Manag.*, vol. 40, no. 6, hlm. 615–655, Apr 1999, doi: 10.1016/S0196-8904(98)00093-4.
- [41] S. VijayaVenkataRaman, S. Iniyani, dan R. Goic, "A review of solar drying technologies," *Renew. Sustain. Energy Rev.*, vol. 16, no. 5, hlm. 2652–2670, Jun 2012, doi: 10.1016/j.rser.2012.01.007.
- [42] A. W. Deshmukh, M. Varma, C. Yoo, dan K. Wasewar, "Investigation of Solar Drying of Ginger (*Zingiber officinale*): Empirical Modelling, Drying Characteristics, and Quality Study," *Chin. J. Eng.*, vol. 2014, hlm. 1–7, Mar 2014, doi: 10.1155/2014/305823.
- [43] M. H. Ruslan, A. Fudholi, M. Othman, M. Azmi, M. Yahya, A. Zaharim, dan K. Sopian, "The double-pass solar dryer for drying palm oil fronds," dipresentasikan pada Proceedings of the 10th WSEAS International Conference on System Science and Simulation in Engineering (ICOSSSE '11), Okt 2011, hlm. 143–149.
- [44] M. Augustus Leon, S. Kumar, dan S. C. Bhattacharya, "A comprehensive procedure for performance evaluation of solar food dryers," *Renew. Sustain. Energy Rev.*, vol. 6, no. 4, hlm. 367–393, Agu 2002, doi: 10.1016/S1364-0321(02)00005-9.
- [45] D. V. N. Lakshmi dan M. Palanisamy, "Design And Development of Mixed Mode Forced Convection Solar Dryer For Drying of Curcuma Zeodaria," *ICTEA Int. Conf. Therm. Eng.*, vol. 2019, Mei 2019, Diakses: 2 Mei 2023. [Daring]. Tersedia pada: <https://journals.library.torontomu.ca/index.php/ictea/article/view/1233>
- [46] F. K. Forson, M. A. A. Nazha, F. O. Akuffo, dan H. Rajakaruna, "Design of mixed-mode natural convection solar crop dryers: Application of principles and rules of thumb," *Renew. Energy*, vol. 32, no. 14, hlm. 2306–2319, Nov 2007, doi: 10.1016/j.renene.2006.12.003.
- [47] S. Singh dan S. Kumar, "Testing method for thermal performance based rating of various solar dryer designs," *Sol. Energy*, vol. 86, no. 1, hlm. 87–98, Jan 2012, doi: 10.1016/j.solener.2011.09.009.
- [48] S. Singh dan S. Kumar, "New approach for thermal testing of solar dryer: Development of generalized drying characteristic curve," *Sol. Energy*, vol. 86, no. 7, hlm. 1981–1991, Jul 2012, doi: 10.1016/j.solener.2012.04.001.
- [49] M. F. Hordeski, *Dictionary of energy efficiency technologies*. Lilburn, GA : New York: Fairmont Press ; Distributed by M. Dekker, 2004.



- [50] G. Gan, “A parametric study of Trombe walls for passive cooling of buildings,” *Energy Build.*, vol. 27, no. 1, hlm. 37–43, Feb 1998, doi: 10.1016/S0378-7788(97)00024-8.
- [51] A. A. KRISUNARYA dan F. M. L. NAINGGOLAN, “SIMULASI CFD KARAKTERISTIK HIDRODINAMIKA FERMENTOR BIOETANOL,” Institut Teknologi Sepuluh Nopember, Surabaya, 2017.
- [52] “Mesh Quality | Mesh Visualization Tips,” *SimScale*. <https://www.simscale.com/docs/simulation-setup/meshing/mesh-quality/> (diakses 17 Mei 2023).
- [53] M. Iranmanesh, H. Samimi Akhijahani, dan M. S. Barghi Jahromi, “CFD modeling and evaluation the performance of a solar cabinet dryer equipped with evacuated tube solar collector and thermal storage system,” *Renew. Energy*, vol. 145, hlm. 1192–1213, Jan 2020, doi: 10.1016/j.renene.2019.06.038.
- [54] [CFD] *Pressure-Inlet Boundary Conditions*, (24 Juli 2020). Diakses: 17 Mei 2023. [Daring Video]. Tersedia pada: <https://www.youtube.com/watch?v=Er2j5Kq17as>
- [55] P. D. Tegenaw, M. G. Gebrehiwot, dan M. Vanierschot, “On the comparison between computational fluid dynamics (CFD) and lumped capacitance modeling for the simulation of transient heat transfer in solar dryers,” *Sol. Energy*, vol. 184, hlm. 417–425, Mei 2019, doi: 10.1016/j.solener.2019.04.024.
- [56] S. Khaldi, A. N. Korti, dan S. Abboudi, “Applying CFD for Studying the Dynamic and Thermal Behavior of an Indirect Solar Dryer: Parametric Analysis,” *Mech. Mech. Eng.*, vol. 22, no. 1, hlm. 253–272, Jan 2018, doi: 10.2478/mme-2018-0022.

