

## DAFTAR PUSTAKA

- Abd, El-Hack., M. E., Shafi, M. E., Alghamdi, W. Y., Abdelnour, S. A., Shehata, A. M., Noreldin, A. E., Ashour, E. A., Swelum, A. A., Al-sagan, A. A., Alkhateeb, M., Taha, A. E., Abdel-moneim, A. M. E., Tufarelli, V., and Ragni, M. 2020. Black soldier fly (*Hermetia illucens*) meal as a promising feed ingredient for poultry: A comprehensive review. *Agriculture*. 10:1-31.
- Abd, El-Wahab., A., Kriewitz, J. P., Hankel, J., Chuppava, B., Ratert, C., Taube, V., Visscher, C., & Kamphues, J. 2020. The effects of feed particle size and floortype on the growth performance, gut development, and pododermatitis in broiler chickens. *Animals*. 10:1–18.
- Aguzey, H. A., Gao, Z., Haohao, W., & Guilan, C. 2018. Influence of feed form and particle size on gizzard, intestinal morphology and microbiota composition of broiler chicken. *Poult. Fish. Wildl. Sci*. 6.
- Ahvanooei, M. R. R., Norouzian, M. A., & Vahmani, P. 2021. Beneficial effects of vitamins, minerals, and bioactive peptides on strengthening the immune system against COVID-19 and the role of cow's milk in the supply of these nutrients. *Biol. Trace. Elem. Res*. 4664–4677.
- Ali, M. D., Muhsin, L., and Zainab, R. 2017. Protein estimating in imported poultry feed mixture and soybean meal to Iraq. *Amer. Sci. Res. J. Eng. Tech. Sci*. 28:49-53.
- Ali, M. S., Kang, G. H., Yang, H. S., Jeong, J. Y., Hwang, Y. H., Park, G. B., and Joo, S. T. 2007. A comparison of meat characteristics between duck and chicken breast. *Asian-Aust. J. Anim. Sci*. 20:1002-1006.
- An, S. H., Kim, D. W., and An, B. K. 2016. Effects of dietary calcium levels on productive performance, eggshell quality and overall calcium status in aged laying hens. *Asian-Aust. J. Anim. Sci*. 29:1477-1482.
- Auza, F. A., Purwanti, S., Syamsu, J. A., and Natsir, A. 2021. The effect of substitution of fish meal by maggot meal (*Hermetia Illucens* L.) on the relative length of digestive tract, histomorphology of small intestines and the percentage of carcass parts in native chickens. *J. Poult. Res*. 11:36-46.
- Auza, F. A., Purwanti, S., Syamsu, J. A., and Natsir, A. 2021. The relative weight of internal organs and digestive tract in native chickens age 12 weeks that are given various levels of BSF larvae meal (*Hermetia illucens* L) in the ration. *IOP Conf. Ser.: Earth Environ. Sci*. 788:1-6.
- Banaszak, M., Kuźniacka, J., Biesek, J., Maiorano, G., and Adamski, M. 2020. Meat quality traits and fatty acid composition of breast muscles from ducks fed with yellow lupin. *Animals*. 14:1969-1975.
- Bardocz, S., Grant, G., Ewen, S. W. B., Duguid, T. J., Brown, D. S., Englyst,

- K., and Pusztai, A. 1995. Reversible effect of phytohaemagglutinin on the growth and metabolism of rat gastrointestinal tract. *Gut*. 37:353-360.
- Barragan-Fonseca, K. B., Dicke, M., and van Loon, J. J. A. 2017. Nutritional value of the black soldier fly (*Hermetia illucens* L.) and its suitability as animal feed-a review. *J. Insec. Food Feed*. 3:105-120.
- Bean-Hodgins, L., & Kiarie, E. G. 2021. Mandated restrictions on the use of medically important antibiotics in broiler chicken production in Canada: Implications, emerging challenges, and opportunities for bolstering gastrointestinal function and health-a review. *Canad. J. Anim. Sci*. 101:602-629.
- Behr, M., and Ganesan, K. 2022. Improving polysaccharide-based chitin/chitosan-aerogel materials by learning from genetics and molecular biology. *Materials*. 15:1-23.
- Belkhanchi, H., Ziat, Y., Hammi, M., and Ifguis, O. 2023. Formulation, optimization of a poultry feed and analysis of spectrometry, biochemical composition and energy facts. *South Afric. J. Chem. Eng*. 44:31-41.
- Beski, S. S. M., Swick, R. A., & Iji, P. A. 2015. Specialized protein products in broiler chicken nutrition: A review. *Anim. Nutr.*, 1:47–53.
- Biasato, I., Renna, M., Gai, F., Dabbou, S., Meneguz, M., Perona, G., Martinez, S., Lajusticia, A. C. B., Bergagna, S., Sardi, L., Capucchio, M. T., Bressan, E., Dama, A., Schiavone, A., and Gasco, L. 2019. Partially defatted black soldier fly larva meal inclusion in piglet diets: Effects on the growth performance, nutrient digestibility, blood profile, gut morphology and histological features. *J. Anim. Sci. Biotech*. 10:1-11.
- Borrelli, L., Coretti, L., Dipineto, L., Bovera, F., Menna, F., Chiariotti, L., Nizza, A., Lembo, F., and Fioretti, A. 2017. Insect-based diet, a promising nutritional source, modulates gut microbiota composition and SCFAs production in laying hens. *Scientific Reports*. 7:1-11.
- Carbone, J. W., & Pasiakos, S. M. 2019. Dietary protein and muscle mass: Translating science to application and health benefit. *Nutrition*. 11:1–13.
- Caligiani, A., Marseglia, A., Leni, G., Baldassarre, S., Maistrello, L., Dossena, A., and Sforza, S. 2018. Composition of black soldier fly prepupae and systematic approaches for extraction and fractionation of proteins, lipids and chitin. *Food. Res. Int*. 105:812-820.
- Chen, X., Hu, B., Huang, L., Cheng, L., Liu, H., Hu, J., Hu, S., Han, C., He, H., kang, B., Xu, H., Zhang, R., Wang, J., and Li, L. 2021. The differences in intestinal growth and microorganisms between male and female ducks. *Poult. Sci*. 100:1167-1177.

- Christakos, S., Dhawan, P., Porta, A., Mady, L. J., & Seth, T. 2011. NIH Public Access Published in final edited form as: Mol Cell Endocrinol Vitamin D and Intestinal Calcium Absorption. Mol. Cell. Endocrinol. 347:25–29.
- Classen, H. L., Apajalahti, J., Svihus, B., & Choct, M. 2016. The role of the crop in poultry production. World's. Poult. Sci. J. 72:459–472.
- Clevers, H. 2013. The intestinal crypt, a prototype stem cell compartment. Cell. 154:274.
- Cuppet, S. L., and Soares, J. H. 1972. The metabolize energy value and digestibilities of menhaden fish meal, fish soluble, fish oils. Poult. Sci. 51:2078-2083.
- Dabbou, S., Gai, F., Biasato, I., Capucchio, M. T., Biasibetti, E., Dezzutto, D., Meneguz, M., Plachà, I., Gasco, L., and Schiavone, A. 2018. Black soldier fly defatted meal as a dietary protein source for broiler chickens: Effects on growth performance, blood traits, gut morphology and histological features. J. Anim. Sci. Biotech. 9.
- Dabbou, S., Lauwaerts, A., Ferrocino, I., Biasato, I., Sirri, F., Zampiga, M., Bergagna, S., Pagliasso, G., Gariglio, M., Colombino, E., Narro, C. G., Gai, F., Capucchio, M. T., Gasco, L., Cocolin, L., and Schiavone, A. 2021. Modified black soldier fly larva fat in broiler diet: Effects on performance, carcass traits, blood parameters, histomorphological features and gut microbiota. Animals. 11.
- Daghir, N. J., & Murtada, M. R. 2017. Availability, quality and utilisation of oil seed meals produced in the Middle East and North Africa regions. World's. Poult. Sci. J. 74:45–60.
- Drew, M. D., Syed, N. A., Goldade, B. G., Laarveld, B., and Van Kessel, A. G. 2004. Effects of dietary protein source and level on intestinal populations of *Clostridium perfringens* in broiler chickens. Poult. Sci. 83:414-420.
- Eggink, K. M., Pedersen, P. B., Lund, I., and Dalsgaard, J. 2022. Chitin digestibility and intestinal exochitinase activity in Nile tilapia and rainbow trout fed different black soldier fly larvae meal size fractions. Aqua. Res. 53:5536-5546.
- Facey, H., Kithama, M., Mohammadigheisar, M., Huber, L. A., Shoveller, A. K., and Kiarie, E. G. 2023. Complete replacement of soybean meal with black soldier fly larvae meal in feeding program for broiler chickens from placement through to 49 days of age reduced growth performance and altered organs morphology. Poult. Sci. 102.
- Giannenas, I., Papanephytous, C. P., Tsalie, E., Pappas, I., Triantafyllou, E., Tontis, D., and Kontopidis, G. A. 2014. Dietary supplementation of benzoic acid and essential oil compounds affects buffering capacity of the feeds, performance of turkey poult and their antioxidant status, pH

- in the digestive tract, intestinal microbiota and morphology. *Asian -Aust. J. Anim. Sci.* 27:225–236.
- Graczyk, M., Gornowicz, E., Mucha, S., Lisowski, M., Grajewski, B., Radziszewska, J., Pietrzak, M., and Szwaczkowski, T. 2016. Heritability of some meat quality traits in ducks. *Sci. Ann. Polish. Soc. Anim. Prod.* 12:9–17.
- Gomez, K. A., and A. A. Gomez. 1976. *Statistical Procedures of Agricultural Research*. John Wiley and Sons, Los Banos.
- Gunya, B., Muchenje, V., & Masika, P. J. 2019. The potential of *eisenia foetida* as a protein source on the growth performance, digestive organs size, bone strength and carcass characteristics of broilers. *J. Appl. Poult. Res.* 28:374–382.
- Guo, H., Jiang, C., Zhang, Z., Lu, W., and Wang, H. 2021. Material flow analysis and life cycle assessment of food waste bioconversion by black soldier fly larvae (*Hermetia illucens* L.). *Sci. Total Environm.* 750.
- Heo, J. M., Agyekum, A. K., Nyachoti, C. M., Heo, J. M., Yin, Y. L., and Rideout, T. C. 2014. Feeding a diet containing resistant potato starch influences gastrointestinal tract traits and growth performance of weaned pigs. *J. Anim. Sci.* 92:3906–3913.
- Hossain, M. E., Hoque, M. A., Giorgi, E., Fournié, G., Das, G. B., and Henning, J. 2021. Impact of improved small-scale livestock farming on human nutrition. *Sci. Rep.* 11:1–11.
- Hou, J., Aydemir, B. E., & Dumanli, A. G. 2021. Understanding the structural diversity of chitins as a versatile biomaterial. *Phil. Trans. R. Soc. A: Math. Phy. Eng. Sci.* 379.
- Jha, R., & Mishra, P. 2021. Dietary fiber in poultry nutrition and their effects on nutrient utilization, performance, gut health, and on the environment a review. *J. Anim. Sci. Biotech.* 12:1–16.
- Kathriny, D., Freitas, O. R. De, Oishi, C. A., Parisi, G., and Gonçalves, L. U. 2023. Full-Fat black soldier fly larvae meal in diet for Tambaqui, *Colossoma macropomum*: digestibility, growth performance and economic analysis of feeds. *Animals.* 13:1–13.
- Kawasaki, K., Hashimoto, Y., Hori, A., Kawasaki, T., Hirayasu, H., Iwase, S. I., Hashizume, A., Ido, A., Miura, C., Miura, T., Nakamura, S., Seyama, T., Matsumoto, Y., Kasai, K., and Fujitani, Y. 2019. Evaluation of black soldier fly (*Hermetia illucens*) larvae and pre-pupae raised on household organic waste, as potential ingredients for poultry feed. *Animals.* 9.
- Kementrian Pertanian. 2021. *Populasi itik menurut provinsi (ekor) 2020-2022*. Direktorat Jenderal Peternakan dan Kesehatan Hewan. Jakarta.
- Kementrian Pertanian. 2021. *Statistik peternakan dan kesehatan hewan*

2021. Direktorat Jenderal Peternakan dan Kesehatan Hewan. Jakarta.
- Kiarie, E. G., and Mills, A. 2019. Role of feed processing on gut health and function in pigs and poultry: Conundrum of optimal particle size and hydrothermal regimens. *Front. Vet. Sci.* 6:1–13.
- Kienzie, E., Dobenecker, B., & Eber, S. 2001. Effect of cellulose on the digestibility of high starch versus high fat diets in dogs. *J. Anim. Phys. Anim. Nutr.* 85:174–185.
- Kleyheeg, E., Claessens, M., & Soons, M. B. 2018. Interactions between seed traits and digestive processes determine the germinability of bird-dispersed seeds. *PLoS ONE.* 13:1–15.
- Kokoszyski, D., Saleh, M., Bernacki, Z., Kotowicz, M., Sobczak, M., Å»ochowska-Kujawska, J., and Staczny, K. 2018. Digestive tract morphometry and breast muscle microstructure in spent breeder ducks maintained in a conservation programme of genetic resources. *Archiv. Anim. Breed.* 61:373–378.
- Kokoszyński, D., Wasilewski, R., Saleh, M., Piwczyński, D., Arpášová, H., Hrnčar, C., and Fik, M. 2019. Growth performance, body measurements, carcass and some internal organs characteristics of pekin ducks. *Animals.* 9.
- Kokoszyński, D., Wasilewski, R., Saleh, M., Piwczyński, D., Arpášová, H., Hrnčar, C., & Fik, M. 2019. Growth performance, body measurements, carcass and some internal organs characteristics of pekin ducks. *Animals.* 9.
- Kowalska, E., Kucharska-Gaca, J., Kuźniacka, J., Biesek, J., Banaszak, M., & Adamski, M. 2020. Effects of legume-diet and sex of ducks on the growth performance, physicochemical traits of meat and fatty acid composition in fat. *Sci. Rep.* 10:1–12.
- Lasek, O., Barteczko, J., Barć, J., & Micek, P. 2020. Nutrient content of different wheat and maize varieties and their impact on metabolizable energy content and nitrogen utilization by broilers. *Animals.* 10:1–14.
- Li, P., Hou, D., Zhao, H., Peng, K., Chen, B., Guo, H., and Cao, J. 2022. Effects of dietary arginine levels on intestinal morphology, digestive enzyme activity, antioxidant capacity and intestinal flora of hybrid snakehead. *Aqua. Rep.* 25.
- Libatique, F. O. 2020. Growth performance, hematological profile and sensory characteristics of pekin ducks fed with different levels of trichanthera gigantea leaf meal. *J. Critic. Review.* 7:134–142.
- Liermann, W., Bochnia, M., Berk, A., Bösch, V., Hüther, L., Zeyner, A., and Dänicke, S. 2019. Effects of feed particle size and hydro-thermal processing methods on starch modification, nutrient digestibility and the performance and the gastrointestinal tract of broilers. *Animals.* 9.

- Lilburn, M. S., and Loeffler, S. 2015. Early intestinal growth and development in poultry. *Poult. Sci.* 94:1569–1576.
- Liu, X., Chen, X., Wang, H., Yang, Q., Ur Rehman, K., Li, W., Cai, M., Li, Q., Mazza, L., Zhang, J., Yu, Z., and Zheng, L. 2017. Dynamic changes of nutrient composition throughout the entire life cycle of black soldier fly. *PLoS ONE*. 12:1–21.
- Liu, Y., Zhou, J., Musa, B. B., Khawar, H., Yang, X., Cao, Y., & Yang, X. 2020. Developmental changes in hepatic lipid metabolism of chicks during the embryonic periods and the first week of posthatch. *Poult. Sci.* 99:1655–1662.
- Lu, R., Chen, Y., Yu, W., Lin, M., Yang, G., Qin, C., Meng, X., Zhang, Y., Ji, H., and Nie, G. 2020. Defatted black soldier fly (*Hermetia illucens*) larvae meal can replace soybean meal in juvenile grass carp (*Ctenopharyngodon idellus*) diets. *Aqua. Rep.* 18.
- Lu, S., Taethaisong, N., Meethip, W., Surakhunthod, J., Sinpru, B., Sroichak, T., Archa, P., Thongpea, S., Paengkoum, S., Purba, R. A. P., and Paengkoum, P. 2022. Nutritional composition of black soldier fly larvae (*Hermetia illucens* L.) and its potential uses as alternative protein sources in animal diets: a review. *Insects*. 13:1–17.
- Mabelebele, M. and Noorri, D. 2017. Digesta pH and histomorphology of the gastrointestinal tract of *Gallus Domesticus*. Brazil. *J. Poult. Sci.* 19:339–346.
- Mafruchati, M. 2020. Duck meat, delicious yet low in unsaturated fat; comparative study between duck meat consumption in ASEAN toward the number of COVID cases. *System. Rev. Pharm.* 11:519–523.
- Marono, S., Piccolo, G., Loponte, R., Meo, C. Di, Attia, Y. A., Nizza, A., and Bovera, F. 2015. In vitro crude protein digestibility of *Tenebrio molitor* and *Hermetia illucens* insect meals and its correlation with chemical composition traits. *Ital. J. Anim. Sci.* 14:338–343.
- Metzler-Zebeli, B. U., Canibe, N., Montagne, L., Freire, J., Bosi, P., Prates, J. A. M., Tanghe, S., and Trevisi, P. 2019. Resistant starch reduces large intestinal pH and promotes fecal *Lactobacilli* and *Bifidobacteria* in pigs. *Animals*. 13:64–73.
- Nguyen, D. T. N. 2021. Relationship between the ratio of villous height: crypt depth and gut bacteria counts as well production parameters in broiler chickens. *The J. Agri. Dev.* 20:1–10.
- Nirwana, Mujnisa, A., and Jamilah. 2021. Length and weight of small intestine and digestion rate of quail, with the addition of beluntas leaf flour (*Pluchea indica* L.) to the ration. *IOP. Conf. Ser.: Earth and Environ. Sci.* 788.



- NRC. 1994. Nutrient Requirement of Poultry. 9<sup>th</sup> ed. National Research Council. National Academy Press. Washington D.C.
- Nursiam, I., Ridla, M., Hermana, W., and Nahrowi. 2021. Effect of fiber source on growth performance and gastrointestinal tract in broiler chickens. IOP. Conf. Ser.: Earth and Enviro. Sci. 788.
- Peng, M., Salaheen, S., and Biswas, D. 2014. Animal Health: Global Antibiotic Issues. Encycl. Agri. Food. System. 1:346–357.
- Poorghasemi, M., Seidavi, A., Qotbi, A. A. A., Laudadio, V., & Tufarelli, V. 2013. Influence of dietary fat source on growth performance responses and carcass traits of broiler chicks. Asian-Aust. J. Anim. Sci. 26:705–710.
- Qaisrani, S. N., Moquet, P. C. A., Van Krimpen, M. M., Kwakkel, R. P., Verstegen, M. W. A., and Hendriks, W. H. 2014. Protein source and dietary structure influence growth performance, gut morphology, and Hindgut fermentation characteristics in broilers. Poult. Sci. 93:3053–3064.
- Rao, J. N., Xiao, L., and Wang, J. Y. 2020. Polyamines in gut epithelial renewal and barrier function. Phys. 35:328–337.
- Ravindran, V., and Reza Abdollahi, M. 2021. Nutrition and digestive physiology of the broiler chick: State of the art and outlook. Animals. 11.
- Rawski, M., Mazurkiewicz, J., Kierończyk, B., and Józefiak, D. 2020. Black soldier fly full-fat larvae meal as an alternative to fish meal and fish oil in siberian sturgeon nutrition: The effects on physical properties of the feed, animal growth performance, and feed acceptance and utilization. Animals. 10:1–19.
- Sanchez, J., Barbut, S., Patterson, R., and Kiarie, E. G. 2021. Impact of fiber on growth, plasma, gastrointestinal and excreta attributes in broiler chickens and turkey poults fed corn- or wheat-based diets with or without multienzyme supplement. Poult. Sci. 100.
- Schiavone, A., De Marco, M., Martínez, S., Dabbou, S., Renna, M., Madrid, J., Hernandez, F., Rotolo, L., Costa, P., Gai, F., and Gasco, L. 2017. Nutritional value of a partially defatted and a highly defatted black soldier fly larvae (*Hermetia illucens* L.) meal for broiler chickens: Apparent nutrient digestibility, apparent metabolizable energy and apparent ileal amino acid digestibility. J. Anim. Sci. Biotech. 8.
- Senkoylu, N., & Dale, N. 2006. Nutritional evaluation of a high-oil sunflower meal in broiler starter diets. J. Appl. Poult. Res. 15:40–47.
- Setiawan, H., Alfatah, R., Putra, I. L. I., and Nashikudin, A. N. 2022. The effectiveness combination of maggot with commercial feed on growth, structure of intestine and skeletal muscle mutiara catfish. J. Aqua. Fish.

Health. 11:70–80.

- Setyawan, F. R., N, Y. L. R. E., Suhendra, D., and Iqbal, S. 2022. Addition of *Azolla Microphylla* to feed on the digestive tract of Magelang Ducks. *J. Trop. Anim. Sci. Tech.* 4:162–171.
- Seyyedini, S., and Nazem, M. N. 2017. Histomorphometric study of the effect of methionine on small intestine parameters in rat: An applied histologic study. *Folia. Morph.* 76:620–629.
- Siddiqui, S. A., Ristow, B., Rahayu, T., Putra, N. S., Widya Yuwono, N., Nisa', K., Mategeko, B., Smetana, S., Saki, M., Nawaz, A., and Nagdalian, A. 2022. Black soldier fly larvae (BSFL) and their affinity for organic waste processing. *Waste Management.* 140:1–13.
- Simon, Á., Gulyás, G., Mészár, Z., Bhide, M., Oláh, J., Bai, P., Csősz, É., Jávora, A., Komlósi, I., Remenyik, J., and Czeglédi, L. 2019. Proteomics alterations in chicken jejunum caused by 24 h fasting. *PeerJ.* 8:1–19.
- Skřivanová, E., Pražáková, Š., Benada, O., Hovorková, P., and Marounek, M. 2014. Susceptibility of *Escherichia coli* and *Clostridium perfringens* to sucrose monoesters of capric and lauric acid. *Czech. J. Anim. Sci.* 59:374–380.
- Stefanello, C., Vieira, S. L., Rios, H. V., Simões, C. T., & Sorbara, J. O. B. 2016. Energy and nutrient utilisation of broilers fed soybean meal from two different Brazilian production areas with an exogenous protease. *Anim. Feed. Sci. Tech.* 221:267–273.
- Svihus, B. 2014. Function of the digestive system. *J. Appl. Poult. Res.* 23:306–314.
- van Dijk, M., Morley, T., Rau, M. L., & Saghai, Y. 2021. A meta-analysis of projected global food demand and population at risk of hunger for the period 2010–2050. *Nature Food.* 2:494–501.
- Viskupicova, J., Danihelova, M., Majekova, M., Liptaj, T., & Sturdik, E. (2012). Polyphenol fatty acid esters as serine protease inhibitors: A quantum-chemical QSAR analysis. *J. Enzym. Inhib. Med. Chemist.* 27:800–809.
- Wester, T. J., Singh, Y., Ravindran, V., Molan, A. L., & Ravindran, G. 2014. Influence of feeding coarse corn on performance, nutrient utilization, digestive tract measurements, carcass characteristics, and cecal microflora counts of broilers. *Poult. Sci.* 93:607–616.
- Yang, J., Cui, H., Teng, Q., Ma, W., Li, X., Wang, B., Yan, D., Chen, H., Liu, Q., and Li, Z. 2019. Ducks induce rapid and robust antibody responses than chickens at early time after intravenous infection with H9N2 avian influenza virus. *Virology J.* 16:1–8.
- Yeagel, L. P. 2014. Non-covalent binding of membrane lipids to membrane proteins. *Biochimica et Biophysica Acta.* 1838:1548-1559.



- Yuan, M., Liu, S., Wang, Z., Wang, L., Xue, B., Zou, H., Tian, G., Cai, J., & Peng, Q. 2019. Effects of particle size of ground alfalfa hay on caecal bacteria and archaea populations of rabbits. *PeerJ* .10
- Zaefarian, F., Abdollahi, M. R., Cowieson, A., & Ravindran, V. 2019. Avian liver: The forgotten organ. *Animals*. 9:1–23.
- Zhao, J., Pan, J., Zhang, Z., Chen, Z., Mai, K., & Zhang, Y. 2023. Fishmeal protein replacement by defatted and full-fat black soldier fly larvae meal in Juvenile Turbot diet: effects on the growth performance and intestinal microbiota. *Aqua. Nutr.* 1-14.
- Zozo, B., Wicht, M. M., Mshayisa, V. V., & van Wyk, J. 2022. The nutritional quality and structural analysis of black soldier fly larvae flour before and after Defatting. *Insects*. 13: 1–10.