

DAFTAR PUSTAKA

- Austin EJ, Mihm M, Ryan MP, Williams DH and Roche JF 1999. Effect of duration of dominance of the ovulatory follicle on the onset of estrus and fertility in heifers. *Journal of Animal Science* 77, 2219–2226.
- Anonim. (2012). *Body condition score for beef cattle*. FutureBeef. Diakses pada 19 Mei 2023 melalui laman: <https://futurebeef.com.au/resources/body-condition-score-for-beef-cattle/>
- Arthur, G.H., Noakes, D.E. and Pearson, H. (1996). *Veterinary Reproduction and obstetrics. 7th Ed*. Balliere and Tindal, London, pp. 197-201.
- Ayres H, Ferreira RM, Torres-Junior JRS, Demetrio CGB, de Lima, Baruselli PS. (2009). Validation of body condition score as a predictor of subcutaneous fat in Nelore (*Bos indicus*) cows. *Liv Sci* 123: 175-179.
- Bastidas, P., Troconiz, J.V., Verde, D. and Silva, O. (1984). Effect of restricted suckling on ovarian activity and uterine involution in Brahman cows. *Theriogenology* 21: 532.
- Brickell JS, Bourne N, Cheng Z, Wathes DC. (2007). Influence of plasma IGF-1 concentrations and body weight at 6 months on age at first calving in dairy heifers on commercial farms. *Reprod Domest Anim* 42(2): 118.
- Britt, J. H., Kittok, R. J., & Harrison, D. S. (1974). *Ovulation, Estrus and Endocrine Response after GnRH in Early Postpartum Cows*. *Journal of Animal Science*, 39(5), 915–919.
- Corah LR, Dunn, Kaltenbach CC. (1975). Influence of peripartum nutrition on the reproductive performance of beef females and the performance of their progeny. *J Anim Sci* 41, 819-824
- Crowe MA, Padmanabhan V, Mihm M, Beitins IZ and Roche JF 1998. Resumption of follicular waves in beef cows is not associated with periparturient changes in follicle-stimulating hormone heterogeneity despite major changes in steroid and luteinizing hormone concentrations. *Biology of Reproduction* 58, 1445–1450.
- Diskin, M. G., & Kenny, D. A. (2016). Managing the reproductive performance of beef cows. *Theriogenology*, 86(1), 379–387.
- Dunn TG, Kaltenbach CC. (1980). Nutrition and the *postpartum* periode of the ewe, sow, and cow. *J Anim Sci* 51 (2) : 29-39.
- D'Occhio, M. J., Baruselli, P. S., & Campanile, G. (2018). Influence of nutrition, body condition, and metabolic status on reproduction in female beef cattle: A review. *Theriogenology* 125, 277-284.

- Dwitarizki, N.D., Achadri, Y., Tyasari, F.G. 2018. Pengaruh Body Condition Score terhadap Service per Conception dan Gangguan Reproduksi pada Sapi Peranakan Ongole dan Simmental. *Agronomika* 12 (2) : 140 – 146.
- Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2017. *Statistik Peternakan dan Kesehatan Hewan*. Kementerian Pertanian RI.
- Edquist, L.E., Lindell, J.O. and Kindahl, H. (1978). *Proc. 9th Int. Anim. Reprod. Artific.* Madrid: Insem.
- Elmetwally M., Bollwein H. (2017). Uterine blood flow in sheep and goats during the peri-parturient period assessed by transrectal Doppler sonography. *Anim Reprod Sci* 176: 32-39.
- Fatmawati., Rostin., Baso, J.N. 2016. Faktor-Faktor yang Mempengaruhi Permintaan Daging Sapi di Indonesia. *Jurnal Ekonomi (JE) Vol.1 (1), April 2016. E-ISSN: 2503-1937. Page 128-134.*
- Fortune JE, Rivera GM, Yang MY. 2004. Follicular development: the role of the follicular microenvironment in selection of the dominant follicle. *Anim Reprod Sci* 82: 109 – 126.
- Gordan, I. (1996). *Controlled reproduction in cattle and buffaloes*. CAB International, Wallingford, UK. 215-244.
- Gier, H.T., Marion, G.B (1968). Uterus of the cow after parturition involutionary changes. *J. Vet. Res.*, 29: 83-98.
- Gutierrez, C.G., Oldham, J., Bramely, S.A., Gong, J.G., Campbell, B.K. and Webb, R. (1997). The recruitment of ovarian follicles is enhanced by increased dietary intake in heifers. *J. Anim. Sci.*, 76: 1876-1884.
- Ghozali, Imam. 2012. *Aplikasi Analisis Multivariate dengan Program IBM SPSS*. Yogyakarta: Universitas Diponegoro.
- H., B. P. J., Peters, A. R., & Peters, A. R. (2004). *Reproduction in cattle*. Blackwell Pub.
- Hafez, E.S. (2000). *Reproduction in Farm Animals*. 4th Ed. Lea and Febiger Philadelphia.
- Jolly, P.D., Mc Dougall, S., Fitzpatrick, L.A., Macmillan, K.L. and Entwistle, K.W. (1995). Physiological effect of under nutrition on *postpartum* anoestrus in cows. *J. Reprod. Fertil.*, 49: 477-492.
- Kawwass JF, Summer R, Kallen CB. (2015). Direct effects of leptin and adiponectin on peripheral reproductive tissues; a critical review. *Mol Hum Reprod* 21: 617.

- Kyle SD, Callahan CJ and Allrich RD 1992. Effect of progesterone on the expression of estrus at the first *postpartum* ovulation in dairy cattle. *Journal of Dairy Science* 75, 1456–1460.
- Miettinen, P.V.A. (1990). Uterine involution in finish dairy cows. *Acta Vet. Scand.*, 31: 181-185.
- Murphy MG, Boland MP, and Roche JF. (1990). Pattern of follicular growth and resumption of ovarian activity in post-partum beef suckler cows. *Journal of Reproduction and Fertility* 90, 523–533.
- Montiel, F., dan Ahuja, C. (2005). Body condition and suckling as factors influencing the duration of *postpartum* anestrus in cattle: a review. *Animal Reproduction Science* 85, 1 – 26.
- McClure, T.J. (1994). *Nutritional and Metabolic Infertility in Cows*. CAB international, UK.
- McNeilly, A. S. (1988). *Suckling and the control of gonadotropin secretion The Physiology of Reproduction*. Raven Press, New York.
- Noakes, D.E., Parkinson, T.J. and England, G.C. W. (2001). *Arthur's Veterinary and Obstetrics*. 8th ed. London: Baillere and Tindal.
- Noakes, D.E., Parkinson, T.J., and England, G.C.W. (2019). *Veterinary Reproduction and Obstetric*. 10th ed. London : Baillere and Tindal.
- Peter AT, Bosu WT, Liptrap RM and Cummings E. (1989). Temporal changes in serum prostaglandin F(2alpha) and oxytocin in dairy cows with short luteal phases after the first *postpartum* ovulation. *Theriogenology* 32, 277–284.
- Queensland Government. 2015. *Animal Care and Protection Act*. Queensland Government.
- Rao, A.V., Babu, M.S. and Rao, H.R. (1997). Effect of level of milk production on fertility traits Jersey cows. *Indian Vet. J.*, 74: 138-140
- Rizki, Humaidah, N., Suryanto, D. 2022. Studi Kasus Kawing Berulang (*Repeat Breeding*) Pada Sapi Potong Di Kecamatan Tangaran Kabupaten Sambas Kalimantan Barat. *Jurnal Dinamika Rekasatwa* 5 (1) : 32 – 37.
- Rusdiana, S. (2019). Fenomena Kebutuhan Pangan Asal Daging Dapat Dipenuhi Melalui Peningkatan Usaha Sapi Potong Di Petani. *Journal on Socio - Economics of Agriculture and Agribusiness* 13 (1) : 61 – 83.
- Rutter, L. M., & Randel, R. D. (1984). *Postpartum* Nutrient Intake and Body Condition: Effect on Pituitary Function and Onset of Estrus in Beef Cattle. *Journal of Animal Science*, 58(2), 265–274.
- Roberts, A.J., Nugent, R.A, Klindt, J. and Jenkins, T.G. (1997). Circular insulin like growth factors-1, Insulin like growth factor Sbinding proteins,

growth hormones and resumption of estrous in *postpartum* cows subjected to dietary energy restriction. *J. Anim. Sci.*, 75: 1909-1917.

Savio JD, Boland MP, and Roche JF. (1990). Development of dominant follicles and length of ovarian cycles in post-partum dairy cows. *Journal of Reproduction and Fertility* 88, 581–591.

Sinclair KD, Revilla R, Roche JF, Quintans G, Sanz A, Mackey DR and Diskin MG (2002). Ovulation of the first dominant follicle arising after day 21 *postpartum* in suckling beef cows. *Journal of Animal Science* 75, 115–126.

Sujarweni, V.W. (2014). *Metode Penelitian: Lengkap, Praktis, dan Mudah dipahami*. Yogyakarta: Pustaka Baru Press.

Socheh, M., Saleh, D.M., Widiawati. (2017). Post Partum Heat dan Intensitas Estrus Induk Sapi Brahman Berbasis Penyapihan Umur Pedet yang Berbeda. *Prosiding Seminar Teknologi dan Agribisnis Peternakan V*.

Sopiyudin, D. (2014). *Statistik Untuk Kedokteran dan Kesehatan*. Jakarta: Epidemiologi Indonesia.

Stagg K, Spicer LJ, Sreenan JM, Roche JF, Diskin MG. (1998). Effect of calf isolation on follicular wave dynamics, gonadotropin and metabolic hormone changes, and periode to first ovulation in beef cows fed either of two energy levels *postpartum*. *Biol Reprod* 59: 77–83.

Stagg K, Diskin MG, Sreenan JM and Roche JF. (1995). Follicular development in long-term anoestrous suckler beef cows fed two levels of energy *postpartum*. *Animal Reproduction Science* 38, 49–61.

Velazquez, M. A., Spicer, L. J., & Wathes, D. C. (2008). The role of endocrine insulin-like growth factor-I (IGF-I) in female bovine reproduction. *Domestic Animal Endocrinology*, 35(4), 325–342.

Wylie ARG. (2011). Leptin in farm animals: where are we and where can we go? *Animal* 5: 246.

Zollers WG Jr, Garverick HA, Smith MF, Moffatt RJ, Salfen BE and Youngquist RS (1993). Concentrations of progesterone and oxytocin receptors in endometrium of *postpartum* cows expected to have a short or normal oestrous cycle. *Journal of Reproduction and Fertility* 97, 329–3337.