

## DAFTAR PUSTAKA

- Abdullahi, A., Amini-Nik, S., & Jeschke, M. G. (2014). Animal models in burn research. *Cellular and Molecular Life Sciences*, 71(17), 3241–3255. <https://doi.org/10.1007/s00018-014-1612-5>
- Adhya, A., Bain, J., Dutta, G., Hazra, A., Majumdar, B., Ray, O., Ray, S., & Adhikari, S. (2015). Healing of burn wounds by topical treatment: A randomized controlled comparison between silver sulfadiazine and nano-crystalline silver. *Journal of Basic and Clinical Pharmacy*, 6(1), 29. <https://doi.org/10.4103/0976-0105.145776>
- Ahuja, R. B., Puri, V., Gibran, N., Greenhalgh, D., Jeng, J., Mackie, D., Moghazy, A., Moiemmen, N., Palmieri, T., Peck, M., Serghiou, M., Watson, S., Wilson, Y., Altamirano, A. M., Atieh, B., Bolgiani, A., Carrougher, G., Edgar, D., Guerrero, L., ... van Zuijlen, P. (2016). ISBI Practice Guidelines for Burn Care. *Burns*, 42(5), 953–1021. <https://doi.org/10.1016/j.burns.2016.05.013>
- Akdis, M., Palomares, O., Van De Veen, W., Van Splunter, M., & Akdis, C. A. (2012). T H17 and T H22 cells: A confusion of antimicrobial response with tissue inflammation versus protection. *Journal of Allergy and Clinical Immunology*, 129(6), 1438–1449. <https://doi.org/10.1016/j.jaci.2012.05.003>
- American Burn Association. (2018). Advanced Burn Life Support Course Provider Manual. *American Burn Association*, 20(312), 91.
- Banwell, P., & Téot, L. (2006). Topical negative pressure (TNP): the evolution of a novel wound therapy. *Journal of Tissue Viability*, 16(1), 16–24. [https://doi.org/10.1016/S0965-206X\(06\)61004-8](https://doi.org/10.1016/S0965-206X(06)61004-8)
- Bunman, S., Dumavibhat, N., Chatthanawaree, W., ntalapaporn, S., Thuwachaosuan, T., & Thongchuan, C. (2017). Burn Wound Healing: Pathophysiology and Current Management of Burn Injury. *The Bangkok Medical Journal*, 13(02), 91–98.

<https://doi.org/10.31524/bkkmedj.2017.09.017>

Butler, K. L., Ambravaneswaran, V., Agrawal, N., Bilodeau, M., Toner, M., Tompkins, R. G., Fagan, S., & Irimia, D. (2010). Burn injury reduces neutrophil directional migration speed in microfluidic devices. *PLoS ONE*, 5(7). <https://doi.org/10.1371/journal.pone.0011921>

Chen, D., Zhao, Y., Li, Z., Shou, K., Zheng, X., Li, P., Qi, B., & Yu, A. (2017). Circulating fibrocyte mobilization in negative pressure wound therapy. *Journal of Cellular and Molecular Medicine*, 21(8), 1513–1522. <https://doi.org/10.1111/jcmm.13080>

Chen, X., Li, J., Li, Q., Zhang, W., Lei, Z., Qin, D., Pan, Z., Li, J., & Li, X. (2019). *Spatial – Temporal Changes of Mechanical Microenvironment in Skin Wounds During Negative Pressure Wound Therapy*. <https://doi.org/10.1021/acsbiomaterials.8b01554>

Dans, B., Tiers, L. E., Des, M., Satisfaire, B. À., Stokes, M. A. R., & Johnson, W. D. (2017). *5Stokes 2017 Ann-Burns-and-Fire-Disasters-30-243*. XXX(December), 243–246.

Entezami, K. Z., & Mosavi, T. (2017). Determination of lymphocytes surface markers in patients with thermal burns and the influence of burn size on mononuclear cell subsets. *Medical Journal of the Islamic Republic of Iran*, 31(1), 219–223. <https://doi.org/10.14196/MJIRI.31.38>

Gonzalez, A. C. D. O., Andrade, Z. D. A., Costa, T. F., & Medrado, A. R. A. P. (2016). Wound healing - A literature review. *Anais Brasileiros de Dermatologia*, 91(5), 614–620. <https://doi.org/10.1590/abd1806-4841.20164741>

Hampson, P., Dinsdale, R. J., Wearn, C. M., Bamford, A. L., Bishop, J. R. B., Hazeldine, J., Moiemmen, N. S., Harrison, P., & Lord, J. M. (2017). Neutrophil dysfunction, immature granulocytes, and cell-free DNA are early biomarkers of sepsis in burn-injured patients: A prospective observational cohort study. *Annals of Surgery*, 265(6), 1241–1249.

<https://doi.org/10.1097/SLA.0000000000001807>

- Hoekstra, M. J., Hupkens, P., Dutrieux, R. P., Bosch, M. M. C., Brans, T. A., & Kreis, R. W. (1993). A comparative burn wound model in the New Yorkshire pig for the histopathological evaluation of local therapeutic regimens: silver sulfadiazine cream as a standard. *British Journal of Plastic Surgery*, *46*(7), 585–589. [https://doi.org/10.1016/0007-1226\(93\)90111-N](https://doi.org/10.1016/0007-1226(93)90111-N)
- Jeschke, M. G., van Baar, M. E., Choudhry, M. A., Chung, K. K., Gibran, N. S., & Logsetty, S. (2020). Burn injury. *Nature Reviews Disease Primers*, *6*(1). <https://doi.org/10.1038/s41572-020-0145-5>
- Kaddoura, I., Abu-Sittah, G., Ibrahim, A., Karamanoukian, R., & Papazian, N. (2017). Burn injury: review of pathophysiology and therapeutic modalities in major burns. *Annals of Burns and Fire Disasters*, *30*(2), 95–102. <http://www.ncbi.nlm.nih.gov/pubmed/29021720> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5627559>
- Kim, E., & Drew, P. J. (2022). Management of burn injury. *Surgery (United Kingdom)*, *40*(1), 62–69. <https://doi.org/10.1016/j.mpsur.2021.11.006>
- Kurniawan, I. D. (2021). ‘Pengaruh terapi luka tekanan negatif terhadap angiogenesis pada luka dermal dalam pada babi yorkshire’ [thesis]. FKK-MK Universitas Gadjah Mada.
- Lateef, Z., Stuart, G., Jones, N., Mercer, A., Fleming, S., & Wise, L. (2019). The cutaneous inflammatory response to thermal burn injury in a Murine model. *International Journal of Molecular Sciences*, *20*(3). <https://doi.org/10.3390/ijms20030538>
- Leong, M., Murphy, K. D., & Phillips, L. G. (2016). Wound Healing. In *Sabiston Textbook of Surgery* (Twentieth Edition). Elsevier Inc. <https://doi.org/10.1016/B978-0-323-29987-9.00006-0>
- Lessing, M. C., James, R. B., & Ingram, S. C. (2013). Comparison of the Effects of Different Negative Pressure Wound Therapy Modes-Continuous, Noncontinuous, and With Instillation-on Porcine Excisional Wounds. *Eplasty*,

13,

e51.

<http://www.ncbi.nlm.nih.gov/pubmed/24106564><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3791820>

Lin, D. Z., Kao, Y. C., Chen, C., Wang, H. J., & Chiu, W. K. (2021). Negative pressure wound therapy for burn patients: A meta-analysis and systematic review. *International Wound Journal*, 18(1), 112–123. <https://doi.org/10.1111/iwj.13500>

Liu, Y., Zhou, Q., Wang, Y., Liu, Z., Dong, M., Wang, Y., Li, X., & Hu, D. (2014). Negative pressure wound therapy decreases mortality in a murine model of burn-wound sepsis involving pseudomonas aeruginosa infection. *PLoS ONE*, 9(2), 1–7. <https://doi.org/10.1371/journal.pone.0090494>

Mulder, P. P. G., Vlig, M., Boekema, B. K. H. L., Stoop, M. M., Pijpe, A., van Zuijlen, P. P. M., de Jong, E., van Cranenbroek, B., Joosten, I., Koenen, H. J. P. M., & Ulrich, M. M. W. (2021). Persistent Systemic Inflammation in Patients With Severe Burn Injury Is Accompanied by Influx of Immature Neutrophils and Shifts in T Cell Subsets and Cytokine Profiles. *Frontiers in Immunology*, 11(January), 1–13. <https://doi.org/10.3389/fimmu.2020.621222>

Nahdarina, R., & Margono, H. M. (2020). Role of Psychiatrist in Consultation-Liaison Psychiatry for Burn Injury Patient. *Jurnal Psikiatri Surabaya*, 9(1), 25. <https://doi.org/10.20473/jps.v9i1.17399>

Nielson, C. B., Duethman, N. C., Howard, J. M., Moncure, M., & Wood, J. G. (2017). Burns: Pathophysiology of Systemic Complications and Current Management. *Journal of Burn Care and Research*, 38(1), e469–e481. <https://doi.org/10.1097/BCR.0000000000000355>

Norman, G., Goh, E. L., Dumville, J. C., Shi, C., Liu, Z., Chiverton, L., Stankiewicz, M., & Reid, A. (2020). Negative pressure wound therapy for surgical wounds healing by primary closure. *The Cochrane Database of Systematic Reviews*, 5, CD009261. <https://doi.org/10.1002/14651858.CD009261.pub5>

- Ramli, R. N., Prawoto, A. N., Riasa, N. P., Saputro, I. D., & Mas'ud, A. F. (2021). Epidemiology and knowledge of first aid treatment related to burn injury in the rural region of kulon progo, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 9(E), 101–108. <https://doi.org/10.3889/oamjms.2021.5649>
- Resadita, Reagan et al. “The effect of NPWT in wound healing and bacterial count on deep dermal burn injury model: An experimental study.” *Annals of medicine and surgery* (2022) vol. 75 103367. 12 Feb. 2022, doi:10.1016/j.amsu.2022.103367
- Scott D Kobayashi, F. R. D. (2009). Towards a comprehensive understanding of the role of neutrophils in innate immunity: a systems biology-level approach. *Wiley Interdisciplinary Reviews. Systems Biology and Medicine*, 1(3), 309–333. <https://doi.org/10.1002/wsbm.32>.Towards
- Serra, M. B., Barroso, W. A., Silva, N. N. Da, Silva, S. D. N., Borges, A. C. R., Abreu, I. C., & Borges, M. O. D. R. (2017). From Inflammation to Current and Alternative Therapies Involved in Wound Healing. *International Journal of Inflammation*, 2017. <https://doi.org/10.1155/2017/3406215>
- Seswandhana, R et al. (2021) “A Modified Method To Create A Porcine Deep Dermal Burn Model.” *Annals of burns and fire disasters* vol. 34,2 : 187-191.
- Seswandhana, M. R. (2022). ‘Peran Terapi Luka Tekanan Negatif pada Penyembuhan Luka Bakar Thermal Dermal Dalam pada Babi: Kajian pada Observasi Laju Epitelisasi, Kontraksi Luka, Migrasi Sel Punca Epidermal, Interleukin-33, Matrix Metalloproteinase-9, Transforming Growth Factor-Factor’ [dessertation]. FKK-MK Universitas Gadjah Mada.
- Sierawska, O., Małkowska, P., Taskin, C., Hryniewicz, R., Mertowska, P., Grywalska, E., Korzeniowski, T., Torres, K., Surowiecka, A., Niedźwiedzka-Rystwej, P., & Strużyna, J. (2022). Innate Immune System Response to Burn Damage—Focus on Cytokine Alteration. *International Journal of Molecular Sciences*, 23(2). <https://doi.org/10.3390/ijms23020716>

- Sinha, K., Chauhan, V. D., Maheshwari, R., Chauhan, N., Rajan, M., & Agrawal, A. (2013). *Vacuum Assisted Closure Therapy versus Standard Wound Therapy for Open Musculoskeletal Injuries*. 2013.
- Sogorski, A., Lehnhardt, M., Goertz, O., Harati, K., Kapalschinski, N., Hirsch, T., Daigeler, A., & Kolbenschlag, J. (2018). Improvement of local microcirculation through intermittent Negative Pressure Wound Therapy (NPWT). *Journal of Tissue Viability*, 27(4), 267–273. <https://doi.org/10.1016/j.jtv.2018.08.004>
- Strudwick, X. L., & Cowin, A. J. (2018). The Role of the Inflammatory Response in Burn Injury. *Hot Topics in Burn Injuries*. <https://doi.org/10.5772/intechopen.71330>
- Tegtmeyer, L. C., Herrnsstadt, G. R., Maier, S. L., Thamm, O. C., Klinke, M., Reinshagen, K., & Koenigs, I. (2018). Retrospective analysis on thermal injuries in children—Demographic, etiological and clinical data of German and Austrian pediatric hospitals 2006–2015—Approaching the new German burn registry. *Burns*, 44(1), 150–157. <https://doi.org/10.1016/j.burns.2017.05.013>
- Tiwari, V. K. (2012). Burn wound: How it differs from other wounds. *Indian Journal of Plastic Surgery*, 45(2), 364–373. <https://doi.org/10.4103/0970-0358.101319>
- Trainor, D., & McClure, J. (2014). Critical care management of inhalational injury and severe burns. *Anaesthesia and Intensive Care Medicine*, 15(9), 415–419. <https://doi.org/10.1016/j.mpaic.2014.06.010>
- Verhoeckx, K., Cotter, P., López-Expósito, I., Kleiveland, C., Lea, T., Mackie, A., Requena, T., Swiatecka, D., & Wichers, H. (2015). The impact of food bioactives on health: In vitro and Ex Vivo models. *The Impact of Food Bioactives on Health: In Vitro and Ex Vivo Models*, 1–327. <https://doi.org/10.1007/978-3-319-16104-4>
- Wackenfors, A., Sjogren, JohanGustafsson, R., Algotsson, L., Ingemansson, R., &

- Malmsjo, M. (2004). Original Research Articles – Basic Science Effects of vacuum-assisted closure therapy on inguinal wound edge microvascular blood flow. *Wound Repair and Regeneration*, 12(6), 600–606.
- Wang, J. (2018). Neutrophils in tissue injury and repair. *Cell and Tissue Research*, 371(3), 531–539. <https://doi.org/10.1007/s00441-017-2785-7>
- Xia, C. Y., Yu, A. X., Qi, B., Zhou, M., Li, Z. H., & Wang, W. Y. (2014). Analysis of blood flow and local expression of angiogenesis-associated growth factors in infected wounds treated with negative pressure wound therapy. *Molecular Medicine Reports*, 9(5), 1749–1754. <https://doi.org/10.3892/mmr.2014.1997>
- Yüksel, E. B., Yıldırım, A. M., Bal, A., & Kuloglu, T. (2014). The Effect of Different Topical Agents (Silver Sulfadiazine, Povidone-Iodine, and Sodium Chloride 0.9%) on Burn Injuries in Rats. *Plastic Surgery International*, 2014, 1–6. <https://doi.org/10.1155/2014/907082>
- Zhang, L., Weng, T., Wu, P., Li, Q., Han, C., & Wang, X. (2020). The combined use of negative-pressure wound therapy and dermal substitutes for tissue repair and regeneration. *BioMed Research International*, 2020. <https://doi.org/10.1155/2020/8824737>