

## DAFTAR PUSTAKA

- Al-Sulaiman, F., Yilbas, B.S., Karatas, C., Keles, O., Uslan, I., Usta, Y., Ahsan, M., dan Bazoune, A., 2007, Laser cutting of Kevlar and mild steel composite structure: End product quality assessment, *J. Mater. Eng. Perform.*, 16, 22–29.
- Allen, T.J., Hall, A., Dhillon, A., Owen, J.S., dan Beard, P.C., 2010, Photoacoustic imaging of lipid rich plaques in human aorta,. In, *Photons Plus Ultrasound: Imaging and Sensing 2010*. SPIE, 75640C.
- Athani, V. V., 1997, *Stepper motors: Fundamentals, applications and design*, New Age International.
- Badan Standardisasi Nasional 2013, 2013, SNI 2729:2013, *Dewan Jakarta., Standarisasi Nas. Indones.*, 1–15.
- Badii, F., dan Howell, N.K., 2002, A comparison of biochemical changes in cod (*Gadus morhua*) and haddock (*Melanogrammus aeglefinus*) fillets during frozen storage, *J. Sci. Food Agric.*, 82, 87–97.
- Bageshwar, D. V., Pawar, A.S., Khanvilkar, V. V, dan Kadam, V.J., 2010, Photoacoustic spectroscopy and its applications-A tutorial review, *Eurasian J. Anal. Chem.*, 5, 187–203.
- Benjakul, S., Visessanguan, W., dan Tanaka, M., 2003, Partial purification and characterization of trimethylamine-N-oxide demethylase from lizardfish kidney, *Comp. Biochem. Physiol. - B Biochem. Mol. Biol.*, 135, 359–371.
- Bhowmik, S., Begum, M., Hossain, M.A., Rahman, M., dan Alam, A.K.M.N., 2017, Determination of formaldehyde in wet marketed fish by HPLC analysis: A negligible concern for fish and food safety in Bangladesh, *Egypt. J. Aquat. Res.*, 43, 245–248.
- Boré, G., dan Peus, S., 1999, *Microphones for Studio and Home-Recording Applications: Operation Principles and Type Examples*, Neumann.
- Cogliano, V.J., Grosse, Y., Baan, R.A., Straif, K., Secretan, M.B., El Ghissassi, F., Andrae, U., Burge, S., Chhabra, R., Cocker, J., Coggon, D., Conolly, R., Demers, P., Eastmond, D., Faustman, E., Feron, V., Gérin, M., Goldberg, M., Goldstein, B., dkk, 2005, Meeting report: Summary of IARC Monographs on formaldehyde, 2-butoxyethanol, and 1-tert-butoxy-2-propanol, *Environ. Health Perspect.*, 113, 1205–1208.
- Cooley, J.W., dan Tukey, J.W., 2010, The fast Fourier transform,. In, *The Princeton Companion to Mathematics.*, 202–204.
- Diosi, A., dan Kleeman, L., 2005, Laser scan matching in polar coordinates with application to SLAM,. In, *2005 IEEE/RSJ International Conference on Intelligent Robots and Systems, IROS.*, 3317–3322.

- El-Sharkawy, Y.H., dan ElSherif, A.F., 2011, Laser ultrasound characterization of normal and decayed teeth by measuring elastic properties of surface layers,. In, Jansen, E.D., and Thomas, R.J., (eds), *Optical Interactions with Tissue and Cells XXII*. SPIE, p. 78971K.
- Fowles, G.R., dan Cassiday, G.L., 2005, *Analytical Mechanics*, 7th ed.
- Goodwin, G.C., Graebe, S.F., dan Salgado, M.E., 2000, *Control System Design*, Valparaiso.
- Haisch, C., 2012, Photoacoustic spectroscopy for analytical measurements, *Meas. Sci. Technol.*, 23, 3–4.
- Hall, R.N., Fenner, G.E., Kingsley, J.D., Soltys, T.J., dan Carlson, R.O., 1962, *Physical Review Letters Coherent Light Emission from GaAs Junctions*, Schenectady.
- Halliday, D., Resnick, R., dan Walker, J., 2011, *Fundamentals of Physics*, 9th ed. John Wiley & Sons.
- Holonyak, N., dan Bevacqua, S.F., 1962, Coherent (visible) light emission from Ga(As<sub>1-x</sub>P<sub>x</sub>) junctions, *Appl. Phys. Lett.*, 1, 82–83.
- Instruments, N., 1998, *LabVIEW User Manual*, 2nd ed. Austin.
- Julianto, R., 2022, Karakterisasi Sistem Citra Tomografi Fotoakustik Berbasis Cahaya 450 nm dan Aplikasinya untuk Deteksi Daging Ikan Berformalin, 45–47.
- Kiernan, J.A., 2000, Formaldehyde, Formalin, Paraformaldehyde And Glutaraldehyde: What They Are And What They Do, *Micros. Today*, 8, 8–13.
- Kristanto, W.B.R., 2018, Karakterisasi Sistem Citra Tomografi Fotoakustik Dan Aplikasinya Untuk Deteksi Daging Ayam Berformalin, 1–19.
- Krumholz, A., VanVickle-Chavez, S.J., Yao, J., Fleming, T.P., Gillanders, W.E., dan Wang, L. V., 2011, Photoacoustic microscopy of tyrosinase reporter gene in vivo, *J. Biomed. Opt.*, 16, 080503.
- Maslov, K., Zhang, H.F., Hu, S., dan Wang, L. V., 2008, Optical-resolution photoacoustic microscopy for in vivo imaging of single capillaries, 33, 1–3.
- Miklós, A., dan Hess, P., 2000, *Modulated and Pulsed Photoacoustics in Trace Gas Analysis*, University of Heidelberg.
- Müller, M., 2015, Fourier Analysis of Signals,. In, Müller, M., (ed), *Fundamentals of Music Processing: Audio, Analysis, Algorithms, Applications*. Springer International Publishing, Cham, 39–114.
- Nasim, H., dan Jamil, Y., 2014, Diode lasers: From laboratory to industry, *Opt. Laser Technol.*, 56, 211–222.

- Nathan, M.I., Dumke, W.P., Burns, G., Dill, F.H., dan Lasher, G., 1962, Stimulated emission of radiation from GaAs p-n junctions, *Appl. Phys. Lett.*, 1, 62–64.
- Noordiana, N., Fatimah, A.B., dan Farhana, Y.C.B., 2011, Formaldehyde content and quality characteristics of selected fish and seafood from wet markets, *Int. Food Res. J.*, 18, 125–136.
- Nowshad, F., Islam, M.N., dan Khan, M.S., 2018, Concentration and formation behavior of naturally occurring formaldehyde in foods, *Agric. Food Secur.*, 7, 2–3.
- Patel, C.K.N., dan Tam, A.C., 1981, Pulsed optoacoustic spectroscopy of condensed matter, *Rev. Mod. Phys.*, 53, 517–550.
- Polijanczuk, A. V, dan Whitehead, D.G., 1991, Semiconductor lasers for microsoldering, *IEE Colloq. Adv. Interconnect. Technol.*, 6/1-6/4.
- Pospiech, M., dan Liu, S., 2004, Laser Diodes: An Introduction, *Univ. Hann.*, 1–24.
- Ripley, P.M., 1996, The physics of diode lasers, *Lasers Med. Sci.*, 11, 71–78.
- Sahu, P.K., Ramiseti, N.R., Cecchi, T., Swain, S., Patro, C.S., dan Panda, J., 2018, An overview of experimental designs in HPLC method development and validation, *J. Pharm. Biomed. Anal.*, 147, 590–611.
- Setyawan, E., 2022, Sepuluh Provinsi dengan Angka Konsumsi Ikan Tertinggi Tahun 2021, *Badan Ris. dan Sumber Daya Mns. Kelaut. dan Perikan. Indones.*, 1.
- Silalahi, H.M., 2017, Sistem citra fotoakustik sederhana berbasis laser dioda dan mikrofon kondenser, 23–24.
- Sotelo, C.G., Piñeiro, C., dan Pérez-Martín, R.I., 1995, Denaturation of fish proteins during frozen storage: role of formaldehyde, *Zeitschrift fur Leb. Untersuchung und Forsch.*, 200, 14–23.
- Summers, G., Wibisono, R.D., Hedderley, D.I., dan Fletcher, G.C., 2017, Trimethylamine oxide content and spoilage potential of New Zealand commercial fish species, *New Zeal. J. Mar. Freshw. Res.*, 51, 393–405.
- Thomas, R.L., Pouch, J.J., Wong, Y.H., Favro, L.D., Kuo, P.K., dan Rosencwaig, A., 1980, Subsurface flaw detection in metals by photoacoustic microscopy, *J. Appl. Phys.*, 51, 1152–1156.
- Wang, B., Su, J.L., Amirian, J., Litovsky, S.H., Smalling, R., dan Emelianov, S., 2010, Detection of lipid in atherosclerotic vessels using ultrasound-guided spectroscopic intravascular photoacoustic imaging, *Opt. Express*, 18, 4889.
- Wang, L. V, dan Wu, H.I., 2007, Introduction., In, *Biomedical Optics: Principles and Imaging.*, 10–15.

- Wang, L. V., 2008, Tutorial on photoacoustic microscopy and computed tomography, *IEEE J. Sel. Top. Quantum Electron.*, 14, 171–179.
- Wong, G.S.K., 2014, Microphones and Their Calibration,. In, Rossing, T.D., (ed), *Springer Handbook of Acoustics*. Springer New York, New York, NY, 1061–1091.
- Xu, M., dan Wang, L. V., 2006, Photoacoustic imaging in biomedicine, *Rev. Sci. Instrum.*, 77, 1–12.