

DAFTAR PUSTAKA

- Abou-Zeid, A.H.S., Soliman, F.M., Sleem, A.A., & Mitry, M.N.R., 2007, Phytochemical and Bio-activity Investigations of the Aerial Parts of *Anredera cordifolia* (Ten.) Steenis, *Bulletin of the National Research Centre (Cairo)*, 32, 1-33.
- Abubakar, A. R., & Haque, M., 2020, Preparation of Medicinal Plants: Basic Extraction and Fractionation Procedures for Experimental Purposes, *Journal of pharmacy & bioallied sciences*, 12(1), 1.
- Anwar, K., Istiqamah, F., & Hadi, S., 2021, Optimasi Suhu dan Waktu Ekstraksi Akar Pasak Bumi (*Eurycoma longifolia* Jack.) Menggunakan Metode RSM (response surface methodology) dengan Pelarut Etanol 70%, *Jurnal Pharmascience*, 8(1), 53-64.
- Bargumono, 2013, *33 Tanaman TOKA*, 1-5, Leutikaprio. Yogyakarta.
- Basyuni, M., Ginting, P.Y.A.B., & Lesmana, I., 2017, Phytochemical Analysis of Binahong (*Anredera cordifolia*) Leaves Extract to Inhibit In Vitro Growth of *Aeromonas hydrophila*, *AIP Conference Proceedings*, 1904, 020072-1-5.
- Budiyati, E. & Tridayana, A., 2013, Pengaruh Kecepatan Putaran Pengaduk terhadap Konsentrasi Polifenol, ka, dan De pada Ekstraksi Polifenol dari Kulit Apel Malang. *Simp. Nas. RAPI XII*, no. ISSN 1421-9612, 82-88.
- Chang, C.C., Yang., M.H., Wem, H.M., & Chern, J.C., 2002, Estimation of Total Flavonoid Content in Propolis by Two Complimentary Colorimetric Methods, *Journal of Food and Drug Analysis*, 10, 3.
- Chen, Y., Xie, M.Y., & Gong, X.F., 2007, Microwave-assisted Extraction Used for the Isolation of Total Triterpenoid Saponins from *Ganoderma atrum*, *Journal of Food Engineering*, 81, 162-170.
- Damanik, D. D. P., Surbakti, N., & Hasibuan, R., 2014, Ekstraksi katekin dari daun gambir (*Uncaria gambir roxb*) dengan metode maserasi, *Jurnal Teknik Kimia USU*, 3(2), 10-14.
- Departemen Kesehatan, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, 14-20, Departemen Kesehatan Republik Indonesia, Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta.
- Departemen Kesehatan, 2017, *Farmakope Herbal Indonesia*, Edisi II, 68-518, Departemen Kesehatan Republik Indonesia, Jakarta.

- Djamil, R., Winarti, W., Zaidan, S., & Abdillah, S., 2017, Antidiabetic Activity of Flavonoid from Binahong Leaves (*Anredera cordifolia*) Extract in Alloxan Induced Mice, *Journal of Pharmacognosy & Natural Products*, 03, 2-5.
- Ekaviantiwi, T.A., Fachriyah, E. & Kusriani, D., 2013, Identification of Phenolic Acid from Ethanolic Extract of Binahong (*Anredera cordifolia* (Ten.) Steenis) Leaves and Antioxidant Activity, *Chem Info*, 1, 283-293.
- Fan, T., Hu, J., Fu, L., & Zhang, L., 2015, Optimization of enzymolysis-ultrasonic assisted extraction of polysaccharides from *Momordica charabtia* L. by response surface methodology, *Carbohydrate polymers*, 115, 701-706.
- Gandjar, I. G. & Rohman A, 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar, Yogyakarta.
- Gustia, S. J., Septiawan, I., & Iskandinata, I., 2017, Ekstraksi Flavonoid Dari Bayam Merah (*Alternanthera Amoena* Voss), *Jurnal Integrasi Proses*, 6(4), 162-167.
- Habibullah, J., Agustina, R., & Prasetya, F., 2021, Optimasi Metode Ekstraksi Daun Sirih Hitam (*Piper* Sp.) Terhadap Kandungan Metabolit Sekunder: Optimization of Extraction Method of Black Betel Leaf (*Piper* Sp.) Against Secondary Metabolite Content, In *Proceeding of Mulawarman Pharmaceuticals Conferences*, 13, 99-105.
- Ibrahim, A. M., Yuniarta, Y., & Sriherfyna, F. H., 2015, Pengaruh Suhu dan Lama Waktu Ekstraksi terhadap Sifat Kimia dan Fisik pada Pembuatan Minuman Sari Jahe Merah (*Zingiber officinale* var. *Rubrum*) dengan Kombinasi Penambahan Madu sebagai Pemanis [in press April 2015], *Jurnal Pangan dan Agroindustri*, 3(2).
- Integrated Taxonomic Information System, 2023, *Anredera cordifolia* (Ten.) Steenis, https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=181920#null, 6 Juli 2023.
- Irianti, T., Puspitasari, A., & Suryani, E., 2011, Aktivitas Penangkapan Radikal 2, 2-difenil-1-pikrilhidrazil oleh Ekstrak Etanolik Batang Brotowali (*Tinospora crispa* (L.) Miers) dan Fraksi-Fraksinya, *Majalah Obat Tradisional*, 16(3), 138-144.
- Jayanudin, J., Lestari, A. Z., & Nurbayanti, F., 2014, Pengaruh Suhu dan Rasio Pelarut Ekstraksi terhadap Rendemen dan Viskositas Natrium Alginat dari Rumput Laut Cokelat (*Sargassum* sp), *Jurnal Integrasi Proses*, 5(1).
- Kim, J. H., 2017, Extraction Time and Temperature Affect the Extraction Efficiencies of Coumarin and Phenylpropanoids from *Cinnamomum cassia*

Bark Using a Microwave-assisted Extraction Method, *Journal of Chromatography B*, 1063, 196-203.

Larissa, U., Wulan, A. J., & Prabowo, A. Y., 2017, Pengaruh Binahong terhadap Luka Bakar Derajat II, *Jurnal Majority*, 7(1), 130-134.

Leba, M. A. U., 2017, *Buku Ajar: Ekstraksi dan real kromatografi*, Cetakan I, 1-6, Deepublish, Yogyakarta.

Leliqia, N. P. E., Sukandar, E. Y., & Fidrianny, I., 2017, Overview of efficacy, safety and phytochemical study of *Anredera cordifolia* (Ten.) Steenis, *Pharmacologyonline*, 1, 124-31.

Liu, X. M., Liu, Y., Shan, C. H., Yang, X. Q., Zhang, Q., Xu, N., ... & Song, W., 2022, Effects of five extraction methods on total content, composition, and stability of flavonoids in jujube, *Food Chemistry: X*, 14, 100287.

Makuasa, D. A. A., & Ningsih, P., 2020, The analysis of total flavonoid levels in young leaves and old soursop leaves (*Annona muricata* L.) using uv-vis sepectrofotometry methods, *Journal of Applied Science, Engineering, Technology, and Education*, 2(1), 11-17.

Mardiana, L., 2012, *Daun ajaib tumpas penyakit*, Cetakan I, 93-109, Penebar Swadaya Grup, Jakarta.

Middleton, E., 1998, Effect of plant flavonoids on immune and inflammatory cell function, *Flavonoids in the living system*, 175-182.

Muhamad, N., Muhmed, S. A., Yusoff, M. M., & Gimbin, J., 2014, Influence of solvent polarity and conditions on extraction of antioxidant, flavonoids and phenolic content from *Averrhoa bilimbi*, *Journal of Food Science and Engineering*, 4, 255-260.

Mutha, R. E., Tatiya, A. U., & Surana, S. J., 2021, Flavonoids as natural phenolic compounds and their role in therapeutics: An overview, *Future journal of pharmaceutical sciences*, 7(1), 1-13.

Muttaqin, N. A. I., 2018, Pengaruh Suhu Maserasi terhadap Aktivitas Antioksidan Ekstrak Daun dan Kulit Batang Mangrove *Rhizophora mucronata* dari Kelurahan Pilang, Kota Probolinggo, Skripsi, Fakultas Perikanan dan Ilmu Kelautan Universitas Brawijaya, Malang.

Nekkaa, A., Benaissa, A., Lalaouna, A. E., Mutelet, F., & Canabady-Rochelle, L., 2021, Optimization of the Extraction Process of Bioactive Compounds from *Rhamnus alaternus* Leaves using Box-Behnken Experimental Design, *Journal of Applied Research on Medicinal and Aromatic Plants*. 25, 100345.

- Noviyanty, A., Salingkat, C. A., & Syamsiar, S., 2019, Pengaruh Rasio Pelarut Terhadap Ekstraksi dari Kulit Buah Naga Merah (*Hylocereus polyrhizus*), *Kovalen: Jurnal Riset Kimia*, 5(3), 280-289.
- Onyebuchi, C., & Kavaz, D., 2020, Effect of extraction temperature and solvent type on the bioactive potential of *Ocimum gratissimum* L. Extracts, *Scientific reports*, 10(1), 1-11.
- Osmić, S., Begić, S., Mičić, V., Petrović, Z., & Avdić, G., 2019, Effect of Solvent and Extraction Conditions on Antioxidative Activity of Sage (*Salvia officinalis* L.) Extracts Obtained by Maceration, *Technologica Acta: Scientific/professional journal of chemistry and technology*, 11(2), 1-8.
- Panche, A. N., Diwan, A. D., & Chandra, S. R., 2016, Flavonoids: an Overview, *Journal of nutritional science*, 5.
- Pranowo, D., Noor, E., Haditjaroko, L., Maddu, A., & Kimia, D., 2016, Optimasi ekstraksi flavonoid total daun gedi (*Abelmoschus manihot* L.) dan uji aktivitas antioksidan, *Bul. Littro*, 27(1), 37-46.
- Purwasih, R., Safitri, F. A., & Rahayu, W.E., 2017, The Potency of Binahong Leaves (*Anredera cordifolia* (Ten.) Steenis) to Recovery Process of Wound in the Livestoc,. In *1st International Conference in One Health (ICOH 2017)* (pp. 211-215). Atlantis Press.mardia.
- Qiong, G., Yun-Bao, M., Xue-Mei, M., Rui-Rui, W., Jun, Z., Yong-Tang, M., & Ji-Jun, C., 2007, One new flavanoid and anti-HIV active constituents from *Boussingaultia gracilis* Miers var. *pseudobaselloides* Bailey, *Chem J Chinese U*, 28(8), 1508-1511.
- Rahmawati, L., Fachriyah, E., & Kusriani, D., 2013, Insulation, Identification and Test of Antioxidant Activities Leaves Flavonoid Compounds (*Anredera cordifolia* (Ten.) Steenis), *Chem Info*, 1, 1-10.
- Ramayani, S. L., Rohmawati, F., & Rahmadani, Y. S., 2022, The effect of Material to Solvent Ratio to The Flavonoid Content and Free Radical Scavenging Activity of Extract of *Morinda Citrifolia* L Leaves, *Jurnal Jamu Indonesia*, 7(2), 56-61.
- Rifai, G., Widarta, I. W. R., & Nocianitri, K. A., 2018, Pengaruh Jenis Pelarut dan Rasio Bahan dengan Pelarut terhadap Kandungan Senyawa Fenolik dan Aktivitas Antioksidan Ekstrak Biji Alpukat (*Persea americana* Mill.), *Jurnal ITEPA*, 7(2).
- Rifkia, V. & Prabowo, I., 2020, Pengaruh Variasi Suhu dan Waktu terhadap Rendemen dan Kadar Total Flavonoid pada Ekstraksi Daun Moringa oleifera

Lam. dengan Metode Ultrasonik, *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2), 387-395.

Rofida, S., 2010, Studi Etnobotani Dan Etnofarmakologi Umbi Binahong (*Anrederacordifolia* (Ten) Steenis), *Farmasains: Jurnal Farmasi dan Ilmu Kesehatan*, 1(1), 1-6.

Rohani, S., & Purwoko, M, 2021, Isolation and Characterization of Wound Healing Compounds from Chloroform Extract of Binahong Leaves (*Anredera cordifolia* (Ten.) Steenis), *MAGNA MEDIKA: Berkala Ilmiah Kedokteran dan Kesehatan*, 8(1), 40-59.

Rohmannudin, T. N., Sulistijono, S., Adiyaksa, M., & Chusururi, M. A. M., 2018, Study of Organic Substance (*Myrmecodia pendans*) Extraction Using Soxhletation Method as an Organic Inhibitor, *IPTEK Journal of Proceedings Series*, (4), 65-72.

Rusli, Z., Sari, B. L., Utami, N. F., dan Sabila, S., 2020, Optimization of Microwave-Assisted Extraction of Flavonoids from Binahong (*Anredera cordifolia*) Leaves Using Respon Surface Methodology, *Jurnal Fitofarmaka Indonesia*, 7(3), 10-19.

Sakti, D. S., Haresmita, P. P., Yuniarti, N., & Wahyuono, S, 2019, Phagocytosis Activity of Binahong (*Anredera cordifolia* (Tenore.) Steenis) from Secang, Magelang, Central Java, Indonesia, *Journal of Pharmaceutical Sciences and Community*. 16(1), 7-13.

Sapri, Fitriani, A., & Narulita, R., 2014, Pengaruh Ukuran Serbuk Simplisia terhadap Rendemen Ekstrak Etanol Daun Sirsak (*Annona muricata* L.) dengan Metode Maserasi, *Prosiding Seminar Nasional Kimia*, Akademi Farmasi Samarinda, Kalimantan Timur.

Selawa, W., Runtuwene, M. R., & Citraningtyas, G., 2013, Kandungan Flavonoid dan Kapasitas Antioksidan Total Ekstrak Etanol Daun Binahong [*Anredera cordifolia* (Ten.) Steenis.], *Pharmacon*, 2(1).

Sianipar, M. S., Suganda, T., & Hadyarrahan, A., 2020, Effect of *Anredera cordifolia* (Ten) Steenis Leaves Ethanol Extract in suppressing Brown PlantHopper (*Nilaparvata lugens* Stal.) Populations on Rice Plant, *CROPSAVER-Journal of Plant Protection*, 3(2), 42-48.

Sjahid, L. R., Aqshari, A., & Sediarsa, S., 2020, Penetapan Kadar Fenolik dan Flavonoid Hasil Ultrasonic Assisted Extraction Daun Binahong (*Anredera cordifolia* [Ten] Steenis), *Jurnal Riset Kimia*, 11(1), 16-23.

- Thach, N. A., & Thuy, N. M., 2017, Effect of extraction conditions on polyphenols, flavonoids, s-allyl cysteine content and antioxidant activity of black garlic extracts, *Vietnam Journal of Science and Technology*, 55(5A), 18-25.
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A., 2018, Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: An overview, *Medicines*, 5(3), 93.
- Vetal, M. D., Lade, V. G., & Rathod, V. K., 2012, Extraction of Ursolic Acid from *Ocimum sanctum* Leaves: Kinetics and Modeling, *Food and Bioproducts Processing*, 90(4), 793-798.
- Wagner, H. & Bladt, S., 1996, *Plant Drug Analysis*, Springer-Verlag Berlin Hiedelberg, New York.
- Yanlinastuti, Y., & Fatimah, S., 2016, Pengaruh Konsentrasi Pelarut Untuk Menentukan Kadar Zirkonium Dalam Paduan U-Zr Dengan Menggunakan Metode Spektrofotometri UV-Vis, *Pengelolaan Instalasi Nuklir*, 9(17), 156444.
- Yuan, X., Zeng, Y., Nie, K., Luo, D., & Wang, Z., 2015, Extraction Optimization, Characterization and Bioactivities of a Major Polysaccharide from *Sargassum thunbergii*, *PLoS One*, 10(12), e0144773.
- Yuliani, S. H., 2013, Wound Healing Evaluation and Irritation Potency of Binahong (*Anredera cordifolia* (Ten) Steenis) Ethanolic Extract, *Jurnal Ilmu Kefarmasian Indonesia*, 11(1), 83-88.
- Zhang, Q. W., Lin, L. G., & Ye, W. C., 2018, Techniques for Extraction and Isolation of Natural Products: A Comprehensive Review, *Chinese medicine*, 13(1), 1-26.