



## DAFTAR PUSTAKA

- A., H., L., H., Lee, J.-S., Mansoor, A.H., Jahurul, M.H.A., dan Zainol, M.K., 2021. Extraction and characterisation of cassava starch cultivated in different locations in Sabah, Malaysia. *Food Research*, **5**: 44–52.
- Agbolosu, A., Udoka, U.J., dan Adzitey, F., 2019. Antibacterial Effect of Aloe Vera Gel Extract on Escherichia coli and Salmonella enterica Isolated from the Gastrointestinal Tract of Guinea Fowls. *Journal of World's Poultry Research*, **9**: 166–173.
- Almeida, R.L.J., Santos, N.C., Feitoza, J.V.F., da Silva, G.M., Muniz, C.E. de S., Eduardo, R. da S., dkk., 2022. Effect of heat-moisture treatment on the thermal, structural and morphological properties of Quinoa starch. *Carbohydrate Polymer Technologies and Applications*, **3**: 100192.
- Altaf, F., Niazi, M.B.K., Jahan, Z., Ahmad, T., Akram, M.A., safdar, A., dkk., 2021. Synthesis and Characterization of PVA/Starch Hydrogel Membranes Incorporating Essential Oils Aimed to be Used in Wound Dressing Applications. *Journal of Polymers and the Environment*, **29**: 156–174.
- Arbab, S., Ullah, H., Weiwei, W., Wei, X., Ahmad, S.U., Wu, L., dkk., 2021. Comparative study of antimicrobial action of aloe vera and antibiotics against different bacterial isolates from skin infection. *Veterinary Medicine and Science*, **7**: 2061–2067.
- Bahadoran, M., Shamloo, A., dan Nokoorani, Y.D., 2020. Development of a polyvinyl alcohol/sodium alginate hydrogel-based scaffold incorporating bFGF-encapsulated microspheres for accelerated wound healing. *Scientific Reports*, **10**: 7342.
- Broussard, K.C. dan Powers, J.G., 2013. Wound Dressings: Selecting the Most Appropriate Type. *American Journal of Clinical Dermatology*, **14**: 449–459.
- Chen, X., Yao, W., Gao, F., Zheng, D., Wang, Q., Cao, J., dkk., 2021. Physicochemical Properties Comparative Analysis of Corn Starch and Cassava Starch, and Comparative Analysis as Adhesive. *Journal of Renewable Materials*, **9**: 979–992.
- Das, A., Bhattacharyya, S., Uppaluri, R., dan Das, C., 2020. Optimality of polyvinyl alcohol/starch/glycerol/citric acid in wound dressing applicable composite films. *International Journal of Biological Macromolecules*, **155**: 260–272.
- Delavari, M.M. dan Stiharu, I., 2022a. Preparing and Characterizing Novel Biodegradable Starch/PVA-Based Films with Nano-Sized Zinc-Oxide Particles for Wound-Dressing Applications. *Applied Sciences*, **12**: 4001.
- Delavari, M.M. dan Stiharu, I., 2022b. Preparation and Characterization of Eco-Friendly Transparent Antibacterial Starch/Polyvinyl Alcohol Materials for Use as Wound-Dressing. *Micromachines*, **13**: 960.
- Dementer, M., Scărișoreanu, A., dan Calina, I., 2023. State of the Art of Hydrogel Wound Dressings Developed by Ionizing Radiation **9**:
- Derwin, R., Patton, D., Avsar, P., Strapp, H., dan Moore, Z., 2022. The impact of topical agents and dressing on pH and temperature on wound healing: A systematic, narrative review. *International Wound Journal*, **19**: 1397–1408.



- Erizal, E. Dan Wikanta, T., 2011. Synthesis Of Polyethylene Oxide (Peo)–Chitosan Hydrogel Prepared By Gamma Radiation Technique. *Indonesian Journal of Chemistry*, **11**: 16–20.
- Farshi, P., Salarian, R., Rabiee, M., Alizadeh, S., Gholipourmalekabadi, M., Ahmadi, S., dkk., 2022. Design, preparation, and characterization of silk fibroin/carboxymethyl cellulose wound dressing for skin tissue regeneration applications. *Polymer Engineering & Science*, **62**: 2741–2749.
- Fadanelli, M.A., Amaral, F.L.B. do, Basting, R.T., Turssi, C.P., Sotto-Maior, B.S., dan França, F.M.G., 2017. Effect of Steam Autoclaving on the Tensile Strength of Resin Cements Used for Bonding Two-Piece Zirconia Abutments. *Journal of Oral Implantology*, **43**: 87–93.
- Firlar, I., Altunbek, M., McCarthy, C., Ramalingam, M., dan Camci-Unal, G., 2022. Functional Hydrogels for Treatment of Chronic Wounds. *Gels*, **8**: 127.
- Furnawanithi, I., 2002, *Khasiat dan Manfaat Lidah Buaya*, Agro Media Pustaka, Jakarta.
- Gonçalves, M.M., Carneiro, J., Justus, B., Espinoza, J.T., Budel, J.M., Farago, P.V., dkk., 2020. Preparation and characterization of a novel antimicrobial film dressing for wound healing application. *Brazilian Journal of Pharmaceutical Sciences*, **56**: e18784.
- Gupta, V. dan Malhotra, S., 2012. Pharmacological attribute of Aloe vera: Revalidation through experimental and clinical studies. *AYU (An International Quarterly Journal of Research in Ayurveda)*, **33**: 193.
- Hassan, A., Niazi, M.B.K., Hussain, A., Farrukh, S., dan Ahmad, T., 2018. Development of Anti-bacterial PVA/Starch Based Hydrogel Membrane for Wound Dressing. *Journal of Polymers and the Environment*, **26**: 235–243.
- Ionescu, O.M., Mignon, A., Minsart, M., Van Hoorick, J., Gardikiotis, I., Caruntu, I., dkk., 2021. Gelatin-Based Versus Alginate-Based Hydrogels: Providing Insight in Wound Healing Potential. *Macromolecular Bioscience*, **21**: 2100230.
- Jaegers, N.R., Hu, W., Weber, T.J., dan Hu, J.Z., 2021. Low-temperature (< 200 °C) degradation of electronic nicotine delivery system liquids generates toxic aldehydes. *Scientific Reports*, **11**: 7800.
- Khazaei, A., Nateghi, L., Zand, N., Oromiehie, A., dan Garavand, F., 2021. Evaluation of Physical, Mechanical and Antibacterial Properties of Pinto Bean Starch-Polyvinyl Alcohol Biodegradable Films Reinforced with Cinnamon Essential Oil. *Polymers*, **13**: 2778.
- Lee, H., Cho, E., Kerekes, T.W., Kwon, S.L., Yun, G.J., dan Kim, J., 2020. Water-Resistant Mechanoluminescent Electrospun Fabrics with Protected Sensitivity in Wet Condition via Plasma-Enhanced Chemical Vapor Deposition Process. *Polymers*, **12**: 1720.
- Lr, B., Cn, M., Rj, S., dan Amb, M., 2017. The pH of wounds during healing and infection: a descriptive literature review **25**: .
- Madigan, M. T., Martinko, J. M., Parker, J., 2000, *Brock Biology of Microorganisms, Ninth Edition*, Prentice-Hall, London.
- Massoud, D., Alrashdi, B.M., Fouada, M.M.A., El-kott, A., Soliman, S.A., dan Abd-Elhafeez, H.H., 2022. Aloe vera and wound healing: a brief review.



- Brazilian Journal of Pharmaceutical Sciences*, **58**: e20837.
- Masuyama, S., Horikawa, K., dan Yasuhara, S., 1964. The Thermal Decomposition Products of Citric Acid Added into the Vegetable Oils and Their Effect on the Stability. *The Osaka Municipal Technical Research Institute*, **13**: .
- Naseri-Nosar, M. dan Ziora, Z.M., 2018. Wound dressings from naturally-occurring polymers: A review on homopolysaccharide-based composites. *Carbohydrate Polymers*, **189**: 379–398.
- Nugroho, F.G., Nizardo, N.M., dan Saepudin, E., 2020. 'Synthesis of citric acid crosslinked PVA/tapioca starch bioplastic reinforced with grafted cellulose', . Dipresentasikan pada Proceedings Of The 5th International Symposium On Current Progress In Mathematics And Sciences (Iscpmms2019), Depok, Indonesia, hal. 040040.
- Nurhayati, L.S., Yahdiyani, N., dan Hidayatulloh, A., 2020. Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, **1**: 41.
- Nydrionti, E., 2019. Drug loaded chitosan wound dressings: choosing the best sterilization method
- Qadariyah, L., Mahfud, Sumarno, Machmudah, S., Wahyudiono, Sasaki, M., dkk., 2011. Degradation of glycerol using hydrothermal process. *Bioresource Technology*, **102**: 9267–9271.
- Reddy, N. dan Yang, Y., 2010. Citric acid cross-linking of starch films. *Food Chemistry*, **118**: 702–711.
- Rezvani Ghomi, E., Khalili, S., Nouri Khorasani, S., Esmaeely Neisiany, R., dan Ramakrishna, S., 2019. Wound dressings: Current advances and future directions. *Journal of Applied Polymer Science*, **136**: 47738.
- Rowe, R.C., Sheskey, P.J., dan Quinn, M.E., 2009. *Handbook of Pharmaceutical Excipients*, 6th ed. ed. Pharmaceutical press, London.
- Svensson, E. dan Wahlstrom, E., 2017. *Monitoring PH in Wound*.
- Su, J., Li, Jiankang, Liang, J., Zhang, K., dan Li, Jingan, 2021. Hydrogel Preparation Methods and Biomaterials for Wound Dressing. *Life*, **11**: 1016.
- Sulastri, E., Zubair, M.S., Lesmana, R., Mohammed, A.F.A., dan Wathon, N., 2021. Development and Characterization of Ulvan Polysaccharides-Based Hydrogel Films for Potential Wound Dressing Applications. *Drug Design, Development and Therapy*, **Volume 15**: 4213–4226.
- Sulistyo, 1971, *Farmakologi dan Terapi*, EKG, Yogyakarta.
- Suryati, N., Bahar, E., dan ilmiawati, 2017. Uji Efektivitas Antibakteri Ekstrak Aloe Vera Terhadap Pertumbuhan Escherichia coli Secara In Vitro. *Jurnal Kesehatan Andalas*, **6**: .
- Teplicki, E., Ma, Q., Castillo, D.E., Zarei, M., Hustad, A.P., Chen, J., dkk., 2018. The Effects of Aloe vera on Wound Healing in Cell Proliferation, Migration, and Viability.
- Torres, F.G., Commeaux, S., dan Troncoso, O.P., 2013. Starch-based biomaterials for wound-dressing applications. *Starch - Stärke*, **65**: 543–551.
- Ujang, Z., Rashid, A.H.A., Suboh, S.K., Halim, A.S., dan Lim, C.K., 2014. Physical Properties and Biocompatibility of Oligochitosan Membrane Film



as Wound Dressing. *Journal of Applied Biomaterials & Functional Materials*, **12**: 155–162.

Warkoyo, Purnomo, I., Siskawardani, D.D., dan Husna, A., 2022. The effect of konjac glucomannan and Aloe vera gel concentration on physical and mechanical properties of edible film. *Food Research*, **6**: 298–305.

Weller, C., 2009. Interactive dressings and their role in moist wound management, dalam: *Advanced Textiles for Wound Care*. Elsevier, hal. 97–113.

Wijaya, I.K. dan Masfufatun, 2022. Potensi Lidah Buaya (Aloe vera) Sebagai Antimikroba Dalam Menghambat Pertumbuhan Beberapa Fungi: Literature Review. *Jurnal Kedokteran dan Kesehatan*, **18** : .

Yoon, S.-D., Chough, S.-H., dan Park, H.-R., 2006. Properties of starch-based blend films using citric acid as additive. II. *Journal of Applied Polymer Science*, **100**: 2554–2560.