DAFTAR PUSTAKA

Agustiningsih, Wildan, A., & Mindaningsih. (2010). Optimasi Cairan Penyari pada Pembuatan Ekstrak Daun Pandan Wangi (Pandanus amaryllifous Roxb) secara Maserasi Terhadap Kadar Fenolik dan Flavonoid Total. *Majalah Ilmiah Momentum*, 36-41.

Aji, A., Bahri, S., & Tantalia. (2017). Pengaruh Waktu Ekstraksi dan Konsentrasi HCl Untuk Pembuatan Pektin dari Kulit Jeruk Bali (Citrus maxima). *Jurnal Teknologi Kimia Unimal*, 33-44.

Alba, T. M., Garlet de Pelegrin, C. M., & Sobottka, A. M. (2020). Pharmacognosy Ethnobotany, ecology, pharmacology, and chemistry of Anredera cordifolia (Basellaceae): a review. *Rodriguésia 71*, 1-11.

Alba, T. M., Pelegrin, C. M., & Sobottka, A. M. (2020). *Pharmacogn*, 1-11.

Alsuhendra, Z., Ridawati, & E, L. (2007). Ekstraksi dan Karateristik Senyawa Fenolik dari Biji Apukat (Persea Americana Mill.). *Prosiding Seminar Nasional PATPI.* Bandung.

Aqil, F., Munagala, R., Jeyabalan, J., & Vadhanam, M. V. (2013). Bioavailability of phytochemicals and its enhancement by drug delivery systems. *Cancer Lett*, 133-41.

Ariani, S., Loho, L., & Durry, M. F. (2013). Khasiat Daun Binahong (Anredera cordifolia (Ten.) Steenis) terhadap Pembentukan Jaringan Granulasi dan Reepitelisasi Penyembuhan Luka Terbuka Kulit Kelinci. *Jurnal e-Biomedik, 1(2)*, 914-919.

Arifianti, L., Oktarina, R. D., & Kusumawati, I. (2014). Pengaruh jenis pelarut pengektraksi terhadap kadar sinensetin dalam ekstrak daun Orthosiphon stamineus Benth. *E-Journal Planta Husada, 2(1)*, 1-4.

Astuti, S. M., Sakinah, M. A., Andayani, R. B., & Risch, A. (2011). Determination of saponin compound from Anredera cordifolia (ten) Steenis plant (binahong) to potential treatment for several disease. *J Agric Sci*, 224.

Baldosano, H. Y., Castillo, B. M., Elloran, C. D., & Bacani, F. T. (2015). *Effect of Particle Size, Solvent and Extraction Time on Tannin Extract from Spondias purpurea Bark Through Soxhlet Extraction.* Manila: Chemical Eng. Depart., De La.

Belwal, T., Dhyani, P., Bhatt, I. D., Rawal, R. S., & Pande, V. (2016). Optimization extraction conditions for improving phenolic content and antioxidant activity in Berberis asiatica fruits using response surface methodology (RSM). *Food Chemistry 207*, 115-124.

Bolton, S., & Bon, C. (2010). *Pharmaceutical statistics: practical and clinical applications (5th ed).* USA: Informa Healthcare.

Chang, C. C., Yang, M. H., & Chern, J. C. (2002). Estimation of Total Flavonoid Content in Propolis by Two Complementary Colorimetric Methods. *Journal of Food and Drug Analysis, Vol. 10*, 178-182.

Cheng, Y., Xie, M. Y., & Gong, X. F. (2007). Microwave-assisted extraction used for the isolation of total triterpenoid saponins from Ganoderma atrum. *Journal of Food Engineering 81*, 162-170.

Day, R. A., & Underwood, A. L. (2002). *Analisis Kimia Kuantitatif Edisi Keenam.* Jakarta: Erlangga.

Departemen Kesehatan. (1986). *Sediaan Galenik.* Jakarta: Departemen Kesehatan RI.

Departemen Kesehatan. (2000). *Parameter Standar Umum Ekstrak Tumbuhan Obat.* Jakarta: Direktorat Jenderal Pengawasan Obat dan Makanan.

Departemen Kesehatan Republik Indonesia. (2008). *Farmakope Herbal Indonesia Edisi 1.* Jakarta: Departemen Kesehatan RI.

Departemen Kesehatan Republik Indonesia. (2017). *Farmakope Herbal Indonesia Edisi Kedua.* Jakarta: Ditjen POM RI.

Djamil, R. (2012). Antioxidant activity of flavonoid from Anredera cordifolia (Ten) Steenis leaves. *International Journal of Pharmacy 3*, 241-243.

Djamil, R., Wahyudi, P., Wahono, S., & Hanafi, M. (2012). Antioxidant activity of flavonoid from Anredera cordifolia (ten) Steenis leaves. *Int Res J Pharmacy, 3(9)*, 241-243.

Evans, W. C. (1989). *Trease and Evans Pharmacognosy, 3th ed.* London: Bailiere Tindal.

Fachriyah, E., Ayu, T., & Kusrini, D. (2019). Identification of Phenolic acid from ethanol extract leaves binahong (Anredera cordifolia (ten) stennis) and antioxidant activity test. *Journal of Physics: Conference Series (Vol. 1217, No. 1* (hal. 012051). IOP Publishing.

Gandjar, I. G., & Rohman, A. (2007). *Kimia Farmasi Analisis.* Yogyakarta: Pustaka Pelajar.

Garmana, A. N., Sukandar, E. Y., & Fidrianny, I. (2014). Activity of several plant extracts against drug-sensitive and drug-resistent microbes. *Procedia Chemistry*, 164-169.

Garmana, A. N., Sukandar, E. Y., & Fidrianny, I. (2016). Preliminary study of blood pressure-lowering effect of Anredera cordifolia (Ten.) Steenis) on Wistar rats. *Intl J Pharmacog Phytochem Res 8 (2)*, 300-304.

Guenther, E. (2006). *Minyak Atisiri, Jilid I, Edisi Terjemahan.* Jakarta: UI Press.

Habibullah, J., Agustina, R., & Prasetya, F. (2021). Optimasi Metode Ekstraksi Daun Sirih Hitam (Piper Sp.) Terhadap Kandungan Metabolit Sekunder. *Proceeding of Mulawarman Pharmaceuticals Conferences (Proc. Mul. Pharm. Conf)*, (hal. 99-105). Samarinda.

Hajrin, W., Subaidah, W. A., Juliantoni, Y., & Wirasisya, D. G. (2021). Application of Simplex Lattice Design Method on The Optimisation of Deodorant Roll-on Formula of Ashitaba (Angelica keiskei). *Jurnal Biologi Tropis*, 501-509.

Hariana, A. H. (2013). *Tumbuhan Obat dan Khasiatnya.* Jakarta: Departemen Kesehatan RI.

Heisler, E. V., Badke, M. R., Andrade, A., & Rodrigues, M. G. (2012). Popular knowledge about the use of plant Anredera cordifolia (Fat Leaf). *Texto & Contexto Enfermagem 21*, 937-944.

Horng, C. T., Chao, H. R., Lee, C. F., Hsueh, C. W., & Chen, F. A. (2012). Gastro protective effect of madeira vine against ethanol-induced gastric mucosal lesion in rat. *Asian J Chem*, 765.

Istyastono, E. P., & Yuliani, S. H. (2016). Scarless wound healing gel with Binahong (Anredera cordifolia (Ten) Steenis) leaves extract and celecoxib as the active ingredients. *AIP Conference Proceedings* (hal. 160001). AIP Publishing.

ITIS (Integrated Taxonomic Information System). (2022, December 21). Diambil kembali dari www.itis. gov: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=181920#null

Koirewoa, Y. A., Fatimawali, & Wiyono, W. I. (2012). Isolasi dan Identifikasi Senyawa Flavonoid dalam Daun Beluntas (Pluchea indica L.). *Pharmacon, 1(1)*, 47-52.

Kranovsky. (2005). Chlorophyll Isolation, Structure and Function: Major landmarks of the early history of research in the Russian Empire and the Soviet Union. *Photosynthesis Research 76*, 389-403.

Kumaraswamy, S., & Senthamarai, S. V. (2020). Assessment of Nutritional Value and Potential Metal Toxicity in Fruit of Artocarpus altilis (Parkinson) Fosberg (seedless) in India. *International Research Journals (IJSREM)*, 11(1):1-18.

Liu, W., Yu, Y., Yang, R., Wan, C., Xu, B., & Cao, S. (2010). Optimization of Total Flavonoid Compound Extraction from Gynura medica Leaf Using Response Surface Methodology and Chemical Composition Analysis. *International Journal of Molecular Sciences*, 4750-4763.

Maharani, E. T., Mukaromah, A. H., & Farabi, M. Z. (2014). Uji Fitokimia Ekstrak Daun Sukun Kering (Artocarpus altilis). *Prosiding Seminar Nasional & Internasional.*

Makanjuola, S. A. (2017). Influence of particle size and extraction solvent on antioxidat properties of extracts of tea, ginger, and tea-ginger blend. *Food Science & Nutrition*, 1179-1185.

Markham, K. R. (1988). *Cara Mengidentifikasi Flavonoid, diterjemahkan oleh Kosasih, 15*. Bandung: Penerbit ITB.

Marzuki, R. D., & Nova, A. (2018). Pembinaan Masyarakat tentang Pemanfaatan Tanaman Binahong (Anredera cordifolia) sebagai Obat Tradisional di Gampong Sidorejo Langsa Lama. *Jurnal Jeumpa, 5(2)*, 112-118.

Maslukhah, Y. L., Widyaningsih, T. D., Waziiroh, E., Wijayanti, N., & Sriherfyna, F. H. (2016). Faktor Pengaruh Ekstraksi Cincau Hitam (Mesona palustris BL) Skala Pilot Plant: Kajian Pustaka. *Jurnal Pangan dan Agroindustri Vol. 4 No 1*, 245-252.

Mujahid, R., Wahyono, S., Priyambodo, W. J., & Subositi, D. (2019). Studi etnomedicine pengobatan luka terbuka dan sakit kulit pada beberapa etnis di Provinsi Kalimantan Timur. *Kartika : Jurnal Ilmiah Farmasi, 7(1)*, 27-34.

Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan Vol VII No. 2*, 361-367.

Mulqie, L. (2010). Penyuluhan CPOTB dan Persiapan Pendirian IKOT. *Prosiding SNaPP: Sains, Teknologi, 1(1)*, 132-149.

Mutmainah, D. N., Slamet, A. H., Dewi, D. K., & Diniyah, N. (2022). Strategi Pengembangan Jamu Jawa Tradisional CV. Santoso dI Kabupaten Banyuwangi, Jawa Timur. *Journal of Food Science and Technology*, 48-72.

Nareswari, T. L., & Hertiani, T. (2016). Optimization of Ethanol-Water Composition as Extraction Solvent in Producing Sambung Nyawa (Gynura procumbens (Lour.) Merr.) Leaves Dry Extract). *Traditional Medicine Journal*, 24-29.

Nayak, B. S., & Pereira, L. M. (2006). Catharantus Roseus Flower Extract has Wound-Healing Activity in Sprague Dawley Rats. *BMC Complementary and Alternative Medicine Vol 6(41)*, 2.

Nayak, B., Dahmoune, F., Moussi, K., Remini, H., Dairi, S., Aoun, O., & Khodir, M. (2015). Comparison of microwave, ultrasound and accelerated-assisted solvent extraction for recovery of polyphenols from Citrus sinensis peels. *Food chemistry 187*, 507-516.

Nekka, A., Benaissa, A., Lalaouna, A. E., Mutelet, F., & Canabady-Rochelle, L. (2021). Optimization of the extraction process of bioactive compounds from Rhamnus alaternus leaves using Box-Behnken experimental design. *Journal of Applied Research on Medicinal and Aromatic Plants 25*, 100345.

Nugraha, A. C., Prasetya, A. T., & Mursiti, S. (2017). Isolasi, Identifikasi, Uji Aktivitas Senyawa Flavonoid sebagai Antibakteri dari Daun Mangga. *Indonesian Journal of Chemical Science*, 91-96.

Nurjanah, N., Izzati, L., & Abdullah, A. (2011). Aktivitas antioksidan dan komponen bioaktif kerang pisau (Solen spp). *ILMU KELAUTAN: Indonesian Journal of Marine Sciences, 16(3)*, 119-124.

Pramono, S. (2012). *Bahan Ajar Galenika.* Yogyakarta: Fakultas Farmasi Universitas Gadjah Mada.

Putri, Z. F. (2016). *Uji aktivitas antibakteri ekstrak etanol daun sirih (Piper betle L.) terhadap Propionibacterium acne dan Staphylococcus aureus multiresisten [skripsi]*. Surakarta: Universitas Muhammadiyah Surakarta.

Qiong, G., Yun, B. M., Xue, M. M., Rui, R. W., Jun, Z., Yong, T. M., & Ji, J. C. (2007). One new flavonoid and anti-HIV active constituents from Boussingaultia gracilis miers var. Pseudobaselloides bailey.

Rahmawati, L., Fachriyah, E., & Kusrini, D. (2013). Insulation, identification and test of antioxidant activities leaves flavonoid compounds (Anredera cordifolia (Ten.) Steenis). *Chem Info*, 1-10.

Redha, A. (2010). Flavonoid: Struktur, Sifat Antioksidatif dan Peranannya dalam Sistem Biologis. *Jurnal Belian Vol. 9 No. 2*, 196-202.

Robinson, T. (1991). *The Organic Constituens of Higher Plants, 6th Ed., Diterjemahkan oleh Kosasih Padmawinata.* Bandung: Penerbit ITB.

Rosmawaty, R., & Tehubijuluw, H. (2013). Screening of Phytochemicals and Bioactivity Test of The Leaves Breadfruit (Artocarpus altilis). *Indonesian Journal of Chemical Research*, 1(1), 28-32.

Sadhana, S., Gupta, A. K., & Verma, A. (2013). Review On-Natural Compounds Used for Antioxidant Activity. *Research Journal of Pharmaceutical, Biological and Chemical Science*.

Samirana, P. O., Leliqia, N. P., & Ariantari, N. P. (2014). TLC-Densitometer Profile and Antiulcer Activity Assay of Ethanol Extract of Binahong Leaves (Anredera Scandens (L.) Moq.) in Sprague Dawley Strain Male Rats. *Proceeding The International Conference of Pharmaceutical Care*, (hal. 63-71).

Sani, R. N., Fithri, C. N., Ria, D. A., & Jaya, M. M. (2014). Analisis Rendemen dan Skrining Fitokimia Ekstrak Etanol Mikroalga Laut Tetraselmis chuii. *Jurnal Pangan dan Agroindustri. 2(2)*, 121-126.

Sapri, Fitriani, A., & Narulita, R. (2014). Pengaruh Ukuran Serbuk Simplisia terhadap Rendemen Ekstrak Etanol Daun Sirsak (Annona muricata L.) dengan Metode Maserasi. *Prosiding Seminar Nasional Kimia.* Kalimantan Timur: Akademi Farmasi Samarinda.

Sari, L. P., Hakim, A., & Muliasari, H. (2022). Solvent Optimization for Extraction of Mesua ferrea l. Leaves as An Antioxidant Using Simplex Lattice Design Method. *Ad- Dawaa' Journal of Pharmaceutical Sciences*, 8-18.

Sekarsari, S., Widarta, I. W., & Jambe, A. A. (2019). Pengaruh Suhu dan Waktu Ekstraksi dengan Gelombang Ultrasonik Terhadap Aktivitas Antioksidan Ekstrak Daun Jambu Biji (Psidium guajava L.). *Jurnal Ilmu dan Teknologi Pangan Vol. 8, No. 3*, 267-277.

Shabella, R. (2013). *Terapi Daun Binahong Cetakan I.* Jakarta: Cable Book.

Sukandar, E. Y., Qowiyyah, A., & Larasati, L. (2014). Efek ekstrak metanol daun binahong (Anredera cordifolia (Ten.) Steenis) terhadap gula darah pada mencit model diabetes melitus. *Jurnal Medika Planta 1(4)*, 1-10.

Tedjakusuma, F., & Lo, D. (2022). Functional properties of Anredera cordifolia (Ten.) Steenis: a review. *IOP Conference Series: Earth and Environmental Science, Vol. 998, No. 1* (hal. 012051). IOP Publishing.

Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and Extraction: A Review. *Internationale Pharmaceutica Sciencia, 1(1)*, 98-106.

Utami. (2009). Potensi Daun Alpukat (Persea American Mill) Sebagai Sumber Antioksidan Alami. *Jurnal Teknik Kimia UPN Jawa Timur. Vol 2 (1)*, 58-64.

Utami, N. F., Nurdayanty, S. M., Sutanto, & Suhendar, U. (2020). Pengaruh Berbagai Metode Ekstraksi pada Penentuan Kadar Flavonoid Ekstrak Etanol Daun Iler (Plectranthus scutellarioides). *Fitofarmaka Jurnal Ilmiah Farmasi, Vol.10, No.1*, 76-83.

Vidak, M., Damjana, R., & Radovan, K. (2015). Review Effect of Flavonoids From Food and Dietary Supplements On Glial and Glioblastoma Multiforne Cells. *Moleculs, 20(10)*, 19406-19432.

Vuong, Q. V., Golding, J. B., Stathopoulus, C. E., Nguyen, M. H., & Roach, P. D. (2011). Optimising Conditions for The Extraction of Catechins from Green Tea Using Hot Water. *Journal of Separation Science, 34*, 3099-3106.

Wahyuni, D. T., & Widjanarko, S. B. (2015). Pengaruh Jenis Pelarut dan Lama Ekstraksi terhadap Ekstrak Karotenoid Labu Kuning dengan Metode Gelombang Ultrasonik. *Jurnal Pangan dan Agroindustri, 3(2)*, 390-401.

Wang, S. H., Hu, Y. L., & Liu, T. X. (2019). Plant distribution and pharmacological activity of flavonoids. *Tradit. Med. Res, 4*, 269-287.

Wang, Y., Xu, K., Lin, L., Pan, Y., & Zheng, X. (2007). Geranyl flavonoids from the leaves ofArtocarpus altilis. *Phytochemistry 68*, 1300-1306.

Weber, E. (2017). *Invasive plant species of the world: A reference guide to environmental weeds.* Cabi.

Widodo, S., Yusa, N. M., & Ina, P. T. (2021). Pengaruh Waktu Maserasi Terhadap Aktivitas Antioksidan Ekstrak Daun Mundu (Garcina dulcis (Roxb.) Kurz). *Jurnal Ilmu dan Teknologi Pangan*, 14-23.

Wilson, I. D., Michael, C., Colin, F. P., & Edward, R. A. (2000). Encyclopedia of Separation Science. *Academic Press*, 118-119.

Yulianingtyas, A., & Kusmartono, B. (2016). Optimasi Volume Pelarut dan Waktu Maserasi Pengambilan Flavonoid Daun Belimbing Wuluh (Averrhoa Bilimbi L.). *Jurnal Teknik Kimia Vol. 10, No. 2*, 58-64.

Yuliantari, N. W., Widarta, I. W., & Permana, I. D. (2017). Pengaruh Suhu dan Waktu Ekstraksi Terhadap Kandungan Flavonoid dan Aktivitas Antioksidan Daun Sirsak (Annona muricata L.) Menggunakan Ultrasonik. *Media Ilmiah Teknologi Pangan*, 35-42.

Zaiter, A., Becker, L., Karam, M. C., & Dicko, A. (2016). Effect of particle size on antioxidant activity and catechin content of green tea powders. *J Food Sci Technol*, 2025-2032.

Zhang, L., Shan, Y., Tang, K., & Putheti, R. (2009). Ultrasound-assisted extraction flavonoids from Lotus (Nelumbo nuficera Gaertn) leaf and evaluation of its anti-fatigue activity. *International Journal of Physical Sciences Vol. 4 (8)*, 418-422.

Zu, Y., Zhang, Q., Zhao, X., Wang, D., Li, W., Sui, X., . . . Gu, C. (2012). Preparation and Characterization of Vitexin Powder Micronized by a Supercritical Antisolvent (SAS) Process. *Powder technology, 228*, 47-55.