

DAFTAR PUSTAKA

- Adjie, S., dan Dharyati, E. 2017. Sebaran dan kebiasaan makan beberapa jenis ikan di daerah aliran Sungai Kapuas, Kalimantan Barat. *BAWAL Widya Riset Perikanan Tangkap*. 2(6): 283-290.
- Andriyanto. 2019. Studi populasi dan habitat ikan semah (*Tor* sp.) di Sungai Napal Licin Kabupaten Merangin. *BIOCOLONY*. 2(1): 1-7.
- Angelescu, V., F. S. Gneri dan A. Nani. 1958. Argentine sea hake (biology and taxonomy) Secr. Mar. Serv. Hydrogenation. Nav. Public, H1004: 1-224.
- Arifin, O. z., J. Subagja, S. Asih, dan A. H. Kristanto. 2019. Budidaya ikan dewa. IPB Press. Bogor.
- Arimoro, F. O., dan J. A. Meye. 2007. Some aspects of the biology of *Macrobrachium dux* (Lenz, 1910) (Crustacea: Decapoda: Natantia) in stream Orogodo, Niger Delta, Nigeria. *Acta Biologica Colombiana*. 12 (1): 111-122.
- Asadi, H., Sattari, M., Motalebi, Y., Zamani-Faradonbeh, M., dan Gheytsi, A. 2017. Length-weight relationship and condition factor of seven fish species from Shahrbijar Stream, Southern Caspian Sea basin, Iran. *Iranian Journal of Fisheries Sciences*. 16(2): 733-741.
- Asaduzzaman, M. D., Ikeda, D., Kader, A. M. D., Kinoshita, S., Ghaffar, M. A., dan Munafi, A. M. A. 2017. Cellular muscle growth and molecular cloning and expression of growth-related gene of Malaysian Mahseer *Tor tambroides* larvae fed with live and formulated feeds in indoor nursery rearing system. *Aquaculture*, 5 (2017), pp. 1–9.
- Baird, I. G., V. Inthaphaisy, P. Kisouvannalath, B. Phylavanh dan B. Mounsouphom. 1999. The fishes of southern Lao. Lao Community Fisheries and Dolphin Protection Project. Ministry of Agriculture and Forestry, Lao PDR. 161 p.
- Caron, F., Dulvy, N. K., dan Ansell, A. D. 2013. The implications of spatially and temporally resolved fisheries data for sustainable exploitation and stock assessment. *Journal of Applied Ecology*. 50(1): 5-16.
- Cordington, K. De. B. 1939. Notes on Indian Mahseer. *Journal of the Bombay Natural History Society*. 46: 336–334.
- Courtney, Y., Courtney, J., dan Courtney, M. 2014. Improving weight-length relationship in fish to provide more accurate bioindicators of ecosystem condition. *Aquatic Science and Technology*. 2(2): 41-51.
- Dinas Kelautan dan Perikanan Daerah Istimewa Yogyakarta. 2021. Penyusunan kajian penilaian kerusakan habitat sumberdaya ikan di perairan umum daratan. Laporan Akhir.
- Dinesh, K., M. C. Nandeesh, P. Nautiyal, dan P. Aiyappa. 2010. Mahseer in India: A review with focus on conservation and management. *Indian Journal of Animal Science*. 80(4): 26-38.

- Dodds, W. K., dan Whiles, M. R. 2010. Freshwater Ecology: Concepts and environmental applications. Academic Press.
- Dwirastina, M., dan A. Wibowo. Tinjauan karakteristik sumber daya dan strategi pengelolaan ikan semah *Tor tambroides* (Bleeker, 1852). Bioscientist. 10(1): 546-555.
- Effendie. 1997. Biologi perikanan. Yayasan Pustaka Nusantara. Yogyakarta.
- Froese, R. 2006. Cube law, condition factor and weight-length relationships: History, meta-analysis and recommendations. J. Appl. Ichthyol. 22: 241-253.
- Froese, R. 2014. From relational databases to semantically rich information systems in fisheries science. In Ecological Informatics (pp. 4-11). Springer.
- Froese, R. dan D. Pauly (Editors). 2021. FishBase. World wide web electronic publication. www.fishbase.org, version (02/2021).
- Gotelli, N. J. 2013. A primer of ecology. Oxford University Press.
- Gündoğdu, S., Baylan, M., dan Cevik, C. 2016. Comparative study of the length-weight relationships of some fish species along the Turkish Coasts. Mediterranean Marine Science. 17(1): 80-108.
- Gupta, S. dan S. Banerjee. 2015. Length-weight relationship of *Mystus tengara* (Ham.-Buch., 1822), a freshwater catfish of Indian subcontinent. Int. Jour. of Aquatic Biology. 3(2): 114-118.
- Haryono dan J. Subagja. 2008. Populasi dan habitat ikan tambra, *Tor tambroides* (Bleeker, 1854) di Perairan Kawasan Pegunungan Muller Kalimantan Tengah.
- Hilborn, R., dan Walters, C. J. 2013. Quantitative fisheries stock assessment: choice, dynamics and uncertainty. Reviews in Fish Biology and Fisheries. 23(4): 453-468.
- Jewel, M. A. S., Haque, M. A., Ferdous, M. S., Khatun, M. S., dan Akter, S. 2019. Length-weight relationships and condition factors of *Cirrhinus reba* (Hamilton, 1822) in Padma River. Bangladesh. J. Fish. Aquat. Sci. 14: 39-45.
- Junk, W. J., S. An, C. M. Finlayson, B. Gopal, J. Kvet, S. A. Mitchell, W. J. Mitsch, dan R. D. Roberts. 2013. Current state of knowledge regarding the world's wetlands and their future under global climate change: a synthesis. Aquat Sci 75: 151-167.
- Khaironizam, M. Z., Akaria-Ismail, M., dan Armbruster, J. W. 2015. Cyprinid fishes of the genus *Neolissochilus* in Peninsular Malaysia. Zootaxa. 3962(1), 139-157.
- Kiat Ng Chi. 2004. The kings of the streams mahseer in Malayan and the region. Inter Sea Fishery. Selangor Malaysia.
- Kottelat, M. 2013. The fishes of the inland waters of Southeast Asia: A Catalogue and Core Bibliography of the Fishes Known to Occur in Freshwaters, Mangroves and Estuaries. The Raffles Bulletin of Zoology. 27: 1-663.

- Kottelat, M., A. J. Written, S. N. Kartikasari, dan S. Wirjoatmodjo. 1993. Freshwater fishes of Western Indonesia and Sulawesi. Periplus editions in collaboration with the Environmental Management Development in Indonesia (EMDI) Project, Ministry of State for Population and Environment Republic of Indonesia. Jakarta. 291 p.
- Krebs, C. J. 1989. Ecological methodology . New Yor: Harper dan Row.
- Kumary, K. S. A., dan Raj, S. 2016. Length-weight relationship and condition of climbing perch *Anabas testudineus* Bloch population in Kuttanad, Kerala. International Journal of Advanced Research in Biological Sciences. 3(9): 21-26.
- Maguire, J. J. dan P. M. Mace. 1993. Biological reference points for Canadian Atlantic Gadoid stocks. In: Smith S.J., Hunt J.J. and Rivard D. (eds.), Risk Evaluation and Biological Reference Points for Fisheries Management. Can. Spec. Publ. Fish. Aquat. Sci. 120: 67-82.
- Maisaroh, D. S., S. Rejeki, dan M. Zainuri. 2020. Studi populasi ikan beloso (*Oxyurichthys microlepis*) di Perairan Morosari Kec. Sayung, Demak. Biotropic. 4(1): 29-39.
- Marson. 2013. Hubungan panjang-berat dan faktor kondisi ikan semah (*Tor tambroides*) di Sungai Batang Tarusan, Sumatera Barat. Fisheries 2(1): 14-16.
- Meretsky, V. J., R. A. Valdez, M. E. Douglas, M. J. Bourder, O. T. Gorman, dan P. C. Marsh. 2000. Spatiotemporal variation in length–weight relationships of endangered humpback chub: Implications for conservation and management. *Transactions of the American Fisheries Society*. 129(2): 419–428.
- Moersid, A. 2014. Studi Populasi Ikan Betutu (*Oxyeleotris marmorata*, Blkr.) dalam upaya pengendalian di Waduk Panglima Besar Soedirman, Banjarnegara. In Proceeding Biology Education Conference: Biology, Science, Enviromental, and Learning. 11(1): 483-492.
- Muchlisin, Z. A., M. Musman, dan S. M. N. Azizah. 2010. Length-weight relationships and condition factors of two threatened fishes, *Rasbora tawarensis* and *Poropuntius tawarensis*, endemic to Lake Laut Tawar, Aceh Province, Indonesia. *Journal of Applied Ichthyology*. 26: 949-953.
- Ndiaye, W., Diouf, K., Samba, O., Ndiaye, P., Panfili, J., Marbec, U. M. R., ... dan Bataillon, P. E. 2015. The length-weight relationship and condition factor of white grouper (*Epinephelus aeneus*, Geoffroy Saint Hilaire, 1817) at the south-west coast of Senegal, West Africa. International Journal of Advanced Research. 3(3): 145-153.
- Olopade, O. A., Taiwo, I. O., dan Ogunbanwo, A. E., 2015. Length-weight relationship and condition factor of *Leuciscus niloticus* (De Joahhis, 1853) from Epe Lagoon, Lagos State, Nigeria. Ege J Fish Aqua Sci. 32(3): 165-168.
- Pariyanto, T. Hidayat, dan E. Sulaiman. 2021. Studi populasi ikan gabus (*Channa striata*) di Sungai Air Manna Desa Lembak Kemang Kabupaten Bengkulu Selatan. DIKSAINS. 1(2): 53-60.

- Pauly, D. 2013. On the myriad of name of length-based methods. In ACPFG Conference, 24-26 September 2013. Adelaide, Australia.
- Penrose, H., Fisher, R., Hartmann, K., Pilling, G., dan Rust, S. 2018. Incorporating fish population dynamics in the management of multi-species tropical fisheries. *Reviews in Fish Biology and Fisheries*. 28(1): 153-169.
- Perry, R. I., N. B. Hargreaves, B. J. Waddell dan L. Mackas. 1996. Spatial variations in feeding and condition of juvenile pink and chum salmon off Vancouver Island, British Columbia. *Fish Oceanogr*. 5(2): 73-88.
- Phelps, Q. E., Webb, M. A., dan May, M. R. 2015. Environmental and spatial dstreams of fisheries change in stream networks: implications for biodiversity and food security. *Wiley Interdisciplinary Reviews: Water*. 2(6): 609-620.
- Pinder, A. C., Britton, J. R., Harrison, A. J., Nautiyal, P., Bower, S. D., Cooke, S. J., ... dan Raghavan, R. 2019. Mahseer (*Tor* spp.) fishes of the world: status, challenges and opportunities for conservation. *Reviews in Fish Biology and Fisheries*. 29: 417-452.
- Purba, M., Barus, T. A., dan Ilyas, S. 2013. Hubungan antara kualitas air dengan kebiasaan makanan Ikan Batak (*Neolissochilus sumatranus*) di Sungai Asahan, Sumatera Utara. *JBIO: jurnal biosains (the journal of biosciences)*. 1(2): 21-28.
- Rashleigh, B., dan E. Monroy. 2017. Freshwater fish communities. Chapter 20, Narragansett Bay Estuary Program: State of the Watershed. Narragansett Bay Estuary Program, PROVIDENCE, RI. 376-391.
- Ricker W. E. 1975. Computer and interpretation of biological statistics of fish population. Canada.
- Rosli, N. A. M., dan Isa, M. M. 2012. Length weight and length-length relationship of long snouted catfish, *Plicofollis argyropleuron* (Valenciennes, 1840) in the Northern Part of Peninsular Malaysia. *Tropical Life Sciences Research*. 23(2): 59-65.
- Scharpf, C. 2015. The authorship of *Neolissochilus soro* (Cypriniformes: Cyprinidae): A correction to Khaironizam et al. (2015). *Zootaxa* 3986(4): 499-500.
- Shrestha, T., Lamsal, P., Dangol, D. R., Shrestha, M. K., Maharjan, D., dan Bajracharya, R. M. 2015. Fish population and fisheries management: a review. *Journal of Fisheries*. 3(2): 141-148.
- Sinaga, E. S., C. P. Pulungan, dan D. Efizon. 2015. Length-weight and length-length relationship among the body parts of batak fish (*Tor soro*) from the upstream of the Aek Godang Stream, North Sumatera Province. *Fisheries and Marine Science Faculty, Riau University*.
- Subagja, J., dan Radona, D. 2017. Produktivitas pascalarva ikan semah *Tor douronensis* (Valenciennes, 1842) pada lingkungan ex situ dengan padat tebar berbeda. *Jurnal Riset Akuakultur*. 12(1): 41-48.

- Subagja, J., dan Radona, D. 2018. Profitabilitas dan keragaan pertumbuhan benih ikan *Tor tambroides* dengan frekuensi pemberian pakan yang berbeda. *Ilmu Hayati*. 17(2): 91-223.
- Thapa, G. J., Chaudhary, R. N., Baral, R., Bhandari, B., dan Pokharel, B. K. 2019. Conservation and management practices of mahseer in Nepal: a review. *Journal of Aquaculture and Fisheries*. 3(2): 111-121.
- Tjakrawidjaja, H. A., dan Haryono. 2001. Studi populasi ikan kaloso (*Scleropages jardinii*) di Rawa Pomo Kecamatan Catak Mitak, Kabupaten Merauke, Papua.
- Wismabrata, M. H. 2020. Mengenal lebih dekat ikan dewa, harganya jutaan dan selalu diburu jelang Imlek. *Kompas.com*. Diakses tanggal 6 Februari 2023.
- Walters, C. J., dan Martell, S. J. 2013. *Fisheries ecology and management*. Princeton University Press.
- Yohanes, dan Dede. 2016. Ikan ringau dan semah memiliki potensi ekspor. www.thetanjungpuratimes.com. Diakses pada tanggal 6 Februari 2023 pukul. 08.13 WIB.
- Yola, I. A., Getsu, B. U., dan Abdullahi, J. M. 2017. Length-Weight Relationship and condition factor of *Clarias gariepinus* and *Oreochromis niloticus* of Wudil Stream, Kano, Nigeria. *Journal of Tropical Agriculture, Food, Environment and Extension*. 16(1): 1-4.
- Yudha, D. S., R. Eprilurahman, Irwanjasgoro, dan Y. Supramono. 2019. Survei awal analisa habitat ditemukannya labi-labi bintang (*Chitra chitra*) di Sungai Sempor, Sleman, DIY. *Warta Herpetofauna*. 11(1): 25-33.