

- Agustina, M., B. Setyadji dan P.A.R.P. Tampubolon. 2019. Perikanan tuna sirip kuning (*Thunnus albacares* bonnaterre, 1788) pada armada tonda di Samudera Hindia Selatan Jawa. BAWAL, 11(3) : 161-173.
- Aisyah, S. 2018. Studi morfometrik dan penentuan umur ikan lencam (*Lethrinus lentjan*) di Tempat Pelelangan Ikan (TPI) ketapang Kota Pangkalpinang. Akuatik Jurnal Sumberdaya Perairan, 12 (1) : 61-64.
- Al-Mamari, D.S., S.R. Alshajibi dan L.A. Jawad. 2021. The relationship between body and otolith size of the blueline snapper *Lutjanus coeruleolineatus* (RÜPPELL, 1838) collected from The Coasts Of Oman, Arabian Sea. Thalassia Salentina, 43: 43-52.
- Altin, A., dan H. Ayyilidiz. 2017. Relationship between total length and otolith measurement for 36 fish species from Gökçeada Island, Turkey. WILEY, Journal of Applied Ichthyology: 1-6.
- Anwar, K., Chaliluddin, dan A. Rahmah. 2017. Hubungan panjang alat tangkap *purse seine* dengan hasil tangkapan di Pelabuhan Perikanan Samudera (PPS) Lampulo, Aceh. Jurnal Ilmiah Mahasiswa Kelautan dan Perikanan Unsyiah, 2(3): 396-405.
- Barnuevo, K.D.E., C.J.C. Morales, J.K.T. Calizo, E.S. Delloro Jr., C.P. Añasco, R.P. Babaran, dan S.D.P. Lumayno. 2022. Distinct stocks the redbtail scad *Decapterus kurroides* Bleeker, 1855 (Perciformes: Carangidae) from the Northern Sulu and Southern Sibuyan Seas, Philippines revealed from otolith morphometry and shape analysis. FISHES 8(12):1-12.
- Başusta, N. dan U. Khan. 2020. Sexual dimorphism in the otolith shape of shi drum, *Umbrina cirrossa* (L.), in the Eastern Mediterranean Sea: fish size-otolith size relationships. Journal of Fish Biology (2021): 1-11.
- Battaglia, P., D. Malara, G. Ammendolia, T. Romeo dan F. Andaloro. 2015. Relationships between otolith size and fish length in some mesopelagic teleost (Myctophidae, Paralepididae, Phosichthyidae and Stomiidae). Journal of Fish Biology, 87(2015):774-782.
- Baweleng, S., F.B. Manginsela dan J.R.R. Sangari. 2018. Studi otolith ikan layang, *Decapterus akaadsi* Abe 1958 dari Perairan Teluk Amurang. Jurnal Ilmiah Platax, 6(2) : 66-76.
- Bilge, G. 2018. Relationship between sagittal otolith size and fish size in *Engraulis encrasicolus* and *Sardina pilchardus* (Osteichthyes: Clupeiformes) in the Southern Aegean Sea, Turkey. Aquatic Sciences and Engineering (2018), 33(3):72-76.
- Bostanci, D., S. Yedier, S. Konaş, G. Kurucu dan N. Polat. 2017. Regional variation of relationship between total length and otolith sizes in the three *Atherina boyeri* Risso, 1810 populations, Turkey. Ege Journal and Aquatic Sciences, 34(1):11-16.
- Carvalho, B.M.D, A.V. Volpedo dan L.F. Fávaro. 2020. Ontogenic and sexual variation in the sagitta otolith of *Menticirrhus americanus* (Teleostei: Sciaenidae) (Linnaeus, 1758) in a subtropical environment. Papéis Avulsos de Zoology (2020): 1-12.



UNIVERSITAS
GADJAH MADA

Karakteristik Morfologi dan Hubungan Morfometrik Otolith Dengan Panjang-Berat Ikan Sunglir (*Elagatis bipinnulata*, Quoy and Gaimard 1825) Yang Didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul

Innayah Sarinastiti, Prof. Dr. Ir. Djumanto, M.Sc.

Universitas Gadjah Mada 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Chahyadi, E., dan Winarti. 2013. Studi pola migrasi pertumbuhan *otolith* pada ikan katung (*Pristolepis grooti*) yang di tangkap di Hilir Sungai Siak Provinsi Riau. Jurnal Perikanan Dan Kelautan, 20(2) : 67-77.
- Chang, S.K., Y.T. Chou dan S.D. Hoyle. 2022. Length-weight relationships and otolith-based growth curves for brushtooth lizardfish off taiwan with observations of region and aging-material effects on global growth estimates. *Frontiers in Marine Science*, 9(921594) : 1-15.
- Chintya, S.R., A.M. z Pérez y, dan L.F.D.M. Flores. 2011. Description of sagittae otolith of species of the Family Carangidae (Perciformes: Actinopterygii) off the Central Coast of Veracruz State, Mexico. *BIOCYT*, 4(15):265-284.
- Deghani, M., E. Kamrani, A. Salarpouri dan S. Sharifian. 2016. Otolith dimensions (length, weight), otolith weight and fish length of *Sardinella sindensis* (Day, 1878), as index for environmental studies, Persian Gulf, Iran. *Marine Biodiversity Records*, 9(44):1-6.
- Djumanto. 2020. Fish length and *otolith* size relationship of the *Channa striata* in Lake Rawa Pening, Central Java, Indonesia. *AACL Bioflux*, 13(4): 1917-1924.
- Fablet, R., L. Pecquerie, H. de Pontual, H. Hoie, R. Millner, H. Mosegaard, dan S.A.L.M. Kooijman. 2011. Shedding light on fish otolith biomineralization using a bioenergetic approach. *PloS ONE*, 6 (11) : 1-7.
- FAO. 2020. The State of World Fisheries and Aquaculture 2020. Sustainability in action. Rome.
- FAO. 2022. The State of World Fisheries and Aquaculture 2022. Towards Blue Transformation. Rome.
- Fashandi, A., T. Valinassab, F. Kaymaram dan S.M.R. Fatemi. 2019. Morphometric parameters of the sagitta otolith among four carangids spesies in Persian Gulf. *Iranian Journal of Fisheries Sciences*, 18(3):547-561.
- Florentine, A.N., D.N. Constance, A.M. Justin, A.K.J Paul, N. Yao, E. Abekan, N. Konan, dan G.A. Marie. 2019. Diet of *Elagatis bipinnulata* (Guoy & Gaimard, 1824) in Côte d'Ivoire (Gulf of Guinea). *European Scientific Journal*, 15(3) : 131-142.
- Froese, R., dan D. Pauly. 2022. *Elagatis bipinnulata* (Quoy and Gaimard, 1825) Rainbow Runner. FishBase World Wide Web Electronic Publication. < www.fishbase.org >. Diakses pada 12 November 2022.
- Jawad, L.A., dan A. Ambuali. 2011. Relationships between fish length and otolith length, width and weight of the indian mackerel *Rastrellinger kanagurta* (Cuvier,1817) collected from The Sea of Oman. *Ribarstvo*, 69(2):51-61.
- Jawad, L.A., dan J. Al-Mamry. 2012. Relationship between fish length and otolith dimensions the carangid fish (*Carangoides coeruleopinnatus* (RÜPPELL, 1838)) collected from The Sea of Oman. *Journal of Fisheries Sciences*, 6(3):203-208.
- Keputusan Menteri Kelautan dan Perikanan Nomor 19 Tahun 2022 Tentang Estimasi Potensi Sumber Daya Ikan, Jumlah Tangkapan Ikan yang Diperbolehkan dan Tingkat Pemanfaatan Sumber Daya di Wilayah Pengelolaan Perikanan Negara Republik Indonesia.



- Kontas, S. dan D. Bastian. 2013. Morphological and biometrical characteristics on otolith of *Barbus tauricus* Kessler, 1877 on light and scanning electron microscope. *International Journal Morphology*, 33(4):1380-1385.
- Manginsela, F.B., G.E. Mamuaya, R.M. Rompas dan L.J.L. Lumingas. 2020. The size and the shape of sagittal otolith of redbtail scad, *Decapterus kurroides* Bleeker 1855 from Kema Bay, North Minahasa Regency, North Sulawesi, Indonesia. *Omni-Akuatika journal of fisheries and marine research*, 16 (3) : 99-110.
- Mansoukiaei, A., T. Valinasab, G.H. Vosoughi, dan P.G. Mostafavi. 2011. Comparative morphology of the otolith of Carangids species in the Persian Gulf and Oman Sea. *Biosciences Biotechnology Research Asia*, 8(2):417-423.
- Martino, J.C., A.J. Fowler, Z.A. Doubleday, G.L. Grammer dan B.M. Gillanders. 2019. Using otolith chronologies to understands long-term trends and extrinsic drivers of growth in fisheries. *Ecosphere*, 10(1):1-19.
- Morwenna, S., S. Marsham, C.W. Chang, V.C. Chong, A. Sasekumar, S.K. Dhillon dan K.H. Loh. 2016. The use of otolith morphometrics in determining the size and species identification of eight mullets (Mugiliformes:Mugilidae) from Malaysia. *Sains Malaysiana*, 45(5):735-743.
- Mourniaty, A.Z.A., M.A. Jabbar, I.N. Suryasa dan A. Wujdi. 2020. Hubungan morfometrik otolith dengan ukuran ikan layang deles (*Decapterus macrosoma* Bleeker, 1851) di Perairan Bali Selatan. *Bawal*, 12 (3): 103-107.
- Nazir, A., dan M.A. Khan. 2019. Relationships between fish length, otolith size and otolith weight in *Sperata aor* (Bagridae) and *Labeo bata* (Cyprinidae) from The Ganga River, India. *Zoology and Ecology*, 29(2):90-95.
- Neves, J., A.A. Silva, A. Moreno, A. Verissimo, A.M. Santos dan S. Garrido. 2021. Population structure of the european sardine *Sardina pilchardus* from Atlantic and Mediterranean Waters based on otolith shape analysis. *Fisheries Research*, 243(106050):1-10.
- Nurmadinah. 2016. Studi Ciri morfometrik dan meristik ikan penja asal polewali mandar dan ikan nike (*Awaous melanocephalus*) Asal Gorontalo. Fakultas Sains dan Teknologi UIN Alauddin Makassar. Skripsi.
- Park, J.M., T.F. Gaston, R. Riedel dan J.E. Williamson. 2017. Biometric relationship between body and otolith measurements in nine demersal fishes from North-eastern tasmanian Waters, Australia. *WILEY, Journal pf Applied Ichthyology* (2018):1-5.
- Qamar, N. dan S.K Panhwar. 2019. Otolith dimensions versus fish lengths estimated for five Carangids (Pisces) in Pakistan. *Pakistan Journal Zoology*, 51(5):1-5.
- Ramirez, C.B.G. dan C. Posada. 2014. First approach to the trophic ecology and diet of the rainbow runner, *Elagatis bipinnulata* (Quoy & Gaimard, 1825) (Pisces: Carangidae), In The Central Colombian Caribbean. *Acta Biológica Colombiana*, 19 (2) : 309-314.
- Rieuwpassa, F.J., E.J. Karimela dan D.C. Lasaru. 2018. Karakterisasi sifat fungsional konsentrat protein ikan sunglir (*Elagatis bipinnulatus*). *Jurnal Teknologi Perikanan dan Kelautan*, 9(2) : 177-183.
- Saha, T., S.K. Datta, A.A. Zhilik, N.Z. Chowdhury, M.A. Baki dan M.S Ahmed. 2020. New geographical record of the rainbow runner, *Elagatis bipinnulata* (Quoy & Gaimard,

- Setyaningsih, A.S., dan Sudaryanto. 2014. Pengaruh Perubahan Distribusi Suhu Permukaan Laut dan Konsentrasi Klorofil Terhadap Hasil Produksi Ikan Pelagis di Perairan Selatan Jawa Tengah dan Daerah Istimewa Yogyakarta. Fakultas Geografi, Universitas Gadjah Mada. Skripsi.
- Souza, A.T., K. Soukalová, V. Děd, M. Smejkal, K. Moraes, M. Riha, M. Muska, J. Frouzova dan J.Kubecka. 2020. Otolith shape variations between artificially stocked and autochthonous pikeperch (*Sander lucioperca*). *Fisheries Research*, 231(105708):1-9.
- Stastistik Kementerian Kelautan dan Perikanan. 2023. <statistik.kkp.go.id>. Diakses pada 12 Februari 2023.
- Suryana, E., R. Elvyra dan Yusfiati. 2015. Karakteristik morfometrik dan meristik ikan lais (*Kryptopterus limpok*, Bleeker 1852) Di Sungai Tapung dan Sungai Kampar Kiri Provinsi Riau. *JOM FMIPA*, 2(1) : 67-77.
- Taliawo, R., F.B. Manginsela, N.E. Bataragoa. 2018. . Morfometrik otolit ikan selar (*Selar crumenophthalmus*) Dari Teluk Kema. *Jurnal Ilmiah Platax*,. 6(1) : 98-106.
- Teimori, A., A. Khajooei, M. Motamedi dan M.A. Hesni. 2019. Characteristics of sagittae morphology in sixteen marine fish species collected from the Persian Gulf: demonstration of the phylogenetic influence on otolith shape. *Regional Studies in Marine Science*, 29(100661):1-12.
- Umar, Y., F.B. Manginsela dan R. Moningkey. 2019. Otolit dan pola pertumbuhan ikan layang, *Decapterus muroadsi* Temminck & Schlegel, 1844. di Teluk Manado. *Jurnal Ilmiah Platax*, 7(1) : 27-33.
- Urbasa, A., V. Dotulong dan L.J. Damongilala. 2014. Kajian mutu ikan sunglir (*Elagatis bipinnulatus*) segar di Pasar Tuminting Manado. *Jurnal Media Teknologi Hasil Perikanan*, 2(2) : 62-67.
- Wang, S., X. Wang, L. Xu dan S. Tian. 2022. Feeding habits and trophic niche of rainbow runner *Elagatis bipinnulata* in the Western and Central Pacific Ocean. *Springer Nature : Environmental Biology of Fishes*. 105 : 139-149.
- Wei, X., dan G. Zhu. 2022. Shape and ontogenetic changes in otolith of the ocellated icefish (*Chinodraco rastrispinosus*) from the Bransfield Strait, Antarctic. *Zoology*, 153(126025):1-11.
- Wujdi, A., Prihatiningsih dan Suwarso. 2016. Karakteristik morfologi dan hubungan morfometrik *otolith* dengan ukuran ikan lemuru (*Sardinella lemuru* Bleeker, 1853) di Selat Bali. *BAWAL*, 8 (3) : 159-172.
- Wujdi, A., M. Agustina dan I. Jatmiko. 2018. Indeks bentuk otolit ikan cakalang, *Katsuwonus pelamis* (Linnaeus, 1758) dari Samudra Hindia. *Jurnal Iktiologi Indonesia*, 18(2): 151-163.
- Wujdi, A., H.J. Kim dan C.W. Oh. 2022. Population structure of indian mackerel (*Rastrelliger kanagurta*) in Java and Bali Island, Indonesia inferred from otolith shape. *Sains Malaysiana*, 51 (1) : 39-50.



UNIVERSITAS
GADJAH MADA

Karakteristik Morfologi dan Hubungan Morfometrik Otolith Dengan Panjang-Berat Ikan Sunglir (*Elagatis bipinnulata*, Quoy and Gaimard 1825) Yang Didaratkan di Pelabuhan Perikanan Pantai Sadeng Gunungkidul

Innayah Sarinastiti, Prof. Dr. Ir. Djumanto, M.Sc.

Universitas Gadjah Mada 2023. Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yilmaz, S. Yazicioglu, S.A. Saygin dan N. Polat. 2014. Relationships of otolith dimensions with body length of european perch, *Perca fluviatilis* L., 1758 from Lake Ladik, Turkey. Pakistan Journal Zoology, 46(5):1231-1238.
- Yunike, D.A., N. Rahmawati, W. Astriana, Mersi, Makri dan A. Fatiqin. 2021. Analisis morfometrik dan meristik ikan Genus *Oreochromis* sp. Prosiding SEMNAS BIO 2021, 1:412-422.
- Zengin, M., S. Saygin dan N. Polat. 2016. Relationships between otolith size and total length of bluefish, *Pomatomus saltatrix* (Linnaeus, 1766) in Black Sea, Turkey. North-Western Journal of Zoology, 13(1):169-171.