

DAFTAR PUSTAKA

- Ahn, H. S., Lee, D.-H., Kazmi, S. Z., Kang, T., Lee, Y. S., Sung, R., Cha, J., Choi, Y. J., Hong, G., Hann, H. J., & Kim, H. J. (2021). Familial Risk and Its Interaction With Body Mass Index and Physical Activity in Anterior Cruciate Ligament Injury Among First-Degree Relatives: A Population-Based Cohort Study. *The American Journal of Sports Medicine*, 49(12), 3312–3321. <https://doi.org/10.1177/03635465211032643>
- Alangari, A. A., Almutairi, M. M., Alrrajeh, A. M., Aleidi, M. A., Alqarni, M. A., Almeneif, H. A., Alolaywi, H. K., & Almuklass, A. M. (2022). The Relation Between Body Mass Index and Musculoskeletal Injury. *Cureus*. <https://doi.org/10.7759/cureus.28965>
- Ballal, M. S., Khan, Y., Hastie, G., Hatcher, A., Coogan, S., & McNicholas, M. J. (2013). Functional Outcome of Primary Hamstring Anterior Cruciate Ligament Reconstruction in Patients with Different Body Mass Index Classes. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 29(8), 1314–1321. <https://doi.org/10.1016/j.arthro.2013.05.005>
- Bijlsma, J. W., Berenbaum, F., & Lafeber, F. P. (2011). Osteoarthritis: An update with relevance for clinical practice. *The Lancet*, 377(9783), 2115–2126. [https://doi.org/10.1016/S0140-6736\(11\)60243-2](https://doi.org/10.1016/S0140-6736(11)60243-2)
- Bin Abd Razak, H. R., Chong, H.-C., & Tan, H.-C. A. (2017). Obesity is associated with poorer range of motion and Tegner scores following hamstring autograft anterior cruciate ligament reconstruction in Asians. *Annals of Translational Medicine*, 5(15), 304–304. <https://doi.org/10.21037/atm.2017.06.04>
- Brambilla, L., Pulici, L., Carimati, G., Quaglia, A., Prospero, E., Bait, C., Morengi, E., Portinaro, N., Denti, M., & Volpi, P. (2015). Prevalence of Associated Lesions in Anterior Cruciate Ligament Reconstruction: Correlation With Surgical Timing and With Patient Age, Sex, and Body Mass Index. *The American Journal of Sports Medicine*, 43(12), 2966–2973. <https://doi.org/10.1177/0363546515608483>
- Burns, E. A., Collins, A. D., Jack, R. A., McCulloch, P. C., Lintner, D. M., & Harris, J. D. (2018). Trends in the Body Mass Index of Pediatric and Adult Patients Undergoing Anterior Cruciate Ligament Reconstruction. *Orthopaedic Journal of Sports Medicine*, 6(4), 232596711876739. <https://doi.org/10.1177/2325967118767398>
- Centers for Disease Control and Prevention. (2022). *Body Mass Index (BMI)*. Centers for Disease Control and Prevention. <https://www.cdc.gov/healthyweight/assessing/bmi/index.html>

- Colombet, P., Dejour, D., Panisset, J.-C., & Siebold, R. (2010). Current concept of partial anterior cruciate ligament ruptures. *Orthopaedics & Traumatology: Surgery & Research*, 96(8), S109–S118. <https://doi.org/10.1016/j.otsr.2010.09.003>
- Debi, R., Mor, A., Segal, O., Segal, G., Debbi, E., Agar, G., Halperin, N., Haim, A., & Elbaz, A. (2009). Differences in gait patterns, pain, function and quality of life between males and females with knee osteoarthritis: A clinical trial. *BMC Musculoskeletal Disorders*, 10(1), 127. <https://doi.org/10.1186/1471-2474-10-127>
- Dere, D. (2014). Effect of body mass index on functional recovery after total knee arthroplasty in ambulatory overweight or obese women with osteoarthritis. *ACTA ORTHOPAEDICA et TRAUMATOLOGICA TURCICA*, 48(2), 117–121. <https://doi.org/10.3944/AOTT.2014.3126>
- Duthon, V. B., Barea, C., Abrassart, S., Fasel, J. H., Fritschy, D., & Ménétrey, J. (2006). Anatomy of the anterior cruciate ligament. *Knee Surgery, Sports Traumatology, Arthroscopy*, 14(3), 204–213. <https://doi.org/10.1007/s00167-005-0679-9>
- Evans, J., & Nielson, J. I. (2022). Anterior Cruciate Ligament Knee Injuries. In *StatPearls*. StatPearls Publishing.
- Fayard, J.-M., Sonnery-Cottet, B., Vrgoc, G., O’Loughlin, P., de Mont Marin, G. D., Freychet, B., Vieira, T. D., & Thaumat, M. (2019). Incidence and Risk Factors for a Partial Anterior Cruciate Ligament Tear Progressing to a Complete Tear After Nonoperative Treatment in Patients Younger Than 30 Years. *Orthopaedic Journal of Sports Medicine*, 7(7), 232596711985662. <https://doi.org/10.1177/2325967119856624>
- Ferretti, A., Monaco, E., Fabbri, M., Maestri, B., & De Carli, A. (2017). Prevalence and Classification of Injuries of Anterolateral Complex in Acute Anterior Cruciate Ligament Tears. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 33(1), 147–154. <https://doi.org/10.1016/j.arthro.2016.05.010>
- George, J., Piuuzzi, N. S., Ng, M., Sodhi, N., Khlopas, A. A., & Mont, M. A. (2018). Association Between Body Mass Index and Thirty-Day Complications After Total Knee Arthroplasty. *The Journal of Arthroplasty*, 33(3), 865–871. <https://doi.org/10.1016/j.arth.2017.09.038>
- Gipsman, A. M., Trasolini, N., & Hatch, G. F. “Rick.” (2018). Primary Anterior Cruciate Ligament Single-Bundle Repair With Augmentation for a Partial

Anterior Cruciate Ligament Tear. *Arthroscopy Techniques*, 7(4), e367–e372. <https://doi.org/10.1016/j.eats.2017.10.006>

Harput, G., Guney-Deniz, H., Ozer, H., Baltaci, G., & Mattacola, C. (2018). Higher Body Mass Index Adversely Affects Knee Function After Anterior Cruciate Ligament Reconstruction in Individuals Who Are Recreationally Active. *Clinical Journal of Sport Medicine, Publish Ahead of Print*. <https://doi.org/10.1097/JSM.0000000000000669>

Hewett, T. E., Myer, G. D., Ford, K. R., Paterno, M. V., & Quatman, C. E. (2016). Mechanisms, prediction, and prevention of ACL injuries: Cut risk with three sharpened and validated tools: ACL INJURY PREVENTION. *Journal of Orthopaedic Research*, 34(11), 1843–1855. <https://doi.org/10.1002/jor.23414>

Hong, S. H., Choi, J.-Y., Lee, G. K., Choi, J.-A., Chung, H. W., & Kang, H. S. (2003). Grading of Anterior Cruciate Ligament Injury: Diagnostic Efficacy of Oblique Coronal Magnetic Resonance Imaging of the Knee. *Journal of Computer Assisted Tomography*, 27(5), 814–819. <https://doi.org/10.1097/00004728-200309000-00022>

Hsu, W.-H., Fan, C.-H., Yu, P.-A., Chen, C.-L., Kuo, L.-T., & Hsu, R. W.-W. (2018). Effect of high body mass index on knee muscle strength and function after anterior cruciate ligament reconstruction using hamstring tendon autografts. *BMC Musculoskeletal Disorders*, 19(1), 363. <https://doi.org/10.1186/s12891-018-2277-2>

Iagulli, N. D., Field, L. D., Hobgood, E. R., Ramsey, J. R., & Savoie, F. H. (2012). Comparison of Partial Versus Complete Arthroscopic Repair of Massive Rotator Cuff Tears. *The American Journal of Sports Medicine*, 40(5), 1022–1026. <https://doi.org/10.1177/0363546512438763>

Inderhaug, E., Drogset, J. O., Lygre, S. H. L., & Gifstad, T. (2020). No effect of graft size or body mass index on risk of revision after ACL reconstruction using hamstrings autograft. *Knee Surgery, Sports Traumatology, Arthroscopy: Official Journal of the ESSKA*, 28(3), 707–713. <https://doi.org/10.1007/s00167-019-05395-5>

Johnson, D. (2004). *ACL Made Simple* (1st ed.). Springer New York. <https://doi.org/10.1007/b97311>

Katakam, A., Bragdon, C. R., Chen, A. F., Melnic, C. M., & Bedair, H. S. (2021). Elevated Body Mass Index Is a Risk Factor for Failure to Achieve the Knee Disability and Osteoarthritis Outcome Score-Physical Function Short Form Minimal Clinically Important Difference Following Total Knee

Arthroplasty. *The Journal of Arthroplasty*, 36(5), 1626–1632.
<https://doi.org/10.1016/j.arth.2020.12.019>

Kiapour, A. M., & Murray, M. M. (2014). Basic science of anterior cruciate ligament injury and repair. *Bone & Joint Research*, 3(2), 20–31.
<https://doi.org/10.1302/2046-3758.32.2000241>

Kızılgöz, V., Sivrioğlu, A. K., Aydın, H., Ulusoy, G. R., Çetin, T., & Tuncer, K. (2019). The Combined Effect of Body Mass Index and Tibial Slope Angles on Anterior Cruciate Ligament Injury Risk in Male Knees: A Case-Control Study. *Clinical Medicine Insights: Arthritis and Musculoskeletal Disorders*, 12, 117954411986792. <https://doi.org/10.1177/1179544119867922>

Kowalchuk, D. A., Harner, C. D., Fu, F. H., & Irrgang, J. J. (2009). Prediction of Patient-Reported Outcome After Single-Bundle Anterior Cruciate Ligament Reconstruction. *Arthroscopy: The Journal of Arthroscopic & Related Surgery*, 25(5), 457–463. <https://doi.org/10.1016/j.arthro.2009.02.014>

Larsen, P., Engberg, A. S., Motahar, I., Ostgaard, S. E., & Elsoe, R. (2019). Obesity Influences the Knee Injury and Osteoarthritis Outcome Score. *Joints*, 07(01), 008–012. <https://doi.org/10.1055/s-0039-1697612>

Lebel, B., Hulet, C., Galaud, B., Burdin, G., Locker, B., & Vielpeau, C. (2008). Arthroscopic Reconstruction of the Anterior Cruciate Ligament Using Bone-Patellar Tendon-Bone Autograft: A Minimum 10-Year Follow-up. *The American Journal of Sports Medicine*, 36(7), 1275–1282.
<https://doi.org/10.1177/0363546508314721>

Lestari, B., Tinduh, D., & Lumintuarso, R. (2020). BMI Patient Injury Anterior Cruciate Ligament (ACL) Post Operative And Conservative Action. *STRADA Jurnal Ilmiah Kesehatan*, 9(1), 6–11.
<https://doi.org/10.30994/sjik.v9i1.263>

Misra, A. (2015). Ethnic-Specific Criteria for Classification of Body Mass Index: A Perspective for Asian Indians and American Diabetes Association Position Statement. *Diabetes Technology & Therapeutics*, 17(9), 667–671.
<https://doi.org/10.1089/dia.2015.0007>

Nabeel, I., Baker, B. A., McGrail, M. P. J., & Flottemesch, T. J. (2007). Correlation between physical activity, fitness, and musculoskeletal injuries in police officers. *Minnesota Medicine*, 90(9), 40–43.

Nordenvall, R., Bahmanyar, S., Adami, J., Stenros, C., Wredmark, T., & Felländer-Tsai, L. (2012). A Population-Based Nationwide Study of Cruciate Ligament Injury in Sweden, 2001-2009: Incidence, Treatment, and Sex

Differences. *The American Journal of Sports Medicine*, 40(8), 1808–1813.
<https://doi.org/10.1177/0363546512449306>

Nuttall, F. Q. (2015). Body Mass Index: Obesity, BMI, and Health A Critical Review. *Nutrition Today*, 50(3), 117–128.
<https://doi.org/10.1097/NT.0000000000000092>

Petersen, W., & Zantop, T. (2007). Anatomy of the anterior cruciate ligament with regard to its two bundles. *Clinical Orthopaedics and Related Research*, 454, 35–47. <https://doi.org/10.1097/BLO.0b013e31802b4a59>

Pfeifer, C. E., Beattie, P. F., Sacko, R. S., & Hand, A. (2018). RISK FACTORS ASSOCIATED WITH NON-CONTACT ANTERIOR CRUCIATE LIGAMENT INJURY: A SYSTEMATIC REVIEW. *International Journal of Sports Physical Therapy*, 13(4), 575–587.

Phatama, K. Y., Aziz, A., Bimadi, M. H., Oktafandi, I. G. N. A. A., Cendikiawan, F., & Mustamsir, E. (2021). Knee Injury and Osteoarthritis Outcome Score: Validity and Reliability of an Indonesian Version. *Ochsner Journal*, 21(1), 63–67. <https://doi.org/10.31486/toj.20.0088>

Prentice, W. E. (2020). *Rehabilitation Techniques for Sports Medicine and Athletic Training* (7th ed.). SLACK Incorporated.

Purnell, M. L., Larson, A. I., & Clancy, W. (2008). Anterior cruciate ligament insertions on the tibia and femur and their relationships to critical bony landmarks using high-resolution volume-rendering computed tomography. *The American Journal of Sports Medicine*, 36(11), 2083–2090.
<https://doi.org/10.1177/0363546508319896>

Raines, B. T., Naclerio, E., & Sherman, S. L. (2017). Management of Anterior Cruciate Ligament Injury: What's In and What's Out? *Indian Journal of Orthopaedics*, 51(5), 563–575.
https://doi.org/10.4103/ortho.IJOrtho_245_17

Richmond, S. A., Nettel-Aguirre, A., Doyle-Baker, P. K., Macpherson, A., & Emery, C. A. (2016). Examining Measures of Weight as Risk Factors for Sport-Related Injury in Adolescents. *Journal of Sports Medicine (Hindawi Publishing Corporation)*, 2016, 7316947–7316947. PubMed.
<https://doi.org/10.1155/2016/7316947>

Roos, E. M., & Lohmander, L. S. (2003). The Knee injury and Osteoarthritis Outcome Score (KOOS): From joint injury to osteoarthritis. *Health and Quality of Life Outcomes*, 1, 64. <https://doi.org/10.1186/1477-7525-1-64>

- Roos, E. M., Roos, H. P., Lohmander, L. S., Ekdahl, C., & Beynnon, B. D. (2014). Knee Injury and Osteoarthritis Outcome Score (K00S)—Development of a Self-Administered Outcome Measure. *Orthopaedic Journal of Sports Medicine*, 78(2).
- Rosa, S., Martins, D., Martins, M., Guimarães, B., Cabral, L., & Horta, L. (2021). Body Mass Index and Musculoskeletal Pain: A Cross-Sectional Study. *Cureus*. <https://doi.org/10.7759/cureus.13400>
- Sanders, T. L., Maradit Kremers, H., Bryan, A. J., Larson, D. R., Dahm, D. L., Levy, B. A., Stuart, M. J., & Krych, A. J. (2016). Incidence of Anterior Cruciate Ligament Tears and Reconstruction: A 21-Year Population-Based Study. *The American Journal of Sports Medicine*, 44(6), 1502–1507. <https://doi.org/10.1177/0363546516629944>
- Sandon, A., Krutsch, W., Alt, V., & Forssblad, M. (2022). Increased occurrence of ACL injuries for football players in teams changing coach and for players going to a higher division. *Knee Surgery, Sports Traumatology, Arthroscopy*, 30(4), 1380–1387. <https://doi.org/10.1007/s00167-021-06604-w>
- Sayampanathan, A. A., Howe, B. K. T., Bin Abd Razak, H. R., Chi, C. H., & Tan, A. H. C. (2017). Epidemiology of surgically managed anterior cruciate ligament ruptures in a sports surgery practice. *Journal of Orthopaedic Surgery*, 25(1), 230949901668428. <https://doi.org/10.1177/2309499016684289>
- Schoenfisch, A., Dement, J., Stankevitz, K., & Østbye, T. (2017). The Relationship Between BMI and Work-Related Musculoskeletal (MSK) Injury Rates is Modified by Job-Associated Level of MSK Injury Risk. *Journal of Occupational and Environmental Medicine*, 59(5). https://journals.lww.com/joem/Fulltext/2017/05000/The_Relationship_Between_BMI_and_Work_Related.1.aspx
- Sivachidambaram, K., Ateef, M., & Tahseen, S. (2014). Correlation of Self-Reported Questionnaire (KOOS) with Some Objective Measures in Primary OA Knee Patients. *ISRN Rheumatology*, 2014, 1–5. <https://doi.org/10.1155/2014/301485>
- Snaebjörnsson, T., Svantesson, E., Sundemo, D., Westin, O., Sansone, M., Engebretsen, L., & Hamrin-Senorski, E. (2019). Young age and high BMI are predictors of early revision surgery after primary anterior cruciate ligament reconstruction: A cohort study from the Swedish and Norwegian knee ligament registries based on 30,747 patients. *Knee Surgery, Sports Traumatology, Arthroscopy*, 27(11), 3583–3591. <https://doi.org/10.1007/s00167-019-05487-2>

- Tsuji, T., Rantakokko, M., Portegijs, E., Viljanen, A., & Rantanen, T. (2018). The effect of body mass index, lower extremity performance, and use of a private car on incident life-space restriction: A two-year follow-up study. *BMC Geriatrics*, 18(1), 271–271. PubMed. <https://doi.org/10.1186/s12877-018-0956-3>
- Ulusoy, G. R., Kızılgöz, V., & Sivrioğlu, A. K. (2020). Relationship between Body Mass Index and Articular Injuries Accompanying Primary Anterior Cruciate Ligament Tear in Male Knees: A Retrospective Observational Study. *The Journal of Knee Surgery*, 33(11), 1157–1162. <https://doi.org/10.1055/s-0039-1692668>
- University of Wisconsin Sport Medicine. (2022). *Rehabilitation Guidelines After Surgery, Sports Medicine*. <https://patient.uwhealth.org/education/sports-medicine-rehabilitation-guidelines>
- Vennu, V., Alenazi, A. M., Abdulrahman, T. A., Binnasser, A. S., & Bindawas, S. M. (2020). Obesity and Multisite Pain in the Lower Limbs: Data from the Osteoarthritis Initiative. *Pain Research and Management*, 2020, 1–7. <https://doi.org/10.1155/2020/6263505>
- Wasserstein, D., Huston, L. J., Nwosu, S., Spindler, K. P., Kaeding, C. C., Parker, R. D., Wright, R. W., Andrish, J. T., Marx, R. G., Amendola, A., Wolf, B. R., McCarty, E. C., Wolcott, M., & Dunn, W. R. (2015). KOOS pain as a marker for significant knee pain two and six years after primary ACL reconstruction: A Multicenter Orthopaedic Outcomes Network (MOON) prospective longitudinal cohort study. *Osteoarthritis and Cartilage*, 23(10), 1674–1684. <https://doi.org/10.1016/j.joca.2015.05.025>
- Zhang, X., Furumatsu, T., Okazaki, Y., Hiranaka, T., Kodama, Y., Xue, H., Okazaki, Y., & Ozaki, T. (2021). High body mass index is a risk factor for unfavorable clinical outcomes after medial meniscus posterior root repair in well-aligned knees. *Journal of Orthopaedic Science*, 26(3), 430–434. <https://doi.org/10.1016/j.jos.2020.04.018>
- Zheng, H., & Chen, C. (2015). Body mass index and risk of knee osteoarthritis: Systematic review and meta-analysis of prospective studies. *BMJ Open*, 5(12), e007568. <https://doi.org/10.1136/bmjopen-2014-007568>