

perlu dilakukan dengan menggunakan pengelompokan derajat keparahan yang lebih besar marginnya.

## DAFTAR PUSTAKA

- Al-Benna, S. (2020) 'Association of high level gene expression of ACE2 in adipose tissue with mortality of COVID-19 infection in obese patients', *Obesity Medicine*, 19, p. 100283. Available at: <https://doi.org/10.1016/j.obmed.2020.100283>.
- Ali, N. (2020) 'Relationship Between COVID-19 Infection and Liver Injury: A Review of Recent Data', *Frontiers in Medicine*, 7, p. 458. Available at: <https://doi.org/10.3389/fmed.2020.00458>.
- Alshaikh, A. *et al.* (2020) 'Saudi Scientific Diabetes Society Position Statement: Management of Diabetes Mellitus in the Pandemic of COVID-19', *International Journal of Clinical Medicine*, 11(5), pp. 199–206. Available at: <https://doi.org/10.4236/ijcm.2020.115020>.
- Angeli, F., Reboldi, G. and Verdecchia, P. (2021) 'Ageing, ACE2 deficiency and bad outcome in COVID-19', *Clinical Chemistry and Laboratory Medicine (CCLM)*, 59(10), pp. 1607–1609. Available at: <https://doi.org/10.1515/cclm-2021-0658>.
- Barek, Md.A., Aziz, Md.A. and Islam, M.S. (2020) 'Impact of age, sex, comorbidities and clinical symptoms on the severity of COVID-19 cases: A meta-analysis with 55 studies and 10014 cases', *Heliyon*, 6(12). Available at: <https://doi.org/10.1016/j.heliyon.2020.e05684>.
- Blokhin, I.O. and Lentz, S.R. (2013) 'Mechanisms of thrombosis in obesity', *Current opinion in hematology*, 20(5), pp. 437–444. Available at: <https://doi.org/10.1097/MOH.0b013e3283634443>.

- Ceraolo, C. and Giorgi, F.M. (2020) ‘Genomic variance of the 2019-nCoV coronavirus’, *Journal of Medical Virology*, 92(5), pp. 522–528. Available at: <https://doi.org/10.1002/jmv.25700>.
- Codo, A.C. *et al.* (2020) ‘Elevated Glucose Levels Favor SARS-CoV-2 Infection and Monocyte Response through a HIF-1 $\alpha$ /Glycolysis-Dependent Axis’, *Cell Metabolism*, 32(3), pp. 437-446.e5. Available at: <https://doi.org/10.1016/j.cmet.2020.07.007>.
- COVID Live Update: 167,591,800 Cases and 3,479,829 Deaths from the Coronavirus - Worldometer* (2021). Available at: <https://www.worldometers.info/coronavirus/> (Accessed: 24 May 2021).
- El Zowalaty, M.E. and Järhult, J.D. (2020) ‘From SARS to COVID-19: A previously unknown SARS- related coronavirus (SARS-CoV-2) of pandemic potential infecting humans – Call for a One Health approach’, *One Health*, 9. Available at: <https://doi.org/10.1016/j.onehlt.2020.100124>.
- Ellulu, M.S. *et al.* (2017) ‘Obesity and inflammation: the linking mechanism and the complications’, *Archives of Medical Science : AMS*, 13(4), pp. 851–863. Available at: <https://doi.org/10.5114/aoms.2016.58928>.
- Fang, M. *et al.* (2012) ‘Perforin-dependent CD4<sup>+</sup> T-cell cytotoxicity contributes to control a murine poxvirus infection’, *Proceedings of the National Academy of Sciences*, 109(25), pp. 9983–9988. Available at: <https://doi.org/10.1073/pnas.1202143109>.
- Forster, P. *et al.* (2020) ‘Phylogenetic network analysis of SARS-CoV-2 genomes’, *Proceedings of the National Academy of Sciences*, 117(17), pp. 9241–9243. Available at: <https://doi.org/10.1073/pnas.2004999117>.
- de Frel, D.L. *et al.* (2020) ‘The Impact of Obesity and Lifestyle on the Immune System and Susceptibility to Infections Such as COVID-19’, *Frontiers*

in *Nutrition*, 7. Available at:

<https://www.frontiersin.org/articles/10.3389/fnut.2020.597600>

(Accessed: 1 March 2023).

Gao, Y. *et al.* (2021) 'Risk factors for severe and critically ill COVID-19 patients: A review', *Allergy*, 76(2), pp. 428–455. Available at: <https://doi.org/10.1111/all.14657>.

Gerayeli, F.V. *et al.* (2021) 'COPD and the risk of poor outcomes in COVID-19: A systematic review and meta-analysis', *eClinicalMedicine*, 33. Available at: <https://doi.org/10.1016/j.eclinm.2021.100789>.

Ghannam, M. *et al.* (2020) 'Neurological involvement of coronavirus disease 2019: a systematic review', *Journal of Neurology*, 267(11), pp. 3135–3153. Available at: <https://doi.org/10.1007/s00415-020-09990-2>.

Groop, L.C. *et al.* (1989) 'Glucose and free fatty acid metabolism in non-insulin-dependent diabetes mellitus. Evidence for multiple sites of insulin resistance.', *Journal of Clinical Investigation*, 84(1), pp. 205–213.

Guan, Y. *et al.* (2003) 'Isolation and Characterization of Viruses Related to the SARS Coronavirus from Animals in Southern China', *Science*, 302(5643), pp. 276–278. Available at: <https://doi.org/10.1126/science.1087139>.

Gupta, A. *et al.* (2020) 'Extrapulmonary manifestations of COVID-19', *Nature Medicine*, 26(7), pp. 1017–1032. Available at: <https://doi.org/10.1038/s41591-020-0968-3>.

Henry, B.M. and vikse, J. (2020) 'Clinical Characteristics of Covid-19 in China', *New England Journal of Medicine*, 382(19), pp. 1859–1862. Available at: <https://doi.org/10.1056/NEJMc2005203>.

Huang, R. *et al.* (2020) ‘Clinical findings of patients with coronavirus disease 2019 in Jiangsu province, China: A retrospective, multi-center study’, *PLoS Neglected Tropical Diseases*, 14(5), p. e0008280. Available at: <https://doi.org/10.1371/journal.pntd.0008280>.

*Indonesia COVID: 1,781,127 Cases and 49,455 Deaths - Worldometer* (no date). Available at: <https://www.worldometers.info/coronavirus/country/indonesia/> (Accessed: 24 May 2021).

Jose, R.J. and Manuel, A. (2020) ‘COVID-19 cytokine storm: the interplay between inflammation and coagulation’, *The Lancet. Respiratory Medicine* [Preprint]. Available at: [https://doi.org/10.1016/S2213-2600\(20\)30216-2](https://doi.org/10.1016/S2213-2600(20)30216-2).

Kahn, J.S. and McIntosh, K. (2005) ‘History and recent advances in coronavirus discovery’, *The Pediatric Infectious Disease Journal*, 24(11 Suppl), pp. S223-227, discussion S226. Available at: <https://doi.org/10.1097/01.inf.0000188166.17324.60>.

Karason, K. *et al.* (2000) ‘Relief of Cardiorespiratory Symptoms and Increased Physical Activity After Surgically Induced Weight Loss: Results From the Swedish Obese Subjects Study’, *Archives of Internal Medicine*, 160(12), pp. 1797–1802. Available at: <https://doi.org/10.1001/archinte.160.12.1797>.

Kornblith, L. *et al.* (2015) ‘Obesity and Clotting: BMI Independently Contributes to Hypercoagulability after Injury’, *The journal of trauma and acute care surgery*, 78(1), pp. 30–38. Available at: <https://doi.org/10.1097/TA.0000000000000490>.

Koutsogiannaki, S., Shimaoka, M. and Yuki, K. (2019) ‘The Use of Volatile Anesthetics as Sedatives for Acute Respiratory Distress Syndrome’,

*Translational perioperative and pain medicine*, 6(2), pp. 27–38.  
Available at: <https://doi.org/10.31480/2330-4871/084>.

Kovell, L.C. *et al.* (2015) ‘US Hypertension Management Guidelines: A Review of the Recent Past and Recommendations for the Future’, *Journal of the American Heart Association*, 4(12). Available at: <https://doi.org/10.1161/JAHA.115.002315>.

Kumar, A. *et al.* (2020) ‘SARS-CoV-2 cell entry receptor ACE2 mediated endothelial dysfunction leads to vascular thrombosis in COVID-19 patients’, *Medical Hypotheses*, 145, p. 110320. Available at: <https://doi.org/10.1016/j.mehy.2020.110320>.

Lau, S.K.P. *et al.* (2013) ‘Delayed induction of proinflammatory cytokines and suppression of innate antiviral response by the novel Middle East respiratory syndrome coronavirus: implications for pathogenesis and treatment’, *Journal of General Virology*, 94(12), pp. 2679–2690. Available at: <https://doi.org/10.1099/vir.0.055533-0>.

Li, J. and Fan, J.-G. (2020) ‘Characteristics and Mechanism of Liver Injury in 2019 Coronavirus Disease’, *Journal of Clinical and Translational Hepatology*, 8(1), pp. 13–17. Available at: <https://doi.org/10.14218/JCTH.2020.00019>.

Lim, S. *et al.* (2021) ‘COVID-19 and diabetes mellitus: from pathophysiology to clinical management’, *Nature Reviews Endocrinology*, 17(1), pp. 11–30. Available at: <https://doi.org/10.1038/s41574-020-00435-4>.

Liu, S. *et al.* (2016) ‘Neutrophil extracellular traps are indirectly triggered by lipopolysaccharide and contribute to acute lung injury’, *Scientific Reports*, 6, p. 37252. Available at: <https://doi.org/10.1038/srep37252>.

Lu, G., Wang, Q. and Gao, G.F. (2015) ‘Bat-to-human: spike features determining “host jump” of coronaviruses SARS-CoV, MERS-CoV, and beyond’,

*Trends in Microbiology*, 23(8), pp. 468–478. Available at:  
<https://doi.org/10.1016/j.tim.2015.06.003>.

Martinez, M.A. and Franco, S. (2021) ‘Impact of COVID-19 in Liver Disease Progression’, *Hepatology Communications*, 5(7), pp. 1138–1150. Available at: <https://doi.org/10.1002/hep4.1745>.

Menachery, V.D. *et al.* (2014) ‘Pathogenic Influenza Viruses and Coronaviruses Utilize Similar and Contrasting Approaches To Control Interferon-Stimulated Gene Responses’, *mBio*, 5(3), pp. e01174-14. Available at: <https://doi.org/10.1128/mBio.01174-14>.

Mohamud, A.Y. *et al.* (2020) ‘Intraluminal Carotid Artery Thrombus in COVID-19: Another Danger of Cytokine Storm?’, *AJNR: American Journal of Neuroradiology*, 41(9), pp. 1677–1682. Available at: <https://doi.org/10.3174/ajnr.A6674>.

Otiz, A. (2020) ‘Chronic kidney disease is a key risk factor for severe COVID-19: a call to action by the ERA-EDTA’, *Nephrology Dialysis Transplantation*, 36(1), pp. 87–94. Available at: <https://doi.org/10.1093/ndt/gfaa314>.

Qi, X., Keith, K.A. and Huang, J.H. (2021) ‘COVID-19 and stroke: A review’, *Brain Hemorrhages*, 2(2), pp. 76–83. Available at: <https://doi.org/10.1016/j.hest.2020.11.001>.

Ragab, D. *et al.* (2020) ‘The COVID-19 Cytokine Storm; What We Know So Far’, *Frontiers in Immunology*, 11, p. 1446. Available at: <https://doi.org/10.3389/fimmu.2020.01446>.

Ran, J. *et al.* (2020) ‘Blood pressure control and adverse outcomes of COVID-19 infection in patients with concomitant hypertension in Wuhan, China’, *Hypertension Research*, 43(11), pp. 1267–1276. Available at: <https://doi.org/10.1038/s41440-020-00541-w>.

- Robinson, D.P. *et al.* (2011) 'Elevated 17 $\beta$ -Estradiol Protects Females from Influenza A Virus Pathogenesis by Suppressing Inflammatory Responses', *PLoS Pathogens*, 7(7), p. e1002149. Available at: <https://doi.org/10.1371/journal.ppat.1002149>.
- Sahu, P. (2020) 'Closure of Universities Due to Coronavirus Disease 2019 (COVID-19): Impact on Education and Mental Health of Students and Academic Staff', *Cureus*, 12(4). Available at: <https://doi.org/10.7759/cureus.7541>.
- Šestan, M. *et al.* (2018) 'Virus-Induced Interferon- $\gamma$  Causes Insulin Resistance in Skeletal Muscle and Derails Glycemic Control in Obesity', *Immunity*, 49(1), pp. 164-177.e6. Available at: <https://doi.org/10.1016/j.immuni.2018.05.005>.
- Sharma, A. and Nagalli, S. (2022) 'Chronic Liver Disease', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK554597/> (Accessed: 24 February 2022).
- Singh, S. and Khan, A. (2020) 'Clinical Characteristics and Outcomes of Coronavirus Disease 2019 Among Patients With Preexisting Liver Disease in the United States: A Multicenter Research Network Study', *Gastroenterology*, 159(2), pp. 768-771.e3. Available at: <https://doi.org/10.1053/j.gastro.2020.04.064>.
- Statsenko, Y. *et al.* (2022) 'Impact of Age and Sex on COVID-19 Severity Assessed From Radiologic and Clinical Findings', *Frontiers in Cellular and Infection Microbiology*, 11, p. 777070. Available at: <https://doi.org/10.3389/fcimb.2021.777070>.
- Syed-Ahmed, M. and Narayanan, M. (2019) 'Immune Dysfunction and Risk of Infection in Chronic Kidney Disease', *Advances in Chronic Kidney*



*Disease*, 26(1), pp. 8–15. Available at:  
<https://doi.org/10.1053/j.ackd.2019.01.004>.

Tang, Y. *et al.* (2020) ‘Cytokine Storm in COVID-19: The Current Evidence and Treatment Strategies’, *Frontiers in Immunology*, 11, p. 1708. Available at: <https://doi.org/10.3389/fimmu.2020.01708>.

Tecklenborg, J. *et al.* (2018) ‘The role of the immune system in kidney disease’, *Clinical and Experimental Immunology*, 192(2), pp. 142–150. Available at: <https://doi.org/10.1111/cei.13119>.

van der Valk, E.S., Savas, M. and van Rossum, E.F.C. (2018) ‘Stress and Obesity: Are There More Susceptible Individuals?’, *Current Obesity Reports*, 7(2), pp. 193–203. Available at: <https://doi.org/10.1007/s13679-018-0306-y>.

Webster, A.C. *et al.* (2017) ‘Chronic Kidney Disease’, *The Lancet*, 389(10075), pp. 1238–1252. Available at: [https://doi.org/10.1016/S0140-6736\(16\)32064-5](https://doi.org/10.1016/S0140-6736(16)32064-5).

Weiss, S.R. and Navas-Martin, S. (2005) ‘Coronavirus Pathogenesis and the Emerging Pathogen Severe Acute Respiratory Syndrome Coronavirus’, *Microbiology and Molecular Biology Reviews*, 69(4), pp. 635–664. Available at: <https://doi.org/10.1128/MMBR.69.4.635-664.2005>.

Wijeratne, T. *et al.* (2021) ‘COVID-19 Pathophysiology Predicts That Ischemic Stroke Occurrence Is an Expectation, Not an Exception—A Systematic Review’, *Frontiers in Neurology*, 11, p. 607221. Available at: <https://doi.org/10.3389/fneur.2020.607221>.

Woo, P.C.Y. *et al.* (2005) ‘Characterization and Complete Genome Sequence of a Novel Coronavirus, Coronavirus HKU1, from Patients with Pneumonia’, *Journal of Virology*, 79(2), pp. 884–895. Available at: <https://doi.org/10.1128/JVI.79.2.884-895.2005>.



- Wrapp, D. *et al.* (2020) ‘Cryo-EM structure of the 2019-nCoV spike in the prefusion conformation’, *Science (New York, N.y.)*, 367(6483), pp. 1260–1263. Available at: <https://doi.org/10.1126/science.abb2507>.
- Wu, F. *et al.* (2020) ‘A new coronavirus associated with human respiratory disease in China’, *Nature*, 579(7798), pp. 265–269. Available at: <https://doi.org/10.1038/s41586-020-2008-3>.
- Wu, Z. and McGoogan, J.M. (2020) ‘Characteristics of and Important Lessons From the Coronavirus Disease 2019 (COVID-19) Outbreak in China: Summary of a Report of 72 314 Cases From the Chinese Center for Disease Control and Prevention’, *JAMA*, 323(13), p. 1239. Available at: <https://doi.org/10.1001/jama.2020.2648>.
- Xie, J. *et al.* (2021) ‘Clinical characteristics, laboratory abnormalities and CT findings of COVID-19 patients and risk factors of severe disease: a systematic review and meta-analysis’, *Annals of Palliative Medicine*, 10(2), pp. 1928949–1921949. Available at: <https://doi.org/10.21037/apm-20-1863>.
- Ye, Z. *et al.* (2020) ‘Chest CT manifestations of new coronavirus disease 2019 (COVID-19): a pictorial review’, *European Radiology*, pp. 1–9. Available at: <https://doi.org/10.1007/s00330-020-06801-0>.
- Young, R.E. *et al.* (2004) ‘Neutrophil Elastase (NE)-Deficient Mice Demonstrate a Nonredundant Role for NE in Neutrophil Migration, Generation of Proinflammatory Mediators, and Phagocytosis in Response to Zymosan Particles In Vivo’, *The Journal of Immunology*, 172(7), pp. 4493–4502. Available at: <https://doi.org/10.4049/jimmunol.172.7.4493>.
- Yuki, K., Fujiogi, M. and Koutsogiannaki, S. (2020) ‘COVID-19 pathophysiology: A review’, *Clinical Immunology (Orlando, Fla.)*, 215, p. 108427. Available at: <https://doi.org/10.1016/j.clim.2020.108427>.

- Zhang, C., Shi, L. and Wang, F.-S. (2020) ‘Liver injury in COVID-19: management and challenges’, *The Lancet. Gastroenterology & Hepatology*, 5(5), pp. 428–430. Available at: [https://doi.org/10.1016/S2468-1253\(20\)30057-1](https://doi.org/10.1016/S2468-1253(20)30057-1).
- Zhao, Y. *et al.* (2020) ‘Single-cell RNA expression profiling of ACE2, the putative receptor of Wuhan 2019-nCov’. *bioRxiv*, p. 2020.01.26.919985. Available at: <https://doi.org/10.1101/2020.01.26.919985>.
- Zheng, Z. *et al.* (2020) ‘Risk factors of critical & mortal COVID-19 cases: A systematic literature review and meta-analysis’, *Journal of Infection*, 81(2), pp. e16–e25. Available at: <https://doi.org/10.1016/j.jinf.2020.04.021>.