

DAFTAR PUSTAKA

- Agustin, V., A. Husni, & M.M.P. Putra. 2021. Antioxidant activity of protein hydrolysate from snakehead fish (*Channa striata*) viscera obtained by enzymatic process. IOP Conf. Series: Earth and Environmental Science 919 (2021) : 1-7.
- Agustin, Venny. 2021. Aktivitas Antioksidan Hidrolisat Protein dari Hasil Samping Ikan Gabus (*Channa striata*) yang Diproses Secara Enzimatis. Fakultas Pertanian. Universitas Gadjah Mada. Tesis.
- Allen US. 2011. *Monopterus albus*. Invasive species compendium. CAB International, Wallingford Oxon (UK)
- Amiza MA, Kong YL, Faazaz AL. 2012. Effect of hydrolysis on physicochemical properties of cobia (*Rachycentron canadum*) frame hydrolysate. International Food Research Journal. 19(1): 199-206.
- Apak, R., Güçlü, K., Demirata, B., Özyürek, M., Çelik, S. E., Bektaşoğlu, B., & Özyurt, D. 2007. Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with the CUPRAC Assay. Molecules, 12(7), 1496-1547.
- Arnao, M.B. 2000. Some methodological problems in the determination of antioxidant activity using chromogen radicals: A practical case. Trends Food Sci. Technol 11 : 419
- Astiana, Ika, Nurjanah, Ruddy Suwandi, Anggraeni Ashory Suryani, & Taufik Hidayat. 2015. Pengaruh penggorengan belut sawah (*Monopterus albus*) terhadap komposisi asam amino, asam lemak, kolesterol, dan mineral. Depik 4(1) : 49-57.
- Awuor OL, Kirwa M.E., Jackim M.F., Betty M. 2017. Optimization of alcalase hydrolysis conditions for production of dagaa (*Rastrineobola Argentea*) protein hydrolysate with antioxidative properties. Ind Chem. 3(1): 1-6.
- Baehaki, Ace, Shanti Dwita Lestari, & Achmad Rizky Romadhoni. 2015. Hidrolisis protein ikan patin menggunakan enzim papain dan aktivitas antioksidan hidrolisatnya. Jurnal Pengolahan Hasil Perikanan Indonesia 18(3) : 230-239.
- Balti, R., Bougatef, A, El-Hadj Ali, N., Zekri, D., Barkia, A., & Nasri, M. 2010. Influence of degree of hydrolysis on functional properties and angiotensin I converting enzyme inhibitory activity of protein hydrolysates from cuttlefish (*Sepia officinalis*) by products. Journal of the science of food and agriculture 90(12) : 2006-2014.
- Benjakul, S., Yarnpakdee, S., Senphan, T., Halldorsdottir, S. M., & Kristinsson, H. G. 2014. Fish protein hydrolysates: Production, bioactivities and applications. John Wiley & Sons Ltd, Sussex Barat.
- Berkman, Elliot T. & S. 2016. A Conceptual Guide to Statistics Using SPSS. Sage Publications Inc, New York.

- Bernadeta, Puji Ardiningsih, & Imelda H. Silalahi. 2012. Penentuan kondisi optimum hidrolisat protein dari limbah ikan ekor kuning (*Caesio cuning*) berdasarkan karakteristik organoleptik. Jurnal Kimia Khatulistiwa 1(1) : 26-30.
- Bhaskar, N. & N.S. Mahendrakar. 2008. Protein hydrolysate from visceral waste proteins of Catla (*Catla catla*): Optimization of hydrolysis conditions for a commercial neutral protease. Bioresource Technology 99(10) : 4105-4111.
- Bhaskar, N., T. Benila, C. Radha, & R.G. Lalitha. 2007. Optimization of enzymatic hydrolysis of visceral waste proteins of Catla (*Catla catla*) for preparing protein hydrolysate using a commercial protease. Bioresource Technology 99(2008) : 335-343.
- Bhat, E.A., A. Mohnad, dan I.A. Rather. 2018. Key factor for successful protein purification and crystallization. global journal of biotech. And Biomaterial Sci. 4(1) : 1-7.
- Binsi, P. K., Viji, P., Panda, S. K., Mathew, S., Zynudheen, A. A., & Ravishankar, C. N. 2016. Characterisation of hydrolysates prepared from engraved catfish (*Nemapteryx caelata*) roe by serial hydrolysis. Journal of Food Science and Technology, 53(1), 158–170.
- Burtin, P. 2003. Nutritional value of seaweeds. Electronic. Journal of Environmental, Agricultural and Food Chemistry 2 (4): 498- 503.
- Castro, R. J. S., & Sato, H. H. 2015. Review: Biologically active peptides: Process for their generation, purification and identification and application as natural additives in the food and pharmaceutical industries. Food Research International. 74: 185-198.
- Chalamaiah M, Hemalatha R, & Jyothirmayi T. 2012. Fish protein hydrolysates: proximate composition, amino acid composition, antioxidant activities and applications: a review. Food Chemistry 135(4): 32-38.
- Chu, Y-H., Chang, C-L., & Hsu H.F. . 2002. Flavonoid content of several vegetables and their antioxidant activity. Journal of the Science of Food Agriculture. 80(5) : 561-566
- Correa A.P., Daroit D.J., Coelho J., Meira S.M., Lopes F.C., Segalin J, Risso PH, Brandelli A. 2011. Antioxidant, antihypertensive and antimicrobial properties of ovine caseinate hydrolyzed with microbial protease. Journal of the Science of Food and Agriculture 91: 2247-2254.
- Dawidowicz, A.L.; Olszowy, M. 2013. The importance of solvent type in estimating antioxidant properties of phenolic compounds by ABTS assay. Eur. Food Res. Technol. 236 : 1099–1105.
- Dedin, F. R., D. Fardiaz., A. Apriyantono., dan N. Andarwulan. 2006. Isolasi dan karakterisasi melanoidin kecap manis dan peranannya sebagai antioksidan. Jurnal Teknologi dan Industri Pangan. 17(3):204-213.
- Detkamhaeng, Nichaphat, W. Worawattanamateekul & J. Hinsui. 2016. Production of protein hydrolysate from yellowfin (*Thunnus albacares*) and skipjack tuna

(*Katsuwonus pelamis*) viscera. Kasetsart University Fisheries Research Bulletin 40(2) : 51-67.

- Djakaria, Shafira Ananda, Irmanida Batubara, & Rika Raffiudin. 2020. Antioxidant and antibacterial activity of selected Indonesian honey against bacteria of acne. *Journal of Scientific and Applied Chemistry* 23(8) : 267-275.
- Elevarsan, K., Naveen Kumar, V., & Shamasundar, B. A. 2014. Antioxidant and functional properties of fish protein hydrolysate from fresh waer carp (*Catla-Catla*) as influenced by the nature of enzyme. *Journal of Food Processing and Preservation* 38(3) : 1207-1214.
- Eleversan, K & B.A. Shamasundar. 2016. Effect of oven drying and freeze drying on the antioxidant and functional properties of protein hydrolysates derived from freshwater fish (*Cirrhinus mrigala*) using papain enzyme. *Journal Food Science and Technology* 53(2) : 1303-1311.
- Elsson, Mathias, Anondho Wijanarko, Heri Hermansyah, & Muhamad Sahlan. 2019. Michelis-menten parameters characterization of commercial papain enzyme "Paya". *IOP Conf. Series: Earth and Environmental Science* 217 : 1-6.
- Faisal, Hendri. 2019. Uji aktivitas antioksidan ekstrak etanol buah ookra (*Abelmoschus esculentus* L. Moench) dengan metode DPPH (1,1- difenil-2-pikrilhidrazil) dan metode ABTS (2,2-azinobis-(3-Ethylbenzothiazoline-6-Sulfonic Acid). *Ready Star Journal* 2(1) : 1-5.
- Farvin, K. S., Andersen, L. L., Otte, J., Nielsen, H. H., Jessen, F., & Jacobsen, C. 2016. Antioxidant activity of cod (*Gadus morhua*) protein hydrolysates: Fractionation and characterisation of peptide fractions. *Food Chemistry*, 204 : 409–419
- Fitriana, W.D., Fatmawati, S., & Ersam, T. 2015. Uji aktivitas antioksidan terhadap DPPH dan ABTS dari fraksi-fraksi daun kelor (*Moringa oleifera*), Prosiding. Simposium Nasional Inovatif dan Pembelajaran Sains (SNIPS) 8-9 Juni, Bandung.
- Fratzl, P. 2008. *Collagen: Structure and Mechanics*. Pergamon, Amsterdam.
- Froese, R. and D. Pauly. 2023. FishBase. *Monopterus albus* (Zuiew, 1793). World Register of Marine Species. <https://www.marinespecies.org/>. Diakses pada tanggal 15 Juni 2023.
- Gallardo, Jorge Manuel Sandoval, Idalia Osuna-Ruiz, Emmanuel Martínez-Montaño, Crisantema Hernández, Miguel Ángel Hurtado-Oliva, Ángel Valdez-Ortiz, Gissel Daniela Rios-Herrera, Jesús Aarón Salazar-Leyva & Jorge Saúl Ramírez-Pérez. 2020. Influence of enzymatic hydrolysis conditions on biochemical and antioxidant properties of pacific thread herring (*Ophistonema libertate*) hydrolysates, *CyTA - Journal of Food* 18(1) : 392-400.
- Guerard, F. Dufosse, L. Broise, DL dan Binet, A. 2001. Enzymatic hydrolysis of proteins from yellowfin tuna (*Thunnus albacares*) wastes using alcalase. *Journal of Molecular Catalysis B: Enzymatic* 11: 1051-1059
- Hadiwiyoto, S. 1993. *Dasar-dasar Teknologi Hasil Perikanan*. Liberty, Yogyakarta.

- Hafifani, Witya, Indun D. Puspita, & M.M. Prima Putra. 2021. The effect of hydrolysis duration on the antibacterial activity of swamp eel head protein hydrolysate produced by papain against histamine-producing bacteria. E3S Web of Conferences 322(04005) : 1-8.
- Hanani E, Mun'im A, dan Sekarini R. 2005. Identifikasi Senyawa Antioksidan dalam Spons *Callyspongia* sp. dari Kepulauan Seribu. Majalah Ilmu Kefarmasian 2(3) : 127-133.
- Hani, Rani Cyinthia & Tiana Milanda. 2016. Review: manfaat antioksidan pada tanaman buah di Indonesia : Farmaka 14(1) : 184-190.
- Haerani, Ani, Anis Yohana Chaerunisa, & Anas Subarnas. 2018. Artikel tinjauan: Antioksidan untuk kulit. Farmaka 16(2) : 135-151.
- Halvorsen, B.L., Holte, Kari., Myhrstad, Mari C. W., Barikmo, I., Hvattum Erlend, Remberg Siv Fagertun, Wold Anne-Brit, Haffner Karin, Baugerød Halvard, Andersen Lene Frost, Moskaug Jan, Jacobs David R, Blomhoff Rune. 2002. A Systematic screening of total antioxidant in dietary plants. Journal of Nutrition 132(3) : 461-471.
- Hashim, P., Ridzwan, M., Bakar, M. S., & Hashim, D. 2015. Collagen in food and beverage industries. International Food Research Journal. 22(1): 1-8.
- Haslaniza, H. 2010. The effects of enzyme concentration, temperature and incubation time on nitrogen content and degree of hydrolysis of protein precipitate from cockle (*Anadara granosa*) meat wash water. International Food Research Journal 17: 147-152
- Herdiana, L., M.M. Kamal., N.A. Butet & R. Affandi. 2017. Keragaman morfometrik dan genetik gen COI belut sawah (*Monopterus albus*) asal empat populasi di Jawa Barat. Jurnal Ilmu Pertanian Indonesia 22:180- 190.
- Hermani MR. 2006. Tanaman Berkhasiat Anti Oksidan. Penebar Swadaya. Jakarta.
- Hermaya, Anggi Angelita, Edison, & Andarini Diharmi. 2021. Aktivitas antioksidan hidrolisat protein ikan cunang (*Congresox talabon*). Jurnal Agroindustri Halal 7(1) : 79-86.
- Hidayati, Arlina, Joko Santosom & Desniar. 2019. Aktivitas antioksidan hidrolisat protein miofibril belut (*Synbranchus bengalensis*) yang dihidrolisis dengan enzim papain. Jurnal Teknologi Industri Pertanian 29(3) : 247-259.
- Ilyasov IR, Beloborodov VL, Selivanova IA, Terekhov RP. 2020. ABTS/PP Decolorization Assay of Antioxidant Capacity Reaction Pathways. Int J Mol Sci. 21(3):1131.
- Intarasirisawat, Rossawan, Soottawat Benjakul, Wonnop Visessanguan, Jianping Wu. 2012. Antioxidative and functional properties of protein hydrolysate from defatted skipjack (*Katsuwonus pelamis*) roe. Food Chemistry 135 : 3039-3048.
- Jaziri, Abdul Aziz, Sukoso, & M. Firdaus. 2017. Karakteristik protease dari ekstrak kasar khamir laut dan aktivitasnya dalam menghidrolisis protein ikan rucah. Journal of Fisheries and Marine Science 1(2) : 78-87.

- Kamau, S.M. dan Lu, R. 2011. The effect of enzymes and hydrolysis conditions on degree of hydrolysis and DPPH radical scavenging activity of whey protein hydrolysates. *Current Research in Dairy Sciences*, 3: 25-35.
- Kantun, Wayan, A. A. Malik, & Harianti. 2015. Kelayakan limbah padat tuna loin madidihang *Thunnus albacares* untuk bahan baku produk diversifikasi. *Jurnal Pengolahan Hasil Perikanan Indonesia* 18(3) : 303-314.
- Karim, Kariana, Minarni R. Jura, & Sri Mulyani Sabang. 2015. Uji aktivitas antioksidan ekstrak daun patikan kebo (*Euphorbia hirta* L.). *Jurnal Akademika Kimia* 4(2) : 56-63.
- Kartamihardja, Endi Setiadi, K. Purnomo, & Chairulwan Umar. 2009. Sumber daya Ikan Perairan Umum Daratan di Indonesia-terabaikan. *Jurnal Kebijakan Perikanan* 1(1) : 1-15.
- Ketaren S. 2005. Minyak dan Lemak Pangan. UI Press. Jakarta.
- Khaira, Kuntum. 2010. Menangkal radikal bebas dengan antioksidan. *Jurnal Sains dan Teknologi* 2 (2) :183-187.
- Khoerunnisa, H.M., Suryahadi, & E. Trisyulianti. 2002. Pengaruh penggunaan papain dalam meningkatkan pencernaan protein kedelai secara in vitro. *Jurnal Ilmu Nutrisi dan Makanan Ternak* 25(3): 101-106.
- Khopkar, S.M. penterjemah oleh A. Saptoraharjo dan Agus Nurhadi. 1990. Konsep dasar kimia analitik. Penerbit Universitas Indonesia. Jakarta
- Klomklao S, Benjakul S, & Kishimura H. 2013. Functional properties and antioxidant activity of protein hydrolysates from toothed ponyfish muscle treated viscera extract from hybrid catfish. *Food Sci Technol*. 48(7): 1483-1489.
- Klomklao S., Benjakul S., & Kishimura H. 2013. Use of viscera extract from hybrid catfish (*Clarias macrocephalus* x *Clarias gariepinus*) for the production of protein hydrolysate from toothed ponyfish (*Gazza minuta*) muscle. *Food Chemistry* 136(2): 1006-1012.
- Lai-Cheong, J. E., & McGrath, J. A. 2017. Structure and function of skin, hair and nails. *Medicine (United Kingdom)* 45(6): 347–351.
- Lee, Byong Won, Jin Hwan Lee, Sang Wan Gal, Yea Hwang Moon, Ki Hun Park. 2006. Selective ABTS radical-scavenging activity of prenylated flavonoids from *Cudrania tricuspidata*, Bioscience, Biotechnology, and Biochemistry, 70(2) :427-432
- Lehninger AL. 1993. Dasar Biokimia I. Penerbit Erlangga. Jakarta.
- Lestari, D., J. Evan., dan M. T. Suhartono. 2017. Fraksi peptida antioksidan dari kasein susu kambing. *J. Teknol. dan Industri Pangan*. 31(2):188-196
- Menteri Kelautan dan Perikanan. 2016. Laporan Kinerja KKP 2016. Kementerian Kelautan dan Perikanan. Jakarta.

- Molyneux, P. 2004. The use of the stable free radical *diphenylpicryl-hydrazil* (DPPH) for estimating antioxidant Aativity. *Songklanakaran Journal Science Technology* 26(2): 211-219.
- Murphy, M. G. 1990. Dietary fatty acids and membrane protein function. *The Journal of Nutrition Biochemical* 1 : 68-79.
- Murray Robert K., Rodwell, Victor W., Granner, Daryl K., Mayes, & Peter A. 2003. *Biokimia Harper*. Penerbit Buku Kedokteran EGC. Jakarta.
- Nadesul H. 2007. *Sehat itu Murah*. Penerbit Buku Kompas, Jakarta.
- Naqash, Shabeena Yousuf & R.A. Nazeer. 2011. Antioxidant and functional properties of protein hydrolysates from pink perch (*Nemipterus japonicus*) muscle. *Journal Food Science Technology* 50(5) : 972-978.
- Nesse, K. O., Nagalakshmi, A. P., Marimuthu, P., & Mamta Singh. 2011. Efficacy of a fish protein hydrolysate in malnourished children. *Indian Journal of Clinical Biochemistry* 26(4): 360-365.
- Nurhayati, Tati, Ella Salamah, & Taufik Hidayat. 2007. Karakteristik hidrolisat protein ikan selar (*Caranx leptolepis*) yang diproses secara enzimatis. *Buletin Teknologi Hasil Perikanan* X(1) : 23-34.
- Nurjanah, Tati Nurhayati, Asti Latifah & Taufik Hidayat. 2021. Aktivitas Antioksidan dan Komponen Bioaktif Hidrolisat Protein Jeroan Ikan Kakap Putih (*Lates calcalifer*). *Journal of Agro-based Industry* 38(1) : 70-78.
- Onuh, J. O. 2015. Antihypertensive and antioxidant properties of chicken skin protein hydrolysates: In vivo, in vitro, and metabolomic studies. Faculty Of Graduate Studies. University of Manitoba. Thesis.
- Ovissipour M, Abedian A, Motamedzadegan A, Rasco B, Safari R, & Shahiri H. 2009. The effect of enzymatic hydrolysis time and temperature in the properties of protein hydrolysates from persian sturgeon (*Acipenser persicus*) viscera 115(1): 238- 242.
- Pedersen. 1994. Removing bitterness from protein hydrolysates. Di dalam: *Food Industri X*. Chicago: Institute of Food Technologists USA.
- Petrova, I., Tolstorebrov, I., & Eikevik, T. M. 2018. Production of fish protein hydrolysates step by step: technological aspects, equipment used, major energy costs and methods of their minimizing. *International Aquatic Research*, 10(3) : 223-241
- Pigot GM, Tucker BW. 1990. Utility fish flesh effectively while maintaining nutritional qualities. *Seafood Effects of Technology on Nutrition*. Marcel Decker, Inc. New York
- Poedjiadi A. 2006. *Dasar-dasar Biokimia*. UI Press, Jakarta.
- Prakash A. 2001. Antioxidant activity. *Meddalion Laboratories Analytical Progress* 19(2) : 1-3.

- Radhiyah, Windarti, & Ridwan Manda Putra. 2021. Pola pertumbuhan dan kebiasaan makan belut sawah (*Monopterus albus*) dari Perairan Umum Stadion Utama Riau. Jurnal Ilmu Perairan (Aquatic Science) 9(1) : 68-76.
- Raghavan, Sivakumar, Hordur G. Kristinsson, and Christiaan Leeuwenburgh. 2008. Radical scavenging and reducing ability of Tilapia (*Oreochromis niloticus*) Protein Hydrolysates. Journal of Agricultural and Food Chemistry 56 (21) : 10359-10367
- Rahman, Havizur, P. M. Sari, Fitrianiingsih, Ai Kurniati, & Fitri Kurniawati. Pengembangan potensi ekstrak belut (*Monopterus albus*) dalam menangkak radikal bebas. Jurnal Pharmascience 8(1) : 89-94.
- Rahmawati, A. Muflihunna, & LaOde Muhammad Sarif. 2015. Analisis aktivitas antioksidan produk sirup buah mengkudu (*Morinda citrifolia* L.) dengan metode DPPH. Jurnal Fitofarmaka Indonesia 2(2) : 97-101.
- Rao, M.B., Tanksale, A.M., Ghatge, M.S., &, Deshpande, V.V. 1998. Molecular and biotechnological aspect of microbial proteases. Microbiol Mol Biol Review, 62:597-635.
- Riani, E. & Y. Ernawati. Hubungan perubahan jenis kelamin dan ukuran tubuh ikan belut sawah (*Monopterus albus*). Jurnal Ilmu-Ilmu Perairan dan Perikanan Indonesia 11: 139- 144.
- Romero-Garay, M.G., E. Martinez-Montano, A. Hernandez-Mendoza, B. Vallejo-Cordoba, A. F. Gonzalez-Cordova, E. Montalvo-Gonzalez, & M. L. Garcia-Magana. 2020. *Bromelia karatas* and *Bromelia pinguin*: sources of plant proteases used for obtaining antioxidant hydrolysates from chicken and fish by-products. Applied Biological Chemistry 63(41) : 1-11.
- Sarwono, B. 2011. Budidaya Belut dan Sidat. Penebar Swadaya, Jakarta.
- Sayuti, K., & Yerina, R. 2015. Antioksidan Alami dan Sintetik. Andalas University Press, Padang.
- Setiawan, Finna, Ooke Yunita, & Ade Kurniawan. 2018. Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan*) menggunakan metode DPPH, ABTS, dan FRAP. Media Pharmaceutica Indonesiana 2(2) : 82-89.
- Shalaby, E. A., & Shanab, S. M. (2013). Comparison of DPPH and ABTS assays for determining antioxidant potential of water and methanol extracts of *Spirulina platensis*. Indian Journal of GeoMarine Science 42(5) : 556-564.
- Shirahigue, L.D., Silva, M.O., Camargo, A.C. Sucasas, Borghesi R., I. S. R. Cabral, Luciana K. S. S., Juliana A. G., M. Oetterer. 2016. The feasibility of increasing lipid extraction in tilapia (*Oreochromis niloticus*) waste by proteolysis. Journal of Aqatqi Food Product Technology 2(25) : 265-271.
- Shouket, H.A., I. Ameen, O. Tursunov, Kh. Kholikova, O. Pirimov, N. Kurbunov, I. Ibragimov, & B. Mukimov. Study on industrial applications of papain : A succinct review. IOP Conf. Series: Earth and Environmental Science 614: 1-6

- Soccol, M.C.H. & Oetterer, M. 2003. Seafood as functional foods. Brazilian archives of biology and technology. An International Journal 46 : 443-454.
- Soeksmanto, A., Hapsari, Y. & Simanjuntak, P. 2007. Kandungan antioksidan pada beberapa bagian tanaman mahkota dewa, *Phaleria macrocarpa* (Scheff) Boerl. (*Thymelaceae*). Biodiversitas 8(2) : 92-95.
- Souissi, N., Bougatef, A., Triki-Ellouz, Y., & Nasri, M. 2007. Biochemical and functional properties of sardinella (*Sardinella aurita*) by-product hydrolysates. Food Technology and Biotechnology 45(2): 187.
- Suryani. 2006. Kandungan protein dan lemak belut sawah (*Monopterus albus*, *Zuieww*) pada berbagai ukuran dari Desa Seyegan Sleman. Jurnal Pendidikan Matematika dan Sains XI (1) : 143-148.
- Suzuki T. 1991 Fish and Krill Protein: Processing Technology. Aplied Science. Publishers Ltd. London.
- Tamam, Badrut, Dahrul Syah, Hanifah N. L., Maggy T. S., & Wisnu A. K. 2018. Beberapa penciri berbasis sekuens untuk mengenali sifat fungsional peptida bioaktif: Studi eksplorasi. Jurnal Teknologi dan Industri Pangan 29(1): 1-9.
- Tamat, S. R., T. Wikanta & L. S. Maulina. 2007. Aktivitas antioksidan dan toksisitas senyawa bioaktif dari ekstrak rumput laut hijau *Ulva reticulate* Forsskal. Jurnal Ilmu Kefarmasian Indonesia 5 (1): 31-36.
- Utomo, B.S.B, T.D. Suryaningrum, & H.R. Harianto. 2014. Optimization of enzymatic hydrolysis of fish protein hydrolysate (FPH) processing from waste of catfish fillet production. Squalen Bulletin of Marine & Fisheries Postharvest & Biotechnology 9(3) : 115-126.
- Vanselow KH, Marxen K., Lippemeier S, & Hintze R. 2007. Determination of DPPH Radical Oxidation Caused by Methanolic Extracts of Some Microalgal Species by Linear Regression Analysis of Spectrophotometric Measurements. Sensors 7(10) : 2080-2095.
- Villamil, Oscar, H. Vaquiro, Jose F. Solanilla. 2017. Fish viscera protein hydrolysates: Production, potential applications and functional and bioactive properties. Food Chemistry 224 : 160-171.
- Wang, L.J., N. Sun, S. Terzyan, X.J. Zhang & D.R. Benson, 2006. A histidine/tryptophan π -stacking interaction stabilizes the heme-independent folding core of microsomal apocytochrome b5 relative to that of mitochondrial apocytochrome b5. Biochemistry, 45: 13750-13759.
- Wergedahl, H., Liaset, B., Gudbrandsen, O. A., Lied, E., Espe, M., & Muna, Z. 2004. Fish protein hydrolysate reduces plasma total cholesterol, increases the proportion of HDL cholesterol and lowers acyl-CoA: Cholesterol acyltransferase activity in liver of Zucker rats. Journal of Nutrition, 134: 1320–1327.
- Widyasanti, Asri, Dadan Rohdiana, & Novriana Ekatama. 2016. Aktivitas antioksidan ekstrak the putih (*Camellia sinensis*) dengan metode DPPH (2,2 Difenil-1-Pikrilhidrazil). Fortech 1(1) : 1-9.

- Wijayanti I, Romadhon, & Rianingsih L. 2015. Pengaruh konsentrasi enzim papain terhadap kadar proksimat dan nilai rendemen hidrolisat protein ikan bandeng (*Chanos chanos* Forks). PENA Akuatika Volume 12 (1): 13-23.
- Wijayanti, Ima, Romadhon, & L. Rianingsih. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos* Forsk) dengan konsentrasi enzim bromelin yang berbeda. Journal of Fisheries Science and Technology 11(2) : 129-133.
- Witono, Y., A. Subagio, dan S.B. Widjanarko. 2007. Karakterisasi hidrolisat protein kedelai hasil hidrolisis menggunakan protease dari tanaman biduri (*Calotropis gigantea*). Berk. Penel. Hayati. 13 : 7 – 13.
- Witono Y, Taruna I., Windrati W S, Azkiyah L and Sari T N. 2016. “Wader” (*Rasborajacobsoni*) Protein Hydrolysates: Production, Biochemical, and Functional Properties. Agriculture and Agricultural Science Procedia 9 : 482–492
- Witono, Yuli, Maryanto, Iwan Taruna, Ardiyan Dwi Masahid, & Kinanti Cahyaningati. 2020. Aktivitas antioksidan hidrolisat protein Ikan Wader (*Rasbora jacobsoni*) dari hidrolisis oleh Enzim Calotropin dan Papain. Jurnal Agroteknologi 14(1) : 44-57.
- Wiyanti, Pramesthi Indah & Ami Tjitraresmi. 2018. Review : Karakterisasi, Aktivitas dan Isolasi Enzim Bromelin dari Tumbuhan Nanas (*Ananas sp.*). Farmaka Suplemen 16(2) : 179-185.
- Wu CH, Chen HM, & Sdan hiau CY. 2003. Free amino acids and peptides as related to antioxidant properties in protein hydrolysates of mackerel (*Scomber austriasticus*). Food Res Intl. 36: 949-957.
- Xu, Naijin, Guanqun Chen, & Hui Liu. 2017. Antioxidant categorization of twenty amino acid based on experimental evaluation. Molecules 22(2066): 1-8.
- Yunarto, Nanang, Nurul Aini, Indah Sulistyowati, Intan Sari Oktoberia, & Arifayu Addiena Kurniatri. 2019. Aktivitas antioksidan serta penghambatan HMG CoA dan lipase dari kombinasi ekstrak Daun Binahong-Rimpang Temulawak. Jurnal Kefarmasian Indonesia 9(2) : 89-96.