

## DAFTAR PUSTAKA

- Abazari, M., Ghaffari, A., Rashidzadeh, H., Badeleh, S. M., & Maleki, Y. (2022). A Systematic Review on Classification, Identification, and Healing Process of Burn Wound Healing. *The International Journal of Lower Extremity Wounds*, 21(1), 18–30. <https://doi.org/10.1177/1534734620924857>
- Ahmed, E. M. (2015). Hydrogel: Preparation, characterization, and applications: A review. *Journal of Advanced Research*, 6(2), 105. <https://doi.org/10.1016/J.JARE.2013.07.006>
- Bagheri Miyab, K., Alipoor, E., Vaghardoost, R., Saberi Isfeedvajani, M., Yaseri, M., Djafarian, K., & Hosseinzadeh-Attar, M. J. (2020). The effect of a hydrolyzed collagen-based supplement on wound healing in patients with burn: A randomized double-blind pilot clinical trial. *Burns : Journal of the International Society for Burn Injuries*, 46(1), 156–163. <https://doi.org/10.1016/J.BURNS.2019.02.015>
- Baranwal, J., Barse, B., Fais, A., Delogu, G. L., & Kumar, A. (2022). Biopolymer: A Sustainable Material for Food and Medical Applications. *Polymers*, 14(5). <https://doi.org/10.3390/POLYM14050983>
- Bella, J., & Hulmes, D. J. S. (2017). Fibrillar Collagens. *Sub-Cellular Biochemistry*, 82, 457–490. [https://doi.org/10.1007/978-3-319-49674-0\\_14](https://doi.org/10.1007/978-3-319-49674-0_14)
- Bhagwat, P. K., & Dandge, P. B. (2016). Isolation, characterization and valorizable applications of fish scale collagen in food and agriculture industries. *Biocatalysis and Agricultural Biotechnology*, 7, 234–240. <https://doi.org/10.1016/J.BCAB.2016.06.010>
- Bierhalz, A. C. K., Westin, C. B., & Moraes, Â. M. (2016). Comparison of the properties of membranes produced with alginate and chitosan from mushroom and from shrimp. *International Journal of Biological Macromolecules*, 91, 496–504. <https://doi.org/10.1016/J.IJBIOMAC.2016.05.095>
- Boateng, J., & Catanzano, O. (2015). Advanced Therapeutic Dressings for Effective Wound Healing—A Review. *Journal of Pharmaceutical Sciences*, 104(11), 3653–3680. <https://doi.org/10.1002/JPS.24610>
- Boer, M., Duchnik, E., Maleszka, R., & Marchlewicz, M. (2016). Structural and biophysical characteristics of human skin in maintaining proper epidermal barrier function. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 33(1), 1. <https://doi.org/10.5114/PDIA.2015.48037>
- Bonnie Sun, P., Hoa En, C., & Wen Chieh, S. (2018). Molecular and thermal characteristics of acid-soluble collagen from orbicular batfish: effects of deep-sea water culturing.

- <https://doi.org/10.1080/10942912.2018.1476873>, 21(1), 1080–1090.  
<https://doi.org/10.1080/10942912.2018.1476873>
- Bounds, E. J., Khan, M., & Kok, S. J. (2022). Electrical Burns. *StatPearls*.
- Dimantika, A., Sugiyarto, S., & Setyorini, Y. (2020). Perawatan Luka Diabetes Mellitus Menggunakan Teknik Modern Dressing. *Interest : Jurnal Ilmu Kesehatan*, 9(2), 160–172. <https://doi.org/10.37341/INTEREST.V9I2.210>
- Feiner, R., & Dvir, T. (2017). Tissue-electronics interfaces: From implantable devices to engineered tissues. *Nature Reviews Materials*, 3. <https://doi.org/10.1038/NATREVMATS.2017.76>
- Ferraro, V., Gaillard-Martinie, B., Sayd, T., Chambon, C., Anton, M., & Santé-Lhoutellier, V. (2017). Collagen type I from bovine bone. Effect of animal age, bone anatomy and drying methodology on extraction yield, self-assembly, thermal behaviour and electrokinetic potential. *International Journal of Biological Macromolecules*, 97, 55–66. <https://doi.org/10.1016/j.IJBIOMAC.2016.12.068>
- Foncerrada, G., Capek, K. D., Herndon, D. N., Lee, J. O., Zapata-Sirvent, R. L., & Finnerty, C. (2017). The State of the Art on Burn Wound Healing. *Journal Avid Sci.*, 1, 4–52.
- Frye, E. B., Degenhardt, T. P., Thorpe, S. R., & Baynes, J. W. (1998). Role of the Maillard Reaction in Aging of Tissue Proteins: ADVANCED GLYCATION END PRODUCT-DEPENDENT INCREASE IN IMIDAZOLIUM CROSS-LINKS IN HUMAN LENS PROTEINS. *Journal of Biological Chemistry*, 273(30), 18714–18719. <https://doi.org/10.1074/JBC.273.30.18714>
- García-Hernández, A. B., Morales-Sánchez, E., Calderón-Domínguez, G., Salgado-Cruz, M. de la P., Farrera-Rebollo, R. R., Vega-Cuellar, M. Á., & García-Bórquez, A. (2021). Hydrolyzed collagen on PVA-based electrospun membranes: Synthesis and characterization. *Journal of Applied Polymer Science*, 138(41), 51197. <https://doi.org/10.1002/APP.51197>
- Ge, B., Wang, H., Li, J., Liu, H., Yin, Y., Zhang, N., & Qin, S. (2020). Comprehensive Assessment of Nile Tilapia Skin ( *Oreochromis niloticus*) Collagen Hydrogels for Wound Dressings. *Marine Drugs*, 18(4). <https://doi.org/10.3390/MD18040178>
- Ghosh, B., Mukhopadhyay, M., & Bhattacharya, D. (2021). Biopolymer-based nanofilms for the treatment of burn wounds. *Biopolymer-Based Nano Films: Applications in Food Packaging and Wound Healing*, 311–336. <https://doi.org/10.1016/B978-0-12-823381-8.00005-3>
- Gilaberte, Y., Prieto-Torres, L., Pastushenko, I., & Juarranz, Á. (2016). Anatomy and Function of the Skin. *Nanoscience in Dermatology*, 1–14. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Gomez-Guillen, M. C., Gimenez, B., Lopez-Caballero, M. E., & Montero, M. P. (2011). Functional and bioactive properties of collagen and gelatin from

- alternative sources: A review. *Food Hydrocolloids*, 25(8), 1813–1827. <https://doi.org/10.1016/J.FOODHYD.2011.02.007>
- Hermansson, A. M., Eriksson, E., & Jordansson, E. (1991). Effects of potassium, sodium and calcium on the microstructure and rheological behaviour of kappa-carrageenan gels. *Carbohydrate Polymers*, 16(3), 297–320. [https://doi.org/10.1016/0144-8617\(91\)90115-S](https://doi.org/10.1016/0144-8617(91)90115-S)
- Hezaveh, H., Muhamad, I. I., Noshadi, I., Shu Fen, L., & Ngadi, N. (2012). Swelling behaviour and controlled drug release from cross-linked  $\kappa$ -carrageenan/NaCMC hydrogel by diffusion mechanism. *Journal of Microencapsulation*, 29(4), 368–379. <https://doi.org/10.3109/02652048.2011.651501>
- Jafari, H., Lista, A., Siekapen, M. M., Ghaffari-Bohlouli, P., Nie, L., Alimoradi, H., & Shavandi, A. (2020). Fish Collagen: Extraction, Characterization, and Applications for Biomaterials Engineering. *Polymers*, 12(10), 1–37. <https://doi.org/10.3390/POLYM12102230>
- Joy, R., Vigneshkumar, P. N., John, F., & George, J. (2021). Hydrogels based on carrageenan. *Plant and Algal Hydrogels for Drug Delivery and Regenerative Medicine*, 293–325. <https://doi.org/10.1016/B978-0-12-821649-1.00003-9>
- Kamolz, L.-P., Jeschke, M. G., Horch, R. E., Küntscher, M., & Brychta, P. (2020). Handbook of Burns Volume 2: Reconstruction and Rehabilitation. In *Handbook of Burns Volume 2* (Vol. 2). Springer International Publishing. <https://doi.org/10.1007/978-3-030-34511-2>
- Kan, Y., Salimon, A. I., & Korsunsky, A. M. (2020). On the electrospinning of nanostructured collagen-PVA fiber mats. *Materials Today: Proceedings*, 33, 2013–2019. <https://doi.org/10.1016/J.MATPR.2020.07.621>
- Kanber, A. A., & Kadhim, E. F. (2022). Efficacy of Locally Applied K-Carrageenan on the Healing of Thermal Burn in Rat-Experimental Model : Histological Study. *Journal of Research in Medical and Dental Science*, 10(9).
- Kashyap, N., Kumar, N., & Kumar, M. N. V. R. (2005). Hydrogels for pharmaceutical and biomedical applications. *Critical Reviews in Therapeutic Drug Carrier Systems*, 22(2), 107–149. <https://doi.org/10.1615/CRITREVTHERDRUGCARRIERSYST.V22.I2.10>
- Kaufman, T., Eichenlaub, E. H., Angel, M. F., Levin, M., & Futrell, J. W. (1985). Topical acidification promotes healing of experimental deep partial thickness skin burns: a randomized double-blind preliminary study. *Burns, Including Thermal Injury*, 12(2), 84–90. [https://doi.org/10.1016/0305-4179\(85\)90032-4](https://doi.org/10.1016/0305-4179(85)90032-4)
- Kezwoń, A., Chromińska, I., Fraczyk, T., & Wojciechowski, K. (2016). Effect of enzymatic hydrolysis on surface activity and surface rheology of type I

- collagen. *Colloids and Surfaces. B, Biointerfaces*, 137, 60–69. <https://doi.org/10.1016/J.COLSURFB.2015.05.017>
- Khabbaz, B., Solouk, A., & Mirzadeh, H. (2019). Polyvinyl alcohol/soy protein isolate nanofibrous patch for wound-healing applications. *Progress in Biomaterials*, 8(3), 185–196. <https://doi.org/10.1007/S40204-019-00120-4>
- Khaliq, T., Sohail, M., Minhas, M. U., Ahmed Shah, S., Jabeen, N., Khan, S., Hussain, Z., Mahmood, A., Kousar, M., & Rashid, H. (2022). Self-crosslinked chitosan/κ-carrageenan-based biomimetic membranes to combat diabetic burn wound infections. *International Journal of Biological Macromolecules*, 197, 157–168. <https://doi.org/10.1016/J.IJBIOMAC.2021.12.100>
- Kumar Singh, S., Dhyan, A., & Juyal, D. (2017). Hydrogel: Preparation, Characterization and Applications. *The Pharma Innovation Journal*, 6(6), 25–32.
- Landén, N. X., Li, D., & Ståhle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and Molecular Life Sciences*, 73(20), 3861. <https://doi.org/10.1007/S00018-016-2268-0>
- León-López, A., Morales-Peñaloza, A., Martínez-Juárez, V. M., Vargas-Torres, A., Zeugolis, D. I., & Aguirre-Álvarez, G. (2019). Hydrolyzed Collagen—Sources and Applications. *Molecules*, 24(22). <https://doi.org/10.3390/MOLECULES24224031>
- Lin, K., Zhang, D., Macedo, M. H., Cui, W., Sarmiento, B., & Shen, G. (2019). Advanced Collagen-Based Biomaterials for Regenerative Biomedicine. *Advanced Functional Materials*, 29(3), 1804943. <https://doi.org/10.1002/ADFM.201804943>
- Lin, Y. K., Lin, T. Y., & Su, H. P. (2011). Extraction and characterisation of telopeptide-poor collagen from porcine lung. *Food Chemistry*, 124(4), 1583–1588. <https://doi.org/10.1016/J.FOODCHEM.2010.08.018>
- Makshakova, O. N., & Zuev, Y. F. (2022). Interaction-Induced Structural Transformations in Polysaccharide and Protein-Polysaccharide Gels as Functional Basis for Novel Soft-Matter: A Case of Carrageenans. *Gels*, 8(5). <https://doi.org/10.3390/GELS8050287>
- Malisiewicz, B., Meissner, M., Kaufmann, R., & Valesky, E. (2018). [Physical and chemical emergencies in dermatology]. *Der Hautarzt; Zeitschrift Fur Dermatologie, Venerologie, Und Verwandte Gebiete*, 69(5), 376–383. <https://doi.org/10.1007/S00105-018-4137-2>
- Nagoba, B. S., Suryawanshi, N. M., Wadher, B., & Selkar, S. (2015). Acidic Environment and Wound Healing: A Review. *Wounds*, 27(1). <https://www.hmpgloballearningnetwork.com/site/wounds/article/acidic-environment-and-wound-healing-review>
- NCBI. (2023a). *Calcium Chloride* | *CaCl<sub>2</sub>* | CID 5284359 - PubChem. <https://pubchem.ncbi.nlm.nih.gov/compound/calcium%20chloride>

- NCBI. (2023b). *Collagen I, alpha chain (98-110) | C57H91N19O16 | CID 6913668* - PubChem. [https://pubchem.ncbi.nlm.nih.gov/compound/Collagen-I\\_-alpha-chain-\\_98-110](https://pubchem.ncbi.nlm.nih.gov/compound/Collagen-I_-alpha-chain-_98-110)
- NCBI. (2023c). *kappa-Carrageenan | C24H36O25S2-2* - PubChem. <https://pubchem.ncbi.nlm.nih.gov/compound/kappa-Carrageenan>
- NCBI. (2023d). *Potassium Chloride*. <https://pubchem.ncbi.nlm.nih.gov/compound/Potassium-Chloride>
- NCBI. (2023e). *Sodium Chloride | NaCl | CID 5234* - PubChem. <https://pubchem.ncbi.nlm.nih.gov/compound/Sodium-Chloride>
- NCBI. (2023f). *Water*. <https://pubchem.ncbi.nlm.nih.gov/compound/Water>
- Nguyen, C. T., Vu, M. Q., Phan, T. T., Vu, T. Q., Vo, Q. A., Bach, G. L., & Thai, H. (2020). Novel pH-Sensitive Hydrogel Beads Based on Carrageenan and Fish Scale Collagen for Allopurinol Drug Delivery. *Journal of Polymers and the Environment*, 28(6), 1795–1810. <https://doi.org/10.1007/S10924-020-01727-6>
- Nike, D. U., Katas, H., Mohd, N. F., Hiraoka, Y., Tabata, Y., Idrus, R. B. H., & Fauzi, M. B. (2021). Characterisation of Rapid In Situ Forming Gelipin Hydrogel for Future Use in Irregular Deep Cutaneous Wound Healing. *Polymers*, 13(18). <https://doi.org/10.3390/POLYM13183152>
- Nizamoglu, M., Tan, A., Vickers, T., Segaren, N., Barnes, D., & Dziewulski, P. (2016). Cold burn injuries in the UK: the 11-year experience of a tertiary burns centre. *Burns & Trauma*, 4(1). <https://doi.org/10.1186/S41038-016-0060-X>
- Pan, Z., & Brassart, L. (2022). Constitutive modelling of hydrolytic degradation in hydrogels. *Journal of the Mechanics and Physics of Solids*, 167, 105016. <https://doi.org/10.1016/J.JMPS.2022.105016>
- Parhi, R. (2017). Cross-Linked Hydrogel for Pharmaceutical Applications: A Review. *Advanced Pharmaceutical Bulletin*, 7(4), 515. <https://doi.org/10.15171/APB.2017.064>
- Percival, S. L., McCarty, S., Hunt, J. A., & Woods, E. J. (2014). The effects of pH on wound healing, biofilms, and antimicrobial efficacy. *Wound Repair and Regeneration : Official Publication of the Wound Healing Society [and] the European Tissue Repair Society*, 22(2), 174–186. <https://doi.org/10.1111/WRR.12125>
- Pourjavadi, A., Salimi, H., & Kurdtabar, M. (2007). Hydrolyzed collagen-based hydrogel with salt and pH-responsiveness properties. *Journal of Applied Polymer Science*, 106(4), 2371–2379. <https://doi.org/10.1002/APP.26682>
- Putro, P. A., Sulaeman, A. S., & Erizal. (2019). Synthesis and characterization of swelling properties superabsorbent Hydrogel Carboxymethylcellulose-g-Poly (Acrylic Acid)/Natrium Alginate cross-linked by gamma-ray irradiation technique. *Journal of Physics: Conference Series*, 1171(1). <https://doi.org/10.1088/1742-6596/1171/1/012011>



- Ricard-Blum, S. (2011). The collagen family. *Cold Spring Harbor Perspectives in Biology*, 3(1), 1–19. <https://doi.org/10.1101/CSHPERSPECT.A004978>
- Rowan, M. P., Cancio, L. C., Elster, E. A., Burmeister, D. M., Rose, L. F., Natesan, S., Chan, R. K., Christy, R. J., & Chung, K. K. (2015). Burn wound healing and treatment: review and advancements. *Critical Care*, 19(1). <https://doi.org/10.1186/S13054-015-0961-2>
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of Pharmaceutical Excipients. In *Pharmaceutical Press* (Sixth Edit). Pharmaceutical Press. <https://doi.org/10.1016/B978-0-12-820007-0.00032-5>
- Roy, D. C., Tomblyn, S., Burmeister, D. M., Wrice, N. L., Becerra, S. C., Burnett, L. R., Saul, J. M., & Christy, R. J. (2015). Ciprofloxacin-Loaded Keratin Hydrogels Prevent *Pseudomonas aeruginosa* Infection and Support Healing in a Porcine Full-Thickness Excisional Wound. *Advances in Wound Care*, 4(8), 457–468. <https://doi.org/10.1089/WOUND.2014.0576>
- Sandeep, C., Harikumar, & Kanupriya. (2012). Hydrogel: a smart drug delivery system. *International Journal of Research in Pharmacy and Chemistry*, 2(3), 604–615.
- Schaefer, T. J., & Tannan, S. C. (2022). *Thermal Burns*.
- Schlader, Z. J., & Vargas, N. T. (2019). Regulation of Body Temperature by Autonomic and Behavioral Thermoeffectors. *Exercise and Sport Sciences Reviews*, 47(2), 116–126. <https://doi.org/10.1249/JES.0000000000000180>
- Segger, D., Aßmus, U., Brock, M., Erasmy, J., Finkel, P., Fitzner, A., Heuss, H., Kortemeier, U., Munke, S., Rheinländer, T., Schmidt-Lewerkühne, H., Schneider, W., & Weser, G. (2008). Multicenter study on measurement of the natural pH of the skin surface. *International Journal of Cosmetic Science*, 30(1), 75–75. [https://doi.org/10.1111/J.1468-2494.2007.00403\\_1.X](https://doi.org/10.1111/J.1468-2494.2007.00403_1.X)
- Şen, M., & Avci, E. N. (2005). Radiation synthesis of poly(N-vinyl-2-pyrrolidone)–κ-carrageenan hydrogels and their use in wound dressing applications. I. Preliminary laboratory tests. *Journal of Biomedical Materials Research Part A*, 74A(2), 187–196. <https://doi.org/10.1002/JBM.A.30308>
- Setyaji, A., Wijayanti, I., & Romadhon, R. (2018). Effect of Carrageenan Addition to the Edible Characteristics of Tilapia Skin Gelatin Film (*Oreochromis niloticus*). *Jurnal Ilmu Pangan Dan Hasil Pertanian*, 2(2), 134–145. <https://doi.org/10.26877/JIPHP.V2I2.3133>
- Shafique, M., Sohail, M., Minhas, M. U., Khaliq, T., Kousar, M., Khan, S., Hussain, Z., Mahmood, A., Abbasi, M., Aziz, H. C., & Shah, S. A. (2021). Bio-functional hydrogel membranes loaded with chitosan nanoparticles for accelerated wound healing. *International Journal of Biological*

- Macromolecules*, 170, 207–221.  
<https://doi.org/10.1016/J.IJBIOMAC.2020.12.157>
- Shen, S., Chen, X., Shen, Z., & Chen, H. (2021). Marine Polysaccharides for Wound Dressings Application: An Overview. *Pharmaceutics*, 13(10).  
<https://doi.org/10.3390/PHARMACEUTICS13101666>
- Simatupang, N. F., Pong-Masak, P. R., Ratnawati, P., Agusman, Paul, N. A., & Rimmer, M. A. (2021). Growth and product quality of the seaweed *Kappaphycus alvarezii* from different farming locations in Indonesia. *Aquaculture Reports*, 20, 100685.  
<https://doi.org/10.1016/J.AQREP.2021.100685>
- Singer, A. J., & Clark, R. A. F. (1999). Cutaneous wound healing. *The New England Journal of Medicine*, 341(10), 738–746.  
<https://doi.org/10.1056/NEJM199909023411006>
- Stone, R., Natesan, S., Kowalczewski, C. J., Mangum, L. H., Clay, N. E., Clohessy, R. M., Carlsson, A. H., Tassin, D. H., Chan, R. K., Rizzo, J. A., & Christy, R. J. (2018). Advancements in Regenerative Strategies Through the Continuum of Burn Care. *Frontiers in Pharmacology*, 9(JUL).  
<https://doi.org/10.3389/FPHAR.2018.00672>
- Surowiecka, A., Strużyna, J., Winiarska, A., & Korzeniowski, T. (2022). Hydrogels in Burn Wound Management—A Review. *Gels*, 8(2).  
<https://doi.org/10.3390/GELS8020122>
- Tako, M., Teruya, T., Tamaki, Y., Uechi, K., & Konishi, T. (2021). Molecular Origin for Strong Agarose Gels: Multi-Stranded Hydrogen Bonding. *Journal of Polymer and Biopolymer Physics Chemistry*, Vol. 9, 2021, Pages 13-19, 9(1), 13–19. <https://doi.org/10.12691/JPBPC-9-1-2>
- Toussaint, J., & Singer, A. J. (2014). The evaluation and management of thermal injuries: 2014 update. *Clinical and Experimental Emergency Medicine*, 1(1), 8–18. <https://doi.org/10.15441/CEEM.14.029>
- Tsao, C. T., Chang, C. H., Lin, Y. Y., Wu, M. F., Wang, J. L., Young, T. H., Han, J. L., & Hsieh, K. H. (2011). Evaluation of chitosan/γ-poly(glutamic acid) polyelectrolyte complex for wound dressing materials. *Carbohydrate Polymers*, 84(2), 812–819.  
<https://doi.org/10.1016/J.CARBPOL.2010.04.034>
- Ujang, Z., Rashid, A. H. A., Suboh, S. K., Halim, A. S., & Lim, C. K. (2014). Physical properties and biocompatibility of oligochitosan membrane film as wound dressing. *Journal of Applied Biomaterials & Functional Materials*, 12(3), 155–162. <https://doi.org/10.5301/JABFM.5000190>
- Wagermaier, W., & Fratzl, P. (2012). Collagen. *Polymer Science: A Comprehensive Reference*, 10 Volume Set, 9, 35–55.  
<https://doi.org/10.1016/B978-0-444-53349-4.00247-8>
- Wang, J., Luo, D., Liang, M., Zhang, T., Yin, X., Zhang, Y., Yang, X., & Liu, W. (2018). Spectrum-Effect Relationships between High-Performance Liquid Chromatography (HPLC) Fingerprints and the Antioxidant and

- Anti-Inflammatory Activities of Collagen Peptides. *Molecules (Basel, Switzerland)*, 23(12). <https://doi.org/10.3390/MOLECULES23123257>
- Wang, Y., Beekman, J., Hew, J., Jackson, S., Issler-Fisher, A. C., Parungao, R., Lajevardi, S. S., Li, Z., & Maitz, P. K. M. (2018). Burn injury: Challenges and advances in burn wound healing, infection, pain and scarring. *Advanced Drug Delivery Reviews*, 123, 3–17. <https://doi.org/10.1016/J.ADDR.2017.09.018>
- Wardhana, Y. W., Aanisah, N., Sopyan, I., Hendriani, R., & Chaerunisaa, A. Y. (2022). Gelling Power Alteration on Kappa-Carrageenan Dispersion through Esterification Method with Different Fatty Acid Saturation. *Gels (Basel, Switzerland)*, 8(11). <https://doi.org/10.3390/GELS8110752>
- Wintoko, R., Dwi, A., Yadika, N., Terkini, M., & Luka, P. (2020). Manajemen Terkini Perawatan Luka. *Jurnal Kedokteran Universitas Lampung*, 4(2), 183–189. <https://doi.org/10.23960/JKUNILA42183-189>
- Yazdi, M. K., Vatanpour, V., Taghizadeh, A., Taghizadeh, M., Ganjali, M. R., Munir, M. T., Habibzadeh, S., Saeb, M. R., & Ghaedi, M. (2020). Hydrogel membranes: A review. *Materials Science and Engineering: C*, 114, 111023. <https://doi.org/10.1016/J.MSEC.2020.111023>
- Yousef, H., Alhajj, M., & Sharma, S. (2022). Anatomy, Skin (Integument), Epidermis. *StatPearls*.
- Zhang, Y., Zhang, Y., Liu, X., Huang, L., Chen, Z., & Cheng, J. (2017). Influence of hydrolysis behaviour and microfluidisation on the functionality and structural properties of collagen hydrolysates. *Food Chemistry*, 227, 211–218. <https://doi.org/10.1016/J.FOODCHEM.2017.01.049>
- Zheng, A., Xue, Y., Wei, D., Li, S., Xiao, H., & Guan, Y. (2014). Synthesis and Characterization of Antimicrobial Polyvinyl Pyrrolidone Hydrogel as Wound Dressing. *Http://Dx.Doi.Org/10.1080/1539445X.2013.831357*, 12(3), 179–187. <https://doi.org/10.1080/1539445X.2013.831357>