

DAFTAR PUSTAKA

- Abi, B. dkk., 2021. Measurement of the Positive Muon Anomalous Magnetic Moment to 0.46 ppm. <https://doi.org/10.1103/PhysRevLett.126.141801>
- Achard, P. dkk., 2001. Search For Heavy Neutral and Charged Leptons In E^+e^- Annihilation At Lep. Physics Letters B, 1-2(517), 75-85. [https://doi.org/10.1016/s0370-2693\(01\)01005-x](https://doi.org/10.1016/s0370-2693(01)01005-x)
- Alam, I.S., 2022. Phenomenology of dark matter and mirror fermions from a left-right mirror model with singlet scalar. Journal of Physics G: Nuclear and Particle Physics 49, 025002. <https://doi.org/10.1088/1361-6471/ac3cfc>
- Aoyama, T. dkk., 2020. The anomalous magnetic moment of the muon in the Standard Model. <https://doi.org/10.1016/j.physrep.2020.07.006>
- Arnan, P., Crivellin, A., Hofer, L., Mescia, F. (2017). Loop Effects Of Heavy New Scalars and Fermions In $B \rightarrow S\mu + \mu^-$. J. High Energ. Phys., 4(2017). [https://doi.org/10.1007/jhep04\(2017\)043](https://doi.org/10.1007/jhep04(2017)043)
- Arora, S., Kashav, M., Verma, S., Chauhan, B.C., 2022. Muon ($g - 2$) and the W-boson mass anomaly in a model based on Z_4 symmetry with a vector-like fermion. Progress of Theoretical and Experimental Physics 2022. <https://doi.org/10.1093/ptep/ptac144>
- Baikov, P.A., Maier, A., Marquard, P., 2013. The QED vacuum polarization function at four loops and the anomalous magnetic moment at five loops. Nucl Phys B 877, 647–661. <https://doi.org/10.1016/j.nuclphysb.2013.10.020>
- Bauer, M., Foldenauer, P., Jaeckel, J. (2018). Hunting All the Hidden Photons. J. High Energ. Phys., 7(2018). [https://doi.org/10.1007/jhep07\(2018\)094](https://doi.org/10.1007/jhep07(2018)094)
- Bechtle, P. dkk. (2017). The Light and Heavy Higgs Interpretation Of The Mssm. Eur. Phys. J. C, 2(77). <https://doi.org/10.1140/epjc/s10052-016-4584-9>
- Bennett, G.W. dkk., 2006. Final report of the E821 muon anomalous magnetic moment measurement at BNL. Physical Review D 73, 072003. <https://doi.org/10.1103/PhysRevD.73.072003>
- Blum, T., Boyle, P.A., Gülpers, V., Izubuchi, T., Jin, L., Jung, C., Jüttner, A., Lehner, C., Portelli, A., Tsang, J.T., 2018. Calculation of the Hadronic Vacuum Polarization Contribution to the Muon Anomalous Magnetic Moment. Phys Rev Lett 121, 022003. <https://doi.org/10.1103/PhysRevLett.121.022003>

- Borah, D., Dutta, M., Mahapatra, S., Sahu, N., 2021. Lepton Anomalous Magnetic Moment with Singlet-Doublet Fermion Dark Matter in Scotogenic $U(1)_{L_\mu-L_\tau}$ Model. <https://doi.org/10.48550/arXiv.2109.02699>
- Chen, C.-Y., Pospelov, M., Zhong, Y.-M., 2017. Muon beam experiments to probe the dark sector. *Physical Review D* 95, 115005.
<https://doi.org/10.1103/PhysRevD.95.115005>
- Chowdhury, T.A., Saad, S., 2021a. Non-Abelian vector dark matter and lepton $g - 2$. *Journal of Cosmology and Astroparticle Physics* 2021, 014.
<https://doi.org/10.1088/1475-7516/2021/10/014>
- Chowdhury, T.A., Saad, S., 2021b. Non-Abelian Vector Dark Matter and Lepton $g - 2$. <https://doi.org/10.1088/1475-7516/2021/10/014>
- Chun, E.J., 2015. Muon $g - 2$ in two-Higgs-doublet models.
<https://doi.org/10.1007/s12043-016-1254-2>
- Cogollo, D., 2015. Muon Anomalous Magnetic Moment in a $SU(4) \times U(1)_N$ Model Without Exotic Electric Charges. *Physics International* 6, 42–50.
<https://doi.org/10.3844/pisp.2015.42.50>
- Colangelo, G. dkk., 2022. Prospects for precise predictions of a_μ in the Standard Model. <https://doi.org/10.48550/arXiv.2203.15810>
- de Jesus, A.S., Kovalenko, S., Queiroz, F.S., Pires, C.A. de S., Villamizar, Y.S., 2020. Dead or Alive? Implications of the Muon Anomalous Magnetic Moment for 3-3-1 Models. <https://doi.org/10.1016/j.physletb.2020.135689>
- Dermisek, R., Hermanek, K., McGinnis, N., 2021. Muon $g - 2$ in two Higgs doublet models with vectorlike leptons.
<https://doi.org/10.1103/PhysRevD.104.055033>
- Endo, M., Hamaguchi, K., Iwamoto, S., Kitahara, T., 2021. Supersymmetric Interpretation of the Muon ($g - 2$) Anomaly.
[https://doi.org/10.1007/JHEP07\(2021\)075](https://doi.org/10.1007/JHEP07(2021)075)
- Falkowski, A., Lebedev, O. I., Mambrini, Y. (2005). Susy Phenomenology Of Kklt Flux Compactifications. *J. High Energy Phys.*, 11(2005), 034-034.
<https://doi.org/10.1088/1126-6708/2005/11/034>
- Feng, J. L., Fornal, B., Galon, I., Gardner, S., Smolinsky, J., Tait, T. M. P., ... & Tanedo, P. (2016). Protophobic Fifth-force Interpretation Of the Observed Anomaly Inbe8nuclear Transitions. *Phys. Rev. Lett.*, 7(117).

<https://doi.org/10.1103/physrevlett.117.071803>

Freitas, A., Lykken, J., Kell, S., Westhoff, S., 2014. Testing the Muon $g - 2$ Anomaly at the LHC. [https://doi.org/10.1007/JHEP05\(2014\)145](https://doi.org/10.1007/JHEP05(2014)145)

Fukuyama, T., Sugiyama, H., Tsumura, K., 2009. Constraints from muon $g - 2$ and LFV processes in the Higgs Triplet Model. [https://doi.org/10.1007/JHEP03\(2010\)044](https://doi.org/10.1007/JHEP03(2010)044)

Glashow, S.L., 2021. A Brief History of the Muon. Inference: International Review of Science 6. <https://doi.org/10.37282/991819.21.57>

Hagiwara, K. dkk. 2012. Review Of Particle Physics. Phys. Rev. D, 1(86). <https://doi.org/10.1103/physrevd.86.010001>

Hiller, G., Hormigos-Feliu, C., Litim, D.F., Steudtner, T., 2020. Anomalous magnetic moments from asymptotic safety. Physical Review D 102. <https://doi.org/10.1103/PhysRevD.102.071901>

Jackiw, R., Weinberg, S., 1972. Weak-Interaction Corrections to the Muon Magnetic Moment and to Muonic-Atom Energy Levels. Physical Review D 5, 2396–2398. <https://doi.org/10.1103/PhysRevD.5.2396>

Jegerlehner, F., 2018. Muon $g - 2$ theory: The hadronic part. EPJ Web Conf 166, 00022. <https://doi.org/10.1051/epjconf/201816600022>

Kamada, A., Kaneta, K., Yanagi, K., Yu, H. (2018). Self-interacting Dark Matter and Muon ($g - 2$) In A Gauged $U(1)_{L_\mu - L_\tau}$ Model. J. High Energ. Phys., 6(2018). [https://doi.org/10.1007/jhep06\(2018\)117](https://doi.org/10.1007/jhep06(2018)117)

Khanna, F. C., Malbouisson, A. P. C., Malbouisson, J. M. C., Santana, A. E. (2014). Quantum Field Theory On Toroidal Topology: Algebraic Structure and Applications. Physics Reports, 3(539), 135-224. <https://doi.org/10.1016/j.physrep.2014.02.002>

Leveille, J.P., 1978. The second-order weak correction to ($g - 2$) of the muon in arbitrary gauge models. Nucl Phys B 137, 63–76. [https://doi.org/10.1016/0550-3213\(78\)90051-2](https://doi.org/10.1016/0550-3213(78)90051-2)

Majumdar, C., Patra, S., Pritimita, P., Senapati, S., Yajnik, U.A., 2020. Neutrino mass, mixing and muon $g - 2$ explanation in $U(1)_{L_\mu - L_\tau}$ extension of left-right theory. Journal of High Energy Physics 2020. [https://doi.org/10.1007/JHEP09\(2020\)010](https://doi.org/10.1007/JHEP09(2020)010)

- McKeen, D., 2011. Contributions to the muon's anomalous magnetic moment from a hidden sector. *Ann Phys (N Y)* 326, 1501–1514. <https://doi.org/10.1016/j.aop.2010.12.015>
- Megias, E., Quiros, M., Salas, L. (2017). $G_{\mu - 2}$ From Vector-like Leptons In Warped Space. *J. High Energ. Phys.*, 5(2017). [https://doi.org/10.1007/jhep05\(2017\)016](https://doi.org/10.1007/jhep05(2017)016)
- Miller, J.P., de Rafael, E., Lee Roberts, B., 2007. Muon ($g - 2$): experiment and theory. *Reports on Progress in Physics* 70, R03. <https://doi.org/10.1088/0034-4885/70/5/R03>
- Moore, S.R., Whisnant, K., Young, B.-L., 1985. Second-order corrections to the muon anomalous magnetic moment in alternative electroweak models. *Physical Review D* 31, 105–117. <https://doi.org/10.1103/PhysRevD.31.105>
- Moroi, T., 1997. The Muon Anomalous Magnetic Dipole Moment in the Minimal Supersymmetric Standard Model. <https://doi.org/10.1103/PhysRevD.53.6565>
- Muon, Collaboration, :, Bennett, G.W., 2006. Final Report of the Muon E821 Anomalous Magnetic Moment Measurement at BNL. <https://doi.org/10.1103/PhysRevD.73.072003>
- Palle, D., 2016. A Note on the Anomalous Magnetic Moment of the Muon. *Acta Physica Polonica B* 47, 1237. <https://doi.org/10.5506/APhysPolB.47.1237>
- Pritimita, P., Majumdar, C., Patra, S., Senapati, S., Yajnik, U.A., 2021a. Muon ($g - 2$) anomaly in extended left-right symmetric model, in: *Proceedings of 40th International Conference on High Energy Physics — PoS(ICHEP2020)*. Sissa Medialab, Trieste, Italy, p. 308. <https://doi.org/10.22323/1.390.0308>
- Pritimita, P., Majumdar, C., Patra, S., Senapati, S., Yajnik, U.A., 2021b. Muon ($g - 2$) anomaly in extended left-right symmetric model, in: *Proceedings of 40th International Conference on High Energy Physics — PoS(ICHEP2020)*. Sissa Medialab, Trieste, Italy, p. 308. <https://doi.org/10.22323/1.390.0308>
- Queiroz, F.S., Shepherd, W., 2014. New physics contributions to the muon anomalous magnetic moment: A numerical code. *Physical Review D* 89, 095024. <https://doi.org/10.1103/PhysRevD.89.095024>
- Tsai, W., DeRaad, L.L., Milton, K.A., 1974. Weak muon magnetic moment: A causal mass-operator calculation. *Physical Review D* 9, 1840–1843. <https://doi.org/10.1103/PhysRevD.9.1840>

- Verma, R., Ankush, Chauhan, B.C., 2023. Dark Matter and $(g - 2)_{e,\mu}$ in ISS(2,3) based Gauged $U(1)_{L_e-L_\mu}$ Symmetric Model. <https://doi.org/10.48550/arXiv.2302.09282>
- Yu, B., Zhou, S., 2021. General Remarks on the One-loop Contributions to the Muon Anomalous Magnetic Moment. <https://doi.org/10.1016/j.nuclphysb.2022.115674>
- Zhou, S., 2022. Neutrino masses, leptonic flavor mixing, and muon $(g - 2)$ in the seesaw model with the gauge symmetry. Chinese Physics C 46. <https://doi.org/10.1088/1674-1137/ac2a25>