

## DAFTAR PUSTAKA

- Aday, B., Yildiz, Y., Ulus, R., Eris, S., Sen, F., and Kaya, M., 2016, One-pot, Efficient And Green Synthesis of Acridinedione Derivatives Using Highly Monodisperse Platinum Nanoparticles Supported With Reduced Graphene Oxide, *New J. Chem.*, 40, 748–754.
- Ajala, E.O., Ajala, M.A., Ajao, A.O., Saka, H.B., and Oladipo, A.C., 2020, Calcium-carbide residue: A precursor for the synthesis of CaO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub>–CaSO<sub>4</sub> solid acid catalyst for biodiesel production using waste lard, *Chem. Eng. J. Adv.*, 4, 100–115.
- Alirezvani, Z., Dekamin, M.G., and Valiey, E., 2019, New Hydrogen-Bond-Enriched 1,3,5-Tris(2-hydroxyethyl) Isocyanurate Covalently Functionalized MCM-41: An Efficient and Recoverable Hybrid Catalyst for Convenient Synthesis of Acridinedione Derivatives, *ACS Omega*, 4, 20618–20633.
- Amaniampong, P.N., Karam, A., Trinh, Q.T., Xu, K., Hirao, H., Jérôme, F., and Chatel, G., 2017, Selective and Catalyst-free Oxidation of D-Glucose to D-Glucuronic acid induced by High-Frequency Ultrasound, *Sci. Rep.*, 7, 1–8.
- Arain, M.S., Kazi, T.G., Afridi, H.I., Ali, J., and Akhtar, A., 2017, Ultrasonic Energy Enhanced The Efficiency of Advance Extraction Methodology for Enrichment of Trace Level of Copper In Serum Samples of Patients Having Neurological Disorders, *Ultrason. Sonochem.*, 23–28.
- Azad, A., Dekamin, M.G., Afshar, S., Tadjarodi, A., and Mollahosseini, A., 2018, Activation of Hexamethyldisilazane (HMDS) by TiO<sub>2</sub> Nanoparticles for Protection of Alcohols and Phenols: The Effect of the Catalyst Phase on Catalytic Activity, *Res. Chem. Intermed.*, 44, 2951–2963.
- Banerjee, B., 2017, Recent Developments on Ultrasound-Assisted One-Pot Multicomponent Synthesis of Biologically Relevant Heterocycles, *Ultrason. Sonochem.*, 35, 15–35.
- Bhatia, R., Pathania, S., Singh, V., and Rawal, R.K., 2018, Metal-catalyzed Synthetic Strategies Toward Coumarin Derivatives, *Chem. Heterocycl. Compd.*, 54, 280–291.
- Bhosle, M.R., Shaikh, M.A., Nipate, D., Khillare, L.D., Bondle, G.M., and Sangshetti, J.N., 2020, ChCl:2ZnCl<sub>2</sub> Catalyzed Efficient Synthesis of New Sulfonyl Decahydroacridine-1,8-Diones via One-Pot Multicomponent Reactions to Discover Potent Antimicrobial Agents, *Polycycl. Aromat. Compd.*, 40, 1175–1186.
- Chavan, P.N., Pansare, D.N., and Shelke, R.N., 2019, Eco-friendly, Ultrasound-Assisted, and Facile Synthesis of One-Pot Multicomponent Reaction of Acridine-1,8(2H,5H)-Diones in An Aqueous Solvent, *J. Chinese Chem. Soc.*, 66, 822–828.
- Chen, Jin, Chen, X., Chen, X., Xu, W., Xu, Z., Jia, H., and Chen, Jing, 2018, Homogeneous Introduction of CeO<sub>y</sub> into MnO<sub>x</sub>-based Catalyst for Oxidation of Aromatic VOCs, *Appl. Catal. B Environ.*, 224, 825–835.
- Chevallier, M.L., Dessolin, S., Serres, F., Bruyas, L., and Chatel, G., 2019, Effect of Ultrasound on the Green Selective Oxidation of Benzyl Alcohol to Benzaldehyde, *Molecules*, 24, 1–18.

- Dömling, A., Wang, W., and Wang, K., 2012, Chemistry and Biology of Multicomponent Reactions, *Chem. Rev.*, 112, 3083–3135.
- Eyvazzadeh-Keihan, R., Bahrami, N., Taheri-Ledari, R., and Maleki, A., 2020, Highly Facilitated Synthesis of Phenyl(Tetramethyl)Acridinedione Pharmaceuticals by a Magnetized Nanoscale Catalytic System, Constructed of GO, Fe<sub>3</sub>O<sub>4</sub> and Creatine, *Diam. Relat. Mater.*, 102, 107661.
- Gawande, M.B., Branco, P.S., and Varma, R.S., 2013, Nano-magnetite (Fe<sub>3</sub>O<sub>4</sub>) as a Support for Recyclable Catalysts in the Development of Sustainable Methodologies, *Chem. Soc. Rev.*, 42, 3371–3393.
- Govan, J. and Gun'ko, Y.K., 2014, Recent advances in the application of magnetic nanoparticles as a support for homogeneous catalysts, *Nanomaterials*, 4, 222–241.
- Heravi, M.M., Zadsirjan, V., Dehghani, M., and Ahmadi, T., 2018, Towards click chemistry: Multicomponent Reactions Via Combinations of Name Reactions, *Tetrahedron*, 74, 3391–3457.
- Işk, A., Aday, B., Ulus, R., and Kaya, M., 2015, One-Pot, Facile, Highly Efficient, and Green Synthesis of Acridinedione Derivatives Using Vitamin B 1, *Synth. Commun.*, 45, 2823–2831.
- Jarag, K.J., Pinjari, D. V., Pandit, A.B., and Shankarling, G.S., 2011, Synthesis of Chalcone (3-(4-fluorophenyl)-1-(4-methoxyphenyl)prop-2-en-1-one): Advantage of Sonochemical Method Over Conventional Method, *Ultrason. Sonochem.*, 18, 617–623.
- Kakuchi, R., 2014, Multicomponent Reactions in Polymer Synthesis, *Angew. Chemie - Int. Ed.*, 53, 46–48.
- Karimi-Jaberi, Z. and Jaafarizadeh, A., 2015, One-pot, Three-Component Reaction of Dimedone, Amines, And Isatin in The Presence of Tris(Hydrogensulfato) Boron: Synthesis of Pyrroloacridine Derivatives, *Res. Chem. Intermed.*, 41, 4913–4918.
- Kaur, B. and Kumar, H., 2013, Methyltrioctylammonium chloride catalysed sonochemical synthesis of acridine diones, *J. Chem. Sci.*, 125, 989–992.
- Khazaei, A., Moosavi-zare, A.R., and Mohammadi, Z., 2016, Reaction of Dimedone with Aromatic Aldehydes and Ammonium Acetate or Aromatic Amines under Solvent-free Conditions, *J. chinese Chem. Soc.*, 165–170.
- Lin, C.J. and Yang, W.T., 2013, Ordered Mesostructured Cu-doped TiO<sub>2</sub> Spheres as Active Visible-Light-Driven Photocatalysts for Degradation of Paracetamol, *Chem. Eng. J.*, 237, 131–137.
- Machado, I. V., dos Santos, J.R.N., Janeiro, M.A.P., and Corrêa, A.G., 2021, Greener Organic Synthetic Methods: Sonochemistry And Heterogeneous Catalysis Promoted Multicomponent Reactions, *Ultrason. Sonochem.*, 105704.
- Mahendra, I., 2023, Preparasi Nanopartikel Fe<sub>3</sub>O<sub>4</sub> Termodifikasi Cu Sebagai Katalis Dalam Sintesis Acridinedione Melalui Reaksi Multikomponen Irvan Mahendra, (Skripsi Sarjana, Universitas Gadjah Mada).
- Masudi, Ahmad, Harimisa, G.E., Ghafar, N.A., and Jusoh, N.W.C., 2020, Magnetite-based catalysts for wastewater treatment, *Environ. Sci. Pollut. Res.*,

27, 4664–4682.

- Masudi, A., Jusoh, N.W.C., Jusoh, R., Jaafar, N.F., Jalil, A.A., Firdausi, A., and Hartanto, D., 2020, Equidistant Crystal Distortion Arrangement of Copper Doped Magnetite For Paracetamol Degradation And Optimization With Response Surface Methodology (RSM), *Mater. Chem. Phys.*, 250, .
- Mohamed, S.K., Abdelhamid, A.A., Maharramov, A.M., Khalilov, A.N., Gurbanov, A. V., and Allahverdiyev, M.A., 2012, Synthesis of Hydroacridines And 1,8-Dioxooctahydroxanthenes Using Primary Amino Alcohols As Reagent or Catalysis Via Three-Component Condensation Reactions, *J. Chem. Pharm. Res.*, 4, 955–965.
- Munoz, M., de Pedro, Z.M., Casas, J.A., and Rodriguez, J.J., 2015, Preparation of Magnetite-Based Catalysts And Their Application In Heterogeneous Fenton Oxidation - A review, *Appl. Catal. B Environ.*, 176–177, 249–265.
- Naik, R., Nizam, A., Siddekha, A., and Pasha, M.A., 2011, An Efficient Sonochemical Oxidation Of Benzyl Alcohols Into Benzaldehydes by FeCl<sub>3</sub>/HNO<sub>3</sub> in Acetone, *Ultrason. Sonochem.*, 18, 1124–1127.
- Nasr-Esfahani, M., Hoseini, S.J., and Mohammadi, F., 2011, Fe<sub>3</sub>O<sub>4</sub> Nanoparticles As An Efficient And Magnetically Recoverable Catalyst For The Synthesis of 3, 4-dihydropyrimidin-2(1H)-ones Under Solvent-Free Conditions, *Cuihua Xuebao/Chinese J. Catal.*, 32, 1484–1489.
- Ojha, N.K., Zyryanov, G. V., Majee, A., Charushin, V.N., Chupakhin, O.N., and Santra, S., 2017, Copper nanoparticles as inexpensive and efficient catalyst: A valuable contribution in organic synthesis, *Coord. Chem. Rev.*, 353, 1–57.
- Patil, D. and Chandam, D., 2014, Novel Brønsted Acidic Ionic Liquid ([ CMIM ] [ CF 3 COO ] ) Prompted Multicomponent Hantzsch Reaction for the Eco-Friendly Synthesis of Acridinediones : An Efficient and Recyclable Catalyst, *Catal Lett*, 949–958.
- Penteado, F., Monti, B., Sancineto, L., Perin, G., Jacob, R.G., Santi, C., and Lenardão, E.J., 2018, Ultrasound-Assisted Multicomponent Reactions, Organometallic and Organochalcogen Chemistry, *Asian J. Org. Chem.*, 7, 2368–2385.
- Rajesh, R., Suresh, M., Selvam, R., and Raghunathan, R., 2014, Synthesis of Acridinedione Derived Mono Spiro-Pyrrolidine/Pyrrolizidine Derivatives - A Facile Approach Via Intermolecular [3+2] Cycloaddition Reaction, *Tetrahedron Lett.*, 55, 4047–4053.
- Rajput, J.K., Arora, P., Kaur, G., and Kaur, M., 2015, CuFe<sub>2</sub>O<sub>4</sub> Magnetic Heterogeneous Nanocatalyst: Low Power Sonochemical-Coprecipitation Preparation And Applications In Synthesis Of 4H-chromene-3-carbonitrile scaffolds, *Ultrason. Sonochem.*, 26, 229–240.
- Ruijter, E., Scheffelaar, R., and Orru, R.V.A., 2011, Multicomponent reaction design in the quest for molecular complexity and diversity, *Angew. Chemie - Int. Ed.*, 50, 6234–6246.
- Sahiba, N., Sethiya, A., Soni, J., and Agarwal, S., 2021, Acridine-1,8-diones: Synthesis and Biological Applications, *ChemistrySelect*, 6, 2210–2251.
- Sarifudin, K., 2021, Studi Pengaruh Rasio Logam Prekursor Mo/Ni terhadap

Karakter Keasaman dan Morfologi Katalis K-Ni-Mo/ZAA, *Haumeni J. Educ.*, 1, 160–170.

- Savun-Hekimoğlu, B., 2020, A Review on Sonochemistry and Its Environmental Applications, *Acoustics*, 2, 766–775.
- Senapati, K.K., Borgohain, C., and Phukan, P., 2011, Synthesis of Highly Stable COFe<sub>2</sub>O<sub>4</sub> Nanoparticles And Their Use As Magnetically Separable Catalyst for Knoevenagel Reaction In Aqueous Medium, *J. Mol. Catal. A Chem.*, 339, 24–31.
- Vabbina, P.K., Kaushik, A., Pokhrel, N., Bhansali, S., and Pala, N., 2015, Electrochemical Cortisol Immunosensors Based On Sonochemically Synthesized Zinc Oxide 1D nanorods and 2D nanoflakes, *Biosens. Bioelectron.*, 63, 124–130.
- Vassilev, D., Petkova, N., Koleva, M., and Denev, P., 2020, Ultrasound-assisted Method for The Synthesis of Tertiary Fatty Aliphatic Esters with Potential Antimicrobial Activity, *Biointerface Res. Appl. Chem.*, 10, 6829–6836.
- Willhelm, A.R., Fortes, P.M., Czermainski, F.R., Rates, A.S.A., and de Almeida, R.M.M., 2016, Avaliação neuropsicológica e comportamental da impulsividade em adolescentes: Uma revisão sistemática, *Trends Psychiatry Psychother.*, 38, 128–135.
- Xiong, H., Han, J., Wang, J., Lu, Wenchao, Wang, C., Chen, Y., Fulin Lian, Zhang, N., Liu, Y.C., Zhang, C., Ding, H., Jiang, H., Lu, Wencong, Luo, C., and Zhou, B., 2018, Discovery of 1,8-acridinedione Derivatives as Novel GCN5 Inhibitors Via High Throughput Screening, *Eur. J. Med. Chem.*, 151, 740–751.
- Zare, A., Dianat, M., Eskandari, and Mehdi, M., 2020, A Novel Organic-inorganic Hybrid Material: Production, Characterization and Catalytic Performance for The Reaction of Arylaldehydes, Dimedone, and 6-amino-1,3-dimethyluracil, *New J. Chem.*, 4736–4743.
- Zhu, A., Liu, R., and Li, L., 2017, RSC Advances Betainium-based Ionic Liquids Catalyzed Multicomponent Hantzsch Reactions for the Efficient Synthesis of Acridinediones, *J. Soc. Chem.*, 6679–6684.