

DAFTAR PUSTAKA

- Alamsyah, R., dan Lubis, E.H., 2012, Pengolahan Biodiesel dari Biji Nyamplung (*Calophyllum Inophyllum* L) Dengan Cara Purifikasi Kering, *Jurnal Kimia dan Kemasan*, 34(2), 287-294.
- Ansari, S.A., 2009, *Skin pH and Skin Flora*. In *Handbook of Cosmetics Science and Technology*, Edisi Ketiga, Informa Healthcare USA, New York.
- Arevalo, G., 1999, *El cultivo del Sacha Inchi (Plukenetia volubilis L.) en la Amazonia*.
- Ariyanti, Eni, M., Noveta, Y., Dwi, S., dan Filza, N, 2022, *Uji Spray Lotion Sunscreen Buah Tomat*, Fakultas Ilmu Kesehatan, Universitas Duta Bangsa, Surakarta.
- Balasundram, N., Kalyana, S., Sammir, S., 2006, Phenolic compounds in plants and agri-industrial byproducts: Antioxidant activity, occurrence, and potential uses, *ScienceDirect*, 99(1), 191–203.
- Bambang, Noviansyah, 2016, *Perlindungan Hukum Bagi Konsumen Jasa Bengkel Motor Resmi Di Kota Pangkalpinang*, Universitas Bangka Belitung.
- Bendini, A., Cerretani, L., Carrasco-Pancorbo, A., Gómez-Caravaca, A.M., Segura-Carretero, A., Fernández-Gutiérrez, A., dan Lercker, G., 2007, Phenolic Molecules in Virgin Olive Oils: A Survey of Their Sensory Properties, Health Effects, Antioxidant Activity and Analytical Methods, *An Overview of the Last Decade*, *Molecules*, 12, 1679–1719.
- Berliana, G.F.S., Intan M.C., Ungsari R.E.P., dan Erwin I., 2022, Optimasi Span 80 dan Tween 80 dalam Krim Alas Bedak Dibenalaseton sebagai Tabir Surya, *Pharmacy Medical Journal*.
- Brenner, M., dan Hearing, V.J., 2007, *The Protective Role of Melanin Against UV Damage in Human Skin*. *Photochemistry and Photobiology*, 84, 539-549.
- Brezova, V., Gabcova, S., Dvoranova, D., dan Satsko, A., 2004, Reactive Oxygen Species Produced upon Photoexcitation of Sunscreen Containing Titanium Dioxide (an EPR study), *Journal of Photochemistry and Photobiology*, 79, 121-134.
- Brinckmann J., 2013, *Market Analysis For Three Peruvian Natural Ingredients*, International Trade Center, Geneva.
- Cazorla, M.P., 2013, Actividad Fotoprotectora de Maracuyá (*Passiflora edulis*), Ishpingo (*Ocotea quixos*) en Fototipos III para Elaboración de un Protector Solar, *B.S. Thesis*.
- Chirinos, R., Necochea, O., Pedreschi, R., Campos, D., 2016, Sacha inchi (*Plukenetia volubilis* L.) shell: an alternative source of phenolic compounds and antioxidants, *International Journal of Food Science and Technology*, 51(4): 986-993.
- Chirinos, R., Zuloeta, G., Pedreschi, R., Mignolet, E., Larondelle, Y., dan Campos, D., 2013, Sacha inchi (*Plukenetia volubilis*): A seed source of polyunsaturated fatty acids, tocopherols, phytosterols, phenolic compounds and antioxidant capacity, *Food Chem*, 141(3), 1732–9.
- Cisneros, F.H., Paredes, D., Arana, A., Cisneros-Zevallos, L., 2014, Chemical Composition, Oxidative Stability and Antioxidant Capacity of Oil

- Extracted from Roasted Seeds of Sacha-Inchi (*Plukenetia volubilis* L.), *Journal of Agriculture, Food Chem*, 62, 5191–5197.
- Daud, N.S., dan Musdalipah., 2018, Optimasi Formula Losio Tabir Surya Ekstrak Kulit Buah Naga Super Merah, *Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 15(01), 26-37.
- Droge, W., 2002, Free Radicals In The Physiological Control Of Cell Function, *Physiological Reviews*, 82(1), 47–95.
- Dweck, A.C., dan T. Meadows., 2002, Tamanu (*Calophyllum inophyllum*) the African, Asian, Polynesian and Pacific Panaceae, *International Journal of Cosmetic Science*, 24(6), 341-348.
- Ekowati, D., 2013, Optimasi Komposisi Emulgator Krim Minyak Biji Nyamplung (*Calophyllum inophyllum* L) sebagai Sunscreen dan antioksidan dengan metode Simplex Lattice Design, *Tesis*, Program Pasca Sarjana Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Fanali, C., Dugo, L., Cacciola, F., Beccaria, M., Grasso, S., dan Dachà, M., 2011, Chemical Characterization of Sacha Inchi (*Plukenetia volubilis* L.) Oil, *J Agric Food Chem*, 59(24), 13043–9.
- Follegatti, L., Piantino, C., Grimaldi, R., dan Cabral, F., 2009, Supercritical CO₂ extraction of omega-3 rich oil from Sacha inchi (*Plukenetia volubilis* L.) seeds, *J Supercrit Fluids*, 49(3), 323–9.
- Fuller, J., Mahwah, N. J., Sanogueira, J., dan Suffern, N. Y., 2002, Sunscreen lotion or spray composition, United State Patent, US 6,395,269 B1.
- Garg, A., Aggarwal, D., Garg, S., dan Singla, A.K., 2002, Spreading of Semisolid Formulations, *Pharmaceutical Technology*, 84-105.
- Gómez, E., 2004, *Cultivo de semillas oleaginosas o de frutas (manies) y nueces oleaginosas*.
- Gonzalez-Aspajo, G., Belkhelfa, H., Haddioui-Hbabi, L., Bourdy, G., dan Deharo, E., 2015, Sacha Inchi Oil (*Plukenetia volubilis* L.), effect on adherence of *Staphylococcus aureus* to human skin explant and keratinocytes in vitro, *Journal of Ethnopharmacology*, 171, 330-334.
- Grina, Donatas., Małgorzata, Sznitowska, and Vitalis, Briedis., 2011, Technology and Analysis of Semisolid Preparations with Tolnaftate, *Thesis*, Medical University of Gdansk Kaunas.
- Gutierrez, L.F., Quinones, Y., Sanchez, Z., Diaz, D.L., dan Abril, J.I., 2017, Physicochemical properties of oils extracted from γ -irradiated Sacha Inchi (*Plukenetia volubilis* L.) seeds, *Food Chem*, 237, 581–7.
- Gutierrez L., Rosada L., dan Jimenez, A., 2011, Chemical composition of sacha inchi (*Plukenetia volubilis* L.) seeds and characteristics of their lipid fraction, *Grasas Aceites*, 62(1), 76–83.
- Hadzich, A., Gross, G., Leimbach, M., Ispas, A., Bund, A., dan Flores, S., 2020, *Characterization of Plukenetia volubilis L. fatty acid-based alkyd resins*, Polymer Testing.
- Hamaker, B., Valles, C., Gilman, R., Hardmeier, R.M., Clark. D., dan Garcia, H.H., 1992, Amino acid and fatty acid profiles of the Incapeanut (*Plukenetia volubilis*), *Cereal Chem*, USA.

- Hanssen H., Schmitz-Hübsch M, 2011, *Chapter 117 - Sacha Inchi (Plukenetia volubilis L.) Nut Oil and Its Therapeutic and Nutritional Uses*, In: Preedy, V.R., Watson, R.R., Patel, V.B., editors, *Nutsand Seeds in Health and Disease Prevention*, San Diego: Academic Press, 991–4.
- Hari, P., Nikinmaa, E., Pohja, T., Siivola, E., Bäck, J., Vesala, T., dan Kulmala, M., 2013, *Station For Measuring Ecosystem-Atmosphere Relations, SMEAR*, In *Physical And Physiological Forest Ecology*, 471–487, Springer.
- Haveni, D., Mastura, Ratih, P.S., 2019, Ekstrak Etanol Kulit Buah Naga Super Merah (*Hylocereus costaricensis*) sebagai Anti Oksidan dengan Menggunakan Metode (DPPH), KATALIS, *Jurnal Pendidikan Kimia dan Ilmu Kimia*, 2(2), 30.
- Heyne, K., 1987, *Tumbuhan Berguna Indonesia*, Volume II, Yayasan Sarana Wana Jaya: Diedarkan oleh Koperasi Karyawan, Badan Litbang Kehutanan, Jakarta.
- Ismail, Isriany., 2014, *Desain Sediaan Tabir Surya*, Alauddin University Press, Makassar.
- Jones, W.P., and Kinghorn, A.D., (Eds), 2012, *Natural Products Isolation, Methods in Molecular Biology*, 864, 356-358.
- Kaimal, S., dan Abraham, A., 2011, Sunscreens, *Venereology and Leprology, Indian Journal of Dermatology*, 77(2), 238-43.
- Kockler, J., Oelgemöller, M., Robertson, S., dan Glass, B.D., 2012, Photostability Of Sunscreens, *Journal Of Photochemistry and Photobiology C: Photochemistry Reviews*, 13(1), 91–110.
- Kritchevsky, D., dan Chen, S.C., 2005, *Phytosterols-health benefits and potential concerns: A Review*, *Nutr Res*, 25(5), 413–28.
- Lademann, J., Schanzer, S., Richter, H., Pelchrzim, R.V., Zastrow, L., Golz, K., dan Sterry, W., 2004, Sunscreen application at the beach, *Journal of Cosmetic Dermatology*, 3, 66.
- Lagarda, M.J, García-Llatas, G., Farré. R., 2006, Analysis of phytosterols in foods, *J Pharm Biomed Anal*, 41(5), 1486–96.
- Lewies, A., Van, Dyk, E., Wentzel, J.F., dan Pretorius, P.J., 2014, *Using A Medium-Throughput Comet Assay To Evaluate The Global DNA Methylation Status Of Single Cells*, *Frontiers In Genetics*, 5, 215.
- Lim, W. S., Baudouin, S.V., George, R.C., Hill, A.T., Jamieson, C., Le, Jeune, I., Macfarlane, J.T., Read, R.C., Roberts, H.J., dan Levy, M.L., 2009, *BTS Guidelines For The Management Of Community Acquired Pneumonia In Adults: Update 2009*, *Thorax*, 64.
- Liu, Q., Xu, Y.K., Zhang, P., Na, Z., Tang, T., Shi, Y.X., 2014, *Chemical composition and oxidative evolution of Sacha Inchi (Plukenetia volubilis L.) oil from Xishuangbanna (China)*, *Grasas Aceites*, 65(1), 012.
- Lopez, R., 2012, *Guía para el uso y eleccion de protectores solares y componentes para la industria cosmetica y consumidores finales*, Universidad Nacional Autónoma de Mexico.
- Mansur, J.S., Breeder, M.N., dan Azulay, R.D., 1986, Determinação do fator de proteção solar por espectrofotometria, *Dermatol, Brazil*, 61, 121-24.

- Minerva, P., 2018, *Hiperpigmentasi Kulit*, Universitas Negeri Padang.
- Natalia, Rafika S., dan Liza P., 2015, Formulasi Krim Anti Acne dari Ekstrak Rimpang Temulawak dengan Variasi Emulgator Span 80 dan Tween 80, *Jurnal Cerebellum*.
- Ng'etch, 2014, In vitro determination of Sun Protection Factor on Clays Used for Cosmetic Purposes, *Chemistry and Materials Research*, Kenya, 6 (7), 26.
- Nisak, K., 2016, *Uji Stabilitas Fisik dan Kimia Sediaan Gel Semprot Ekstrak Etanol Tumbuhan Paku (Nephrolepis falcata (Cav.) C. Chr.)*, UIN Syarif Hidayatullah, Jakarta.
- Niu, L., Li, J., Chen, M., dan Xu Z, 2014, Determination of oil contents in Sacha inchi (*Plukenetia volubilis*) seeds at different developmental stages by two methods: Soxhlet extraction and time-domain nuclear magnetic resonance, *IndCrops Prod*, ; 56:187–90.
- Noor, I. M., Yufita, E., dan Zulfalina, 2016, Identifikasi Kandungan Ekstrak Kulit Buah Naga Merah Menggunakan Fourier Transform Infrared (FTIR) dan Fitokimia., *Journal of Aceh Physics Society (JAcPS)*, 5(1). 14-16.
- Palomino, Y.M., 2001, *Anatomía y Fisiología de la Piel*, *Revista Peruana de Dermatología*, Vol. 11 N° 2.
- Palozza, P., Krinsky, N.I., 1992, Antioxidant effects of carotenoids in Vivo and in Vitro: An overview, *Meth. Enzymol*, 213, 403–420. 5
- Pateh, U.U., Haruna A. K., Garba, M., Iliya, I., Sule, I. M., Abubakar, M. S., dan Ambi A.A., 2009, Isolation of stigmaterol, β -sitosterol, and 2-hydroxyhexadecanoid acid methyl ester from rhizomes of *Stylochiton lancifolius*, *Nig. Journ. Pharm. Sci*, 8 (1): 19-25
- Poon, T.S.C., dan Barnetson, R.S., 2002, The Importance Of Using Broad Spectrum SPF 30+ Sunscreens In Tropical And Subtropical Climates, *Photodermatology, Photoimmunology & Photomedicine*, 18(4), 175–178.
- Prasiddha, I.J., Rosalina, A.L., Teti, E., Jaya, M.M, 2016, Potensi senyawa bioaktif rambut jagung (*Zea mays* L.) untuk tabir surya alami: kajian pustaka, *Jurnal Pangan dan Agroindustri*, 4(1): h 40-45
- Pratama, G., Yanuarti, R., Ilhamdy, A.F., Suhana, M.P., 2019, Formulation of Sunscreen Cream from *Eucheuma cottonii* and *Kaempferia galanga* (Zingiberaceae), *IOP Conf. Series: Earth and Environmental Science*, 278: 1-7.
- Puangprongpitag, D., Tankitjanon, P., Sumalee, A., dan Konsue, A., 2021, Phytochemical Screening and Antioxidant Activities of the Seedling Extracts from Inca Peanut *Plukenetia volubilis*, *Pharmacognosy Journal*, 13(1):52-58.
- Puspita, W., Puspasari, H., dan Restanti, N.A., 2020, Formulation and Physical Properties Test of Spray Gel from Ethanol Extract of Buas Buas Leaf (*Premna serratifolia* L.), *Jurnal Ilmiah Farmako Bahari*, 11(2), 151.
- Ramos, E., 2008, *Evaluación de la capacidad antioxidante de plantas medicinales peruanas nativas e introducidas*, *Rev Acad Peru Salud* 15(1).

- Razali, N.M. dan Wah, Y.B., 2011, Power Comparisons of Shapiro-Wilk, Kolmogorov-Smirnov, Lilliefors and Anderson-Darling tests, *Journal of Statistical Modeling and Analytics*, vol. 2, no. 1, hh. 21-33.
- Rizal, R., Jubahar, J., dan Rahim, F., 2017, Isolasi Flavonoid Total Kulit Buah Naga (*Hylocereus undatus* (Haw.) Britt.) dan Uji Daya Tabir Surya Dalam Krim, *SCIENTIA*, 7(2), 120-128.
- Rodriguez, M., Tovar, A., Del, P.M., dan Torres, N., 2005, *Mecanismos moleculares de acción de los ácidos grasos poliinsaturados y sus beneficios en la salud*, *Rev Investig Clínica*, 57(3):457–72.
- Romero, A.M., Doval, M.M., Sturla, M.A, Judis, M.A., Fernández, C., dan Peña, S., 2018, *Capacidad antioxidante de extracto de soja fermentada sobre diferentes matrices lipídicas*, Perú.
- Rosalina K., Ellyn N., Norma K., Isnasyauqiah, Selamat, R., Desi, N., dan Muhammad, E., 2020, *Inventarisasi Perlindungan Lapisan Ozon*, Program studi Geografi. Universitas Lambung Mangkurat, Banjarmasin.
- Rowe, R.C., Sheskey, P. J., dan Quinn, M.E., 2009, *Handbook of Pharmaceutical Excipients Sixth Edition*, Pharmaceutical Press and American Pharmacists Association, USA.
- Runger, T.M., 2019, *Cutaneous Photobiology*, Dalam: Fitzpatrick's Dermatology in General Medicine. Edisi ke-9, New York: McGraw-Hill, h. 299-319.
- S. Young dan J. V. Woodside, 2001, Antioxidants in health and disease, *Journal of Clinical Pathology*, Vol. 54, pp. 176-186.
- Said, T., Dutot, M., Martin, C., Beadeux, J.L., Boucher, C., dan Ence, E., 2007, Cytoprotective Effect Against UV-induced DNA Damage and oxidative Stress : Role of New Biological UV Filter, *European Journal of Pharmaceutical Sciences*, 30 (3-4): 203-210
- Sayre, R.M., Agin, P.P., Levee, G.J., dan Marlowe, E., 1979, Comparison of in vivo and in vitro testing of sunscreens formulas, *Photochem, Photobiol*, 29, 559-566.
- Setiati, S., 2008, Pengaruh Paparan Sinar Ultraviolet B Bersumber Dari Sinar Matahari Terhadap Konsentrasi Vitamin D (25 (OH) D) Dan Hormon Paratiroid Pada Perempuan Usia Lanjut Indonesia, Kesmas: *Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal)*, 2(4), 147–153.
- Shahidi, F., dan Shukla, V.K.S., 1996, *Nontriacylglycerol constituents of fats, oil*, 7. 1227–1232.
- Sonny J., R., dan Kalangi, 2013, *Histofisiologi Kulit*, Fakultas Kedokteran Universitas Sam Ratulangi, Manado.
- Stanfield dan Joseph, W., 2003, *Sun Protectant: Enhancing Product Functionality will Sunscreen*, in Schueller, R Romanowski,P, Multifunctional Cosmetic, Marcell Dekker Inc, New York, USA.
- Sterbova, L., Cepkova, P.H., Viehmannova, I., dan Cachique, D.H., 2016, Effect of thermal processing on phenolic content, tocopherols and antioxidant activity of sachu inchi kernels, *J. Food Process, Preserv.*

- Sugihartini, N., 2010, Optimasi Komposisi Emulgator Krim Ekstrak Teh Hijau *Camelia sinensis* L Sebagai Sediaan Kemopreventif Kanker Kulit Dengan Metode Factorial Design, *Disertasi*, Universitas Gadjah Mada.
- Suyono, Hartanti, N.U., Wibowo, A., dan Narto., 2017, *Biodiseldari Mangrove Jenis Nyamplung (Callophyllum inophyllum) sebagai Alternatif Pengganti Bahan Bakar Minyak Fosil*, Biosfera, Vol. 34(3).
- Swastika, A., Mufrod, dan Purwanto., 2013, Aktivitas Antioksidan Krim Ekstrak Sari Tomat (*Solanum lycopersicum* L.), *Trad Med Journal*, 18(3), 132-140.
- Tranggono, R.I., dan Latifah, F., 2018, *Buku Pegangan Ilmu Pengetahuan Kosmetik edisi kedua*, Jakarta, Gramedia Pustaka Utama.
- Tranggono, R.I., dan Latifah, F., 2007, *Buku Pegangan Ilmu Pengetahuan Kosmetik*, Jakarta, PT.Gramedia Pustaka Utama, 3(47), 58–59.
- Villanueva, C., Gonzalez, S., Luz, M., dan Kross, R.D., 2013, *La bioetica medioambiental y el estres oxidativo*, Cuicuilco, 20(58):91–108.
- Wang, S.Q., Osterwalder, U., dan Jung, K., 2011, Ex vivo evaluation of radical sun protection factor in popular sunscreens with antioxidants, *J Am Acad Dermatol*, 65(3):525–30.
- Wihelmina, Cynthia E., 2011, *Pembuatan dan Penentuan Nilai SPF Nanoemulsi Tabir Surya Menggunakan Minyak Kencur (Kaemferia galanga L.) Sebagai Fase Minyak*, FMIPA Program Studi Farmasi, Depok.
- World Health Organization and International Commission on Non-Ionizing Radiation Protection, 2002, *Global solar Indeks UV: a practical guide (No. WHO/SDE/OEH/02.2)*, World Health Organization.
- Wulandari, W., Wasito, H., dan Susilowati, S.S., 2018., Stabilitas Fisik Dan Pengukuran Nilai Sun Protection Factor Sediaan Tabir Surya Pada Kondisi Stress Penyimpanan Dengan Spektrofotometri, *Acta Pharmaciae Indonesia*, 6. (1). 1-11.
- Zeb, A.M.S., 2004, *Carotenoids Contents from Various Sources and Their Potential Health Applications*, 3:199–204.
- Zuloeta, G., 2014, *Compuestos fenólicos, tocoferoles, ácidos grasos, carotenoides, fitoesteroles y capacidad antioxidante de 16 cultivares de semillas de sachu inchi (Plukenetia volubilis L.)*.