



DAFTAR PUSTAKA

- Barnes, S.J., Godel, B.M., Locmelis, M., Fiorentini, M.L., Ryan, C.G., 2011. Extremely Ni rich Fe–Ni sulfide assemblages in komatiitic dunite at Betheno, Western Australia: results from synchrotron X-ray fluorescence mapping. *Aust. J. Earth Sci.* 58, 691–709.
- Barnes, S.J., Liu, W., 2012. Pt and Pd mobility in hydrothermal fluids: evidence from komatiites and from thermodynamic modelling. *Ore Geol. Rev.* 44, 49–58.
- Barnes, S. J., Taranovic, V., Schoneveld, L. E., Mansur, E. T., Le Vaillant, M., Dare, S., Blanks, D. (2020). The Occurrence and Origin of Pentlandit-Kalkopirit-Pirhotit Loop Textures in Magmatic Ni-Cu Sulfide Ores. *Economic Geology*, 115(8), 1777–1798. doi:10.5382/econgeo.4757
- Bleeker, Wouter, et al., 2020. The Midcontinent Rift and its Mineral Systems: Overview and Temporal Constraints of Cu-Ni-PGE Mineralized Intrusions; dalam Targeted Geoscience Initiative 5: Advanced in Understanding of Canadian Cu-Ni-PGE and Cr ore systems – Examples from the Midcontinent Rift, the Circum-Superior Belt, the Archaean Superior Province, and Cordilleran Alaskan-type intrusions, (ed.) W. Bleeker dan M.G Houle; Geological Survey of Canada, Open File 8722, p. 7-35.
- Chaffee, Matthew. (2015). Petrographic and Geochemical Study of the Hybrid Rock Unit Associated with the Current Lake Intrusive Complex. Diakses dari the University of Minnesota Digital Conservancy, <https://hdl.handle.net/11299/174746>.
- Clark Exploration Consulting, January 2020: Technical Report on the Thunder Bay North and Escape Lake Properties, Northern Ontario, Canada.
- Dare, S.A.S., Barnes, S.J., Prichard, H.M., Fisher, P.C., 2011. Chalcophile and platinumgroup element (PGE) concentrations in the sulfide minerals from the McCreedy East deposit, Sudbury, Canada, and the origin of PGE in Pirit. *Miner. Deposita* 46, 381–407.
- Duran, C.J., Barnes, S.-J., Corkery, J.T., 2015. Chalcophile and palladium-group element distribution in Pirts from the sulfide-rich pods of the Lad des Iles deposits, Western Ontario, Canada: implications for post-cumulus re-equilibration of the ore and the use of Pirit compositions in exploration. *J. Geochem. Explor.* 158, 223–242.
- González-Álvarez, I., Pirajno, F., Kerrich, R., 2013. Hydrothermal nickel deposits: secular variation and diversity. *Ore Geol. Rev.* 52, 1–3.
- Graham, S.D., Holwell, D.A., McDonald, I., Jankin, G.R.T., Hill, N.J., Boyce, A.J., Smith, J., Sangster, C., 2017. Magmatic Cu-Ni-PGE-Au sulfide



mineralisation in alkaline magmatic systems: an example from the Sron Garbh intrusion, Tyndrum, Scotland. *Ore Geol. Rev.* 80, 961–984.

Holwell, D.A., *Ore Geology Reviews* (2017). Low temperature alteration of magmatic Ni-Cu- PGE sulfides as a source for hydrothermal Ni and PGE ores: A quantitative approach using automated mineralogy. Dipublikasi oleh Elsevier B.V. <http://dx.doi.org/10.1016/j.oregeorev.2017.08.025>

Hutchinson, D., Kinnaird, J.A., 2005. Complex multistage genesis for the Ni-Cu-PGE mineralization in the southern region of the Platreef, Bushveld Complex, South Africa. *Appl. Earth Sci.* 114, B208–B223.

Kalugin, V.; Gusev, V.; Tolstykh, N.; Lavrenchuk, A.; Nigmatulina, E. Origin of the Pd-Rich Pentlandit in the Massive Sulfide Ores of the Talnakh Deposit, Norilsk Region, Russia. *Minerals* 2021, 11, 1258. <https://doi.org/10.3390/min11111258>

Kullerud, G., Yund, R.A., Moh, G.H., 1969. Phase relations in the Cu-Fe-S, Cu-Ni-S, and Fe- Ni-S systems. *Econ. Geol. Monogr.* 4, 323–343.

Kuntz & Jones, 2021. NI 43-101 Technical Report & Mineral Resource Estimate. Thunder Bay North Project, Thunder Bay, ON, Canada. Clean Air Metals Inc.

Le Vaillant, M., Barnes, S.J., Fiorentini, M.L., Miller, J., McCaig, T.C., Muccili, P., 2015. A hydrothermal Ni-As-PGE geochemical halo around the Miitel komatiite-hosted nickel sulfide deposit, Yilgarn Craton, Western Australia. *Econ. Geol.* 110, 505–530.

Li, C., Ripley, E.M., Merino, E., Maier, W.D., 2004. Replacement of base metal sulphides by actinolite, epidote, calcite and magnetite in the UG2 and Merensky Reef of the Bushveld Complex, South Africa. *Econ. Geol.* 99, 173–184.

Liu, W., Migdisov, A., Williams-Jones, A., 2012. The stability of aqueous nickel (II) chloride complexes in hydrothermal solutions: results of UV-visible spectroscopic experiments. *Geochim. Cosmochim. Acta* 94, 276–290.

Miller, J.D., 2007: The Midcontinent Rift in the Lake Superior Region: A 1.1 Ga Large Igneous Province. Diakses dari www.largeigneousprovinces.org/07nov pada 24 Juni 2022.

Misra, K.C., Fleet, M.E., 1974. Chemical composition and stability of violarite. *Econ. Geol.* 59, 391–403.

Naldrett, A.J., 2011. Fundamentals of magmatic sulfide deposits. In: Li, C., Ripley, E.M. (Eds.), *Magmatic Ni-Cu and PGE deposits: Geology, Geochemistry, and Genesis*. Society of Economic Geology. *Rev. Econ. Geol.* 17. pp. 1–50.

Naldrett, A.J., Craig, J.R., Kullerud, G., 1967. The central portion of the Fe-Ni-S system and its bearing on Pentlandit exsolution in iron-nickel sulfide



ores. Econ. Geol. 62, 826– 847.

Piña, R., Gervilla, F., Barnes, S.J., Ortega, L., Lunar, R., 2012. Distribution of platinum-group and chalcophile elements in the Aguablanca Ni–Cu sulfide deposit (SW Spain): evidence from a LA-ICP-MS study. Chem. Geol. 302–303, 61–75.

Qian, Gujie & Xia, Fang & Brugger, Joël & Jiafang, Bei, & Chen, Guorong & Pring, Allan. (2011). Replacement of pyrrhotite by pyrite and marcasite under hydrothermal conditions up to 220 °C: An experimental study of reaction textures and mechanisms. American Mineralogist. 96. 1878-1893. 10.2138/am.2011.3691.

Smith, J.W., Holwell, D.A., McDonald, I., 2014. Precious and base metal geochemistry and mineralogy of the Grasvally Norite-Pyroxenite-Anorthosite (GNPA) member, northern Bushveld Complex, South Africa: implications for a multistage emplacement. Miner. Deposita 49, 667–692.

Stott, G.M, Corkery, T., Leclair, A., Boily, M. and Percival, J. 2007. A revised terrane map for the Superior Province as interpreted from aeromagnetic data. Dalam Woodruff, L. (ed.), Institute on Lake Superior Geology Proceedings, 53rd Annual Meeting, Lutsen, Minnesota, v.53, part 1, p. 74-75.

Sugaki, A., Kojima, S., & Shimada, N. (1988). Fluid inclusion studies of the polymetallic hydrothermal ore deposits in bolivia. Mineralium Deposita

The Centre for Topographic Information, Natural Resources Canada, 2019. National Topographic System Maps, a 1:50 000 scale topographic map.

Thomas, D.G., 2011. Thunder Bay North Polymetallic Project Ontario, Canada. NI 43-101 Technical Report on Preliminary Assessment.

Whitney, D.L., & Evans, B.W., 2010. Abbreviations for names of rock-forming minerals. American Mineralogist, vol. 95, p185-187.

Wood, S.A., 2002. The aqueous geochemistry of the platinum-group elements with applications to ore deposits. In: Cabri, L.J. (Ed.), The Geology, Geochemistry, Mineralogy and Mineral Beneficiation of Platinum-Group Elements. Special Volume 54. Canadian Institute of Mining, Metallurgy and Petroleum, pp. 211–249.

Yao, Z., Mungall, J., & Qin, K. (2019). A Preliminary Model for the Migration of Sulfide Droplets in a Magmatic Conduit and the Significance of Volatiles. Journal of Petrology.