

DAFTAR PUSTAKA

- Abdullah, M.K., Rafique, T., Biswas, A.K., Ghosh, R., Gafur, M.A., dan Hassan, G.S., (2019) Comparison of shear bond strength of orthodontic bracket bonding to teeth using light-curing units between halogen and LED: An in vitro study, *Bangladesh Med. Res. Counc. Bull.*, 45(1): 17–22.
- Adil, H.M., Jouhar, R., Ahmed, M.A., Basha, S., Ahmed, N., Abbasi, M.S., Maqsood, A., dkk., (2021) Applied sciences Comparison of Casein Phosphopeptide with Potassium Nitrate and Sodium Monofluorophosphate Desensitizing Efficacy after In-Office Vital Bleaching-A Randomized Trial, *MDPI*, 11(9291): 1-8.
- Agarwal, K., Shetty, S. and Desai, A. (2020) ‘Effect of various mesh designs on shear bond strength of new and recycled brackets –a comparative, invitro study’, *Indian Journal of Forensic Medicine and Toxicology*, 14(4), pp. 211–218.
- Ahmed, M.K., (2007) Evaluation of the shear bond strength of four orthodontic adhesive systems, *Rafidain Dent. J.*, 7(1):66-70.
- Alkadhimi, A., dan Motamedi, F., (2019) Orthodontic adhesives for fixed appliances: A review of available systems, *Dent Update*, 46(8): 742–758.
- Alqahtani, M.Q., (2014) Tooth-bleaching procedures and their controversial effects : A literature review, *Saudi Dent. J.*, 26(2): 33–46.
- Andryani, S., Nazruddin, dan Bahirrah, S., (2019) The Effects of Different Bracket Types on Orthodontic Treatment Evaluated with the Objective Grading System, *Sci. Dent. J.*, 01(2019): 9–16.
- Apriliyani, N.R., Mulyawati, E., dan Kristanti, Y., (2021) The Effect of Various Desensitizing Agent Application on in-Office Bleaching on the Number of Fibroblasts, *ODONTO : Dent. J.*, 8(1): 132-140.
- Aristizábal, J.F., González, A.P.P. and McNamara, J.A. (2020) ‘Improving shear bond strength of metallic brackets after whitening’, *Dental press journal of orthodontics*, 25(5), pp. 38–43.
- de Arruda, A.M., dos Santos, P.H., Sunfeld, R.H., Berger, S.B., dan Briso, A.L.F., (2012) Effect of hydrogen peroxide at 35% on the morphology of enamel and interference in the de-remineralization process: An in situ study, *Oper. Dent.*, 37(5): 518–525.
- Baidas, L., Al-Rasheed, N., Murad, R., dan Ibrahim, M.A., (2020) Effects of antioxidants on the shear bond strength of orthodontic brackets bonded to bleached human teeth: An in vitro study, *J. Contemp. Dent. Pract.*, 21(2): 140–147.

- Barcessat, A.R., Gurgel-Juarez, N.C., dan Wetter, N.U., (2018) Vital tooth bleaching using different techniques : A clinical evaluation, *Future Dent. J.*, August: 1–6.
- Bistey, T., Nagy, I.P., Simo, A., Hegedus, C., (2007) In vitro FT-IR study of the effects of hydrogen peroxide on superficial tooth enamel, *J.Dent.*, 35(4):325–330.
- Blatz, M.B., Chiche, G., Bahat, O., Roblee, r., Coachman, C., dan Heymann, H.O., (2019) Evolution of Aesthetic Dentistry, *J. Dent. Res.*, 98(12): 1294–1304.
- Britto, F.A.R., Lucato, A. S., Valdrighi, H.C., dan Vedovello, S.A.S., (2015) Influence of bleaching and desensitizing gel on bond strength of orthodontic brackets, *Dental Press J. Orthod.*, 20(2): 49–54.
- Carey, C.M., (2014) Tooth Whitening: What We Now Know, *J Evid. Based Dent. Pract.*, 4(164): 70–76.
- Cochrane, N.J., Lo, T.W.G., Adams, G.G., Schneider, P.M., (2017) Quantitative analysis of enamel on debonded orthodontic brackets, *AJODO*, 152(3): 312–319.
- Costa, R., de Carvalho, N.M., Herenio, S.S., Bauer, J.R.de Oliveira., Palva, A.E.M., dan Costa, e.L., (2012) Evaluation of shear bond strength of orthodontic resin and resin modified glass ionomer cement on bonding of metal and ceramic brackets, *RSBO*, 9(2): 170–176.
- Dandara, G., Santos, L.M., Fernandes, C.A., Dantas, E.D.V., Galvao, M.R., de Assuncao, I.V., dan Borges, B.C.D., (2014) Sensitivity in Dental Bleaching and the Use of Anti- Inflammatory Agents, *JSM Dent.*, 2(1): 2–5.
- El-ghany, A.A.A.. (2020) Effect of Dentin Desensitizing Agents on Shear Bond Strenght of Two Total-Etch Adhesive Systems, *AADJ*, 3(1):19-24.
- Farawati, F.A.L., Hsu, S., O'Neill, E., Neal, d., Clark, A., Esquivel-Upshaw, J., (2019) Effect of Carbamide Peroxide Bleaching on Enamel Characteristics and Susceptibility to Further Discoloration, *J. Prosthet. Dent.*, 121(2): 340–346.
- Féliz-Matos, L., Hernández, L.M., dan Abreu, N., (2015) Dental Bleaching Techniques; Hydrogen-carbamide Peroxides and Light Sources for Activation, an Update. Mini Review Article, *Open Dent. J.*, 8(1): 264–268.
- Gorucu-Coskuner, H., Yazici, A.R., Usumez, A., dan Kara, O., (2017) The effect of different in-office bleaching techniques and etching procedures on bond strength of orthodontic brackets, *J. Adhes. Sci. Technol.*, 31(15): 1691–1699.
- Gungor, A.Y., Ozcan, e., Alkis, H., dan Turkkahraman, H., (2013) Effects of different bleaching methods on shear bond strengths of orthodontic brackets,

Angle Orthod., 83(4): 686–690.

- Henkin, F. de S., Macedo, E. de O., Santos, K. de S., Schwarzbach, M., Samuel, S. M. W., Mundstock, K. S., (2016) In vitro analysis of shear bond strength and adhesive remnant index of different metal brackets, *Dental Press J. Orthod.*, 21(6): 67–73.
- Jameel, R.A., Khan, S.S., Rahim, Z.H.A., Bakri, M. M., Siddiqi, S., (2016) Analysis of Dental Erosion Induced by Different Beverages and Validity of Equipment for Identifying Early Dental Erosion, in Vitro Study, *JPMA*, 66(7): 843–848.
- Jose, P., Suresh, M., Kavitha, S., dan Mahalaxmi, S., (2010) Mineral Loss before and after Bleaching and Mineral Uptake on Application of Remineralizing Agent, *Indian J. Dent.*, 1(1): 47-49.
- Kavita, dan Sastrodihardjo, S., (2018) The Effect of Bleaching on the Morphology of Enamel, *Adv. Health Sci. Research*, 8: 152–154.
- Keçik, D. *et al.* (2008) ‘Effect of acidulated phosphate fluoride and casein phosphopeptide-amorphous calcium phosphate application on shear bond strength of orthodontic brackets’, *Angle Orthodontist*, 78(1), pp. 129–133.
- Khargekar, N.R., Kalathingai, J.H., Sam, G., Elpatal, M.A, Hota, S., dan Bhushan, P., (2019) Evaluation of Different Pretreatment Efficacy with Fluoride-releasing Material on Shear Bond Strength of Orthodontic Bracket : An In Vitro Study, *J. Contemp. Dent. Pract.*, 20(12): 1442-1446.
- Kristanti, Y, Asmara, W., dan Sunarintyas, s., (2015) Efektivitas Desensitizing Agent dengan dan tanpa Fluor pada Metode in Office Bleaching terhadap Kandungan Mineral Gigi (Kajian In Vitro), *MKGI*, 21(2): 136-140.
- Kutuk, Z.B., Ergin, E., Cakir, F.Y., dan Gurgan, S., (2019) Effects of in-office bleaching agent combined with different desensitizing agents on enamel, *J. App. Oral Sci.*, 27: 1–10.
- Lilaj, B., Daufi, R., agis, H., Schmid-Schwab, M., Franz, a., Kanz, F., Moritz, A., Schedle, A., dan Cviki, B., (2019) Comparison of bleaching products with up to 6% and with more than 6% hydrogen peroxide: Whitening Efficacy Using BI and WID and Side Effects – An in vitro Study, *Front. Physiol.*, 10(7): 1–14.
- Llena, C., Leyda, A.M., dan Forner, L., (2015) CPP-ACP and CPP-ACFP versus fluoride varnish in remineralisation of early caries lesions . A prospective study, *Eur. J. Pediatr Dent.*, 16(3): 181-186.
- Madrid-Troconis, C.C., Perez-Puello, S. Del C., (2019) Casein phosphopeptide-amorphous calcium phosphate nanocomplex (CPP-ACP) in dentistry: state of the art, *Rev Fac Odontol Univ Antioq*, 30(2):248–262.

- Martin, J., rivas, V., Vildosola, P., Moncada, L., Olivera Jr, O.B., Saad, J.R.C., Fernandez, E., dan Moncada, G., (2016) Personality style in patients looking for tooth bleaching and its correlation with treatment satisfaction, *Braz. Dent. J.*, 27(1): 60–65.
- Mazilu Moldovan, A., Popescu, V., Ionescu, C.V., Cuc, S., Craciun, A., Moldovan, M., Ducea, D., dan Mesaros, A.S., (2022) Various Aspects Involved in the Study of Tooth Bleaching Procedure: A Questionnaire–Based Study, *Int. J. Environ. Res. Public Health*, 19(7): 1-14.
- Mickenautsch, S., Yengopal, V., dan Banerjee, A., (2012) Retention of orthodontic brackets bonded with resin-modified GIC versus composite resin adhesives—a quantitative systematic review of clinical trials, *Clin. Oral Investig.*, 16(1): 1–14.
- Miranda, C.B., Pagani, C., Benetti, A.R., Matuda, F.D., (2005) Evaluation of The Bleached Human Enamel by Scanning Electron Microscopy, *J. App. Oral Sci.*, 13(2): 204–211.
- Miles, P., Pontier, J., Bahiraei, D., dan Close, J., (1994) The effect of carbamide peroxide bleach on the tensile bond strength of ceramic brackets: an in vitro study, *Am. J. Orthod. Dentofacial Orthop.*, 106: 371–375.
- Mullins, J.M., Kao, E. C., Martin, C. A., Gunel, E., Ngan, P., (2009) Tooth whitening effects on bracket bond strength in vivo’, *Angle Orthod.*, 79(4): 777–783
- Mulyawati, E., (2017) Pengaruh bahan desensitasi pasca bleaching ekstrakoronal terhadap kekuatan geser pelekatan restorasi resin komposit, *MKGI*, 2(1): 35-39.
- Naidu, A.S., Bennani, V., aarts, J.M., dan Brunton, P., (2020) Over-the-Counter Tooth Whitening Agents : A Review of Literature, *Braz. Dent. J.*, 31(3): 221–235.
- Øgaard, B., Fjeld, M., (2010) The Enamel Surface and Bonding in Orthodontics, *Semin Orthod*, 16(1): 37–48.
- Ogiński, T., Kawala, B., Mikulewicz, dan Antoszevska-Smith, J., (2020) A Clinical Comparison of Failure Rates of Metallic and Ceramic Brackets: A Twelve-Month Study, *BioMed Res. Int.*, 2020: 1-7.
- Oh, K.T., Choo, S., Kim, K., dan Kim K., (2005) A stainless steel bracket for orthodontic application, *Eur. J. Orthod.*, 27(3): 237–244.
- Ortiz, M.I.G., Alencar, C.M., de Paula, B.L.F., Alves, E.B., Araujo, J.L.N., dan Silva, C.M., (2019) Effect of the casein phosphopeptide- amorphous calcium phosphate fluoride (CPP- ACPF) and photobiomodulation (PBM) on dental hypersensitivity : A randomized controlled clinical trial, *PLoS ONE*, 12(2):

1–14.

Oz, F.D., Kutuk, Z.B., (2018) Effect of various bleaching treatments on shear bond strength of different universal adhesives and application modes, *RDE*, 43(2): 1–9.

Öztaş, E., Bagdelen, G., Kilicoglu, H., Ulukapi, H., dan Aydin, I., (2012) The effect of enamel bleaching on the shear bond strengths of metal and ceramic brackets, *Eur. J. Orthod.*, 34(2): 232–237.

Perciano, S.G., Carneiro, D.P.A., Santos, P.R., Correr, A.B., Vedovello, A.A.S., dan Valdrighi, H.C., (2021) Do dental bleaching sessions prior to orthodontic treatment change the bond strength of esthetic brackets?, *Dental Press J. Orthod.*, 26(4): 1–18.

Rao, K.S., Reddy, T.P.K., Yugandhar, G., Kumar, b.s., reddy, A.N.C., dan Babu, D.A., (2013) Comparison of shear bond strength of resin reinforced chemical cure glass ionomer, conventional chemical cure glass ionomer and chemical cure composite resin in direct bonding systems: An in vitro study, *J. Contemp. Dent. Pract.*, 14(1): 21–25.

Reema, S.D., Lahiri, P.K., dan Roy, S.S., (2014) Review of casein phosphopeptides-amorphous calcium phosphate, *Chin. J. Dent. Res.*, 17(1): 7–14.

Rosyida, N.F., Suparwitri, S. dan Pudyani, P.S., (2017) Improving Tensile Bond Strength of Orthodontic Bracket by Applying Papain Gel as an Email Deproteinization Agent, *J. Dent. Indones.*, 24(3): 70–74.

Saraswati, W., Soetojo, A., dan Brilyanti, Y.T., (2021) Comparison Adhesive strength of Resin Composite between Total-etch and Self-etch Techniques on Enamel After Fluoride Application, *Conserv. Dent. Endod. J.*, 11(1): 38–41.

Sharma, S., Tandon, P., Nagar, a., Singh, G.P., Singh, A., dan Chugh, V.K., (2014) A comparison of shear bond strength of orthodontic brackets bonded with four different orthodontic adhesives, *J. Orthod. Sci.*, 3(2): 29-33.

Slack, M.E., Swift, E.J., Rossouw, P.E., dan Phillips, C., (2013) Tooth whitening in the orthodontic practice: A survey of orthodontists, *Am. J. Orthod. Dentofacial Orthop.*, 143(4 SUPPL): S64–S71.

Soares, D.G., Ribeiro, A.P.D., Sacono, N.T., Loguercio, A.D., Hebling, J., dan costa, C.A.S., (2013) Mineral Loss and Morphological Changes in Dental Enamel Induced by a 16 % Carbamide Peroxide Bleaching Gel, *Braz. Dent. J.*, 24(5): 517–521.

Sung, E.C., Chan, S.M., Mito, R., dan Caputo, A.A., (1999) Effect of carbamide peroxide bleaching on the shear bond strength of composite to dental bonding

agent enhanced enamel, *J. Prosthet Dent.*, 82: 595–599.

- Thakkar, P.J., Badakar, C.M., Hugar, A.M., Hallikerimath, S., Patel, P.J., dan Shah, P., (2017) An in vitro comparison of casein phosphopeptide-amorphous calcium phosphate paste, casein phosphopeptide-amorphous calcium phosphate paste with fluoride and casein phosphopeptide-amorphous calcium phosphate varnish on the inhibition of demineralization and promotion of remineralization of enamel, *J. Indian Soc. Pedod. Prev. Dent.*, July: 312–318.
- Uy, E., Ekambaram, M., Lee, G.H.M., dan Yiu, C.K.Y., (2019) Remineralization Potential of Calcium and Phosphate-based Agents and Their Effects on Bonding of Orthodontic Brackets, *J Adhes Dents*, 21(3): 219–228.
- Uysal, T., Basciftci, F.A., Usumez, S., Sari, Z., dan Buyukerkmen, A., (2003) Can previously bleached teeth be bonded safely?, *Am. J. Orthod. Dentofacial Orthop.*, 123: 628–632.
- van der Vyder, P. J., Lewis, S.B., dan Marais, J.T., (1997) The effect of bleaching agent on composite/enamel bonding, *S. Afr. Dent. J.*, 52: 601–603.
- Yadav, D., Golchha, V., Paul, R., Sharma, P., Wadhwa, J., dan Taneja, S., (2015) Effect of tooth bleaching on orthodontic stainless steel bracket bond strength, *J. Orthod. Sci.*, 4(3): 72-76.
- Yassaei, S., Davari, A., Moghadam, M.G., dan Kamaei, A., (2014) Comparison of Shear Bond Strength of RMGI and Composite Resin for Orthodontic Bracket Bonding, *J. Dent. (Tehran)*, 11(3): 282–9.