

## REFERENCE

- Abdi, H., & Williams, L. J. (2010a). Principal component analysis. wiley interdisciplinary reviews: computational statistics. *Wiley Interdisciplinary Reviews: Computational Statistics*, 1–47.
- Abdi, H., & Williams, L. J. (2010b). Principal component analysis. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(4), 433–459. <https://doi.org/10.1002/wics.101>
- Abdul Rashid, F. N. A., Asari, A., Mohamad, H., & Mohd Nor, S. M. (2014). Synthesis and antibacterial study of aaptamine derivatives. *Asian Journal of Chemistry*, 26(20), 6903–6907. <https://doi.org/10.14233/ajchem.2014.17377>
- Amsler, K., Santoro, C., Foleno, B., Bush, K., & Flamm, R. (2010). Comparison of broth microdilution, agar dilution, and Etest for susceptibility testing of doripenem against gram-negative and gram-positive pathogens. *Journal of Clinical Microbiology*, 48(9), 3353–3357. <https://doi.org/10.1128/JCM.00494-10>
- Antunes, E. M., Copp, B. R., Davies-Coleman, M. T., & Samaai, T. (2005). Pyrroloiminoquinone and related metabolites from marine sponges. *Natural Product Reports*, 22(1), 62–72. <https://doi.org/10.1039/b407299p>
- Arai, M., Han, C., Yamano, Y., Setiawan, A., & Kobayashi, M. (2014). Aaptamines, marine spongean alkaloids, as anti-dormant mycobacterial substances. *Journal of Natural Medicines*, 68(2), 372–376. <https://doi.org/10.1007/s11418-013-0811-y>
- Aristyawan, A. D. and N. E. N. and S. (2017). Potensi Antibakteri dari Ekstrak Etanol Spons.pdf. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 4, 39–43. <https://e-journal.unair.ac.id/JFIKI/article/view/8020/5205>
- Bartlett, M. S. (1947). Multivariate Analysis. *Supplement to the journal of the royal statistical society*, 9(2), 176–197.
- Becking, L. E. (2012). *Marine Lakes of Indonesia*.
- Bittencourt, M. L. F., Ribeiro, P. R., Franco, R. L. P., Hilhorst, H. W. M., de Castro, R. D., & Fernandez, L. G. (2015). Metabolite profiling, antioxidant and antibacterial activities of Brazilian propolis: Use of correlation and multivariate analyses to identify potential bioactive compounds. *Food Research International*, 76, 449–457. <https://doi.org/10.1016/j.foodres.2015.07.008>
- Blunt, J. W., Copp, B. R., Keyzers, R. A., Munro, M. H. G., & Prinsep, M. R. (2005). Marine natural products. *Marine Product Report*, 22(1), 15–61. <https://doi.org/https://doi.org/10.1039/B415080P>
- Blunt, J. W., Copp, B. R., Keyzers, R. A., Munro, M. H. G., & Prinsep, M. R.

- (2014). Marine natural products. *Natural Product Reports*, 31(2), 160–258. <https://doi.org/10.1039/c3np70117d>
- Blunt, J. W., Copp, B. R., Keyzers, R. A., Munro, M. H. G., & Prinsep, M. R. (2015). Marine natural products. *Natural Product Reports*, 32(2), 116–211. <https://doi.org/10.1039/c4np00144c>
- Blunt, J. W., Copp, B. R., Munro, M. H. G., Northcote, P. T., & Prinsep, M. R. (2011). Marine natural products. *Natural Product Reports*, 28(2), 196–268. <https://doi.org/10.1039/c005001f>
- Carroll, A. R., Copp, B. R., Davis, R. A., Keyzers, R. A., & Prinsep, M. R. (2022). Marine natural products. *Natural Product Reports*, 39(6), 1122–1171. <https://doi.org/10.1039/d1np00076d>
- CDC. (2019). *Antibiotic Resistance Threats in United States, 2019*. US Department of Health and Human Services, Centres for Disease Control and Prevention. <https://doi.org/DOI:10.15620/cdc:82532>
- Čmíková, N., Galovičová, L., Miškeje, M., Borotová, P., Kluz, M., & Kačániová, M. (2022). Determination of Antioxidant, Antimicrobial Activity, Heavy Metals and Elements Content of Seaweed Extracts. *Plants*, 11(11). <https://doi.org/10.3390/plants11111493>
- De Goeij, J. M., Van Oevelen, D., Vermeij, M. J. A., Osinga, R., Middelburg, J. J., De Goeij, A. F. P. M., & Admiraal, W. (2013). Surviving in a marine desert: The sponge loop retains resources within coral reefs. *Science*, 342(6154), 108–110. <https://doi.org/10.1126/science.1241981>
- Demain, A. L., & Fang, A. (2000). The natural functions of secondary metabolites. *Advances in biochemical engineering/biotechnology*, 69, 1–39. [https://doi.org/10.1007/3-540-44964-7\\_1](https://doi.org/10.1007/3-540-44964-7_1)
- Ebada, S. S., & Proksch, P. (2012). The Chemistry of Marine Sponges. In *Handbook of marine natural products*. <https://doi.org/10.1007/978-90-481-3834-0>
- Ebada, S. S., Edrada, R. A., Lin, W., & Proksch, P. (2008). Methods for isolation, purification and structural elucidation of bioactive secondary metabolites from marine invertebrates. *Nature Protocols*, 3(12), 1820–1831. <https://doi.org/10.1038/nprot.2008.182>
- ECDC. (2022). *Antimicrobial resistance surveillance in Europe 2022 – 2020 data*. Europe and the European Centre for Disease Prevention and Control. <https://doi.org/doi:10.2900/112339>
- Fick, J., Ph, D., Andersson, P. L., Ph, D., Johansson, M., & Ph, D. (2004). Selection of Antibiotics : A Chemometric Approach . Method. *4th International Conference on Pharmaceuticals and Endocrine Disrupting Chemicals in Water*, 9, 143–150.

- Gloeckner, V., Wehrl, M., Moitinho-Silva, L., Gernert, C., Hentschel, U., Schupp, P., Pawlik, J. R., Lindquist, N. L., Erpenbeck, D., Wörheide, G., & Wörheide, G. (2014). The HMA-LMA dichotomy revisited: An electron microscopical survey of 56 sponge species. *Biological Bulletin*, 227(1), 78–88. <https://doi.org/10.1086/BBLv227n1p78>
- Gupta, P. (2019). Chemical constituents of Haliclona: An overview. *Journal of Pharmacognosy and Phytochemistry*, 8(1), 823–827.
- Harborne, A. J. (1998). Phytochemical methods a guide to modern techniques of plant analysis. In *Ethnoveterinary Botanical Medicine*. springer science & business media. <https://doi.org/10.1201/ebk1420045604-8>
- He, Q., Miao, S., Ni, N., Man, Y., & Gong, K. (2020). A Review of the Secondary Metabolites From the Marine Sponges of the Genus Aaptos. *Natural Product Communications*, 15(9). <https://doi.org/10.1177/1934578X20951439>
- Hoeksema, B. and Van der Meij, S. E. T. (2008). Cryptic marine biota of the Raja Ampat island group: preliminary results of the Raja Ampat Expedition (2007). *Ekspedisi Widya Nusantara (E-Win) of the Indonesian Institute of Sciences (LIPI)*, December.
- Hoeksema, B. W. (2007). *Delineation of the Indo-Malayan Centre of Maximum Marine Biodiversity: The Coral Triangle*. 117–178. [https://doi.org/10.1007/978-1-4020-6374-9\\_5](https://doi.org/10.1007/978-1-4020-6374-9_5)
- Izzati, F., Warsito, M. F., Bayu, A., Prasetyoputri, A., Atikana, A., Sukmarini, L., Rahmawati, S. I., & Putra, M. Y. (2021). Chemical diversity and biological activity of secondary metabolites isolated from indonesian marine invertebrates. *Molecules*, 26(7). <https://doi.org/10.3390/molecules26071898>
- J. P. Engelbrecht Cl], B. T. [2] and C. D. (1972). A NEW STEROL FROM AN ALCYONAKIAN. *Department of Chemistry Stanford University*. [https://doi.org/https://doi.org/10.1016/0039-128X\(72\)90123-7](https://doi.org/https://doi.org/10.1016/0039-128X(72)90123-7)
- Jacobson, P. B., Marshall, L. A., sung, A., & Jacobs, R. S. (1990). Inactivation of human synovial fluid phospholipase a2 by the marine natural product, manoalide. *Biochemical Pharmacology*, 39(10), 1557–1564. [https://doi.org/10.1016/0006-2952\(90\)90521-L](https://doi.org/10.1016/0006-2952(90)90521-L)
- Jorgensen, J. H., & Ferraro, M. J. (2009). *Antimicrobial Susceptibility Testing : A Review of General Principles and Contemporary Practices AND THE RATIONALE FOR PERFORMING*. 7750, 1749–1755. <https://doi.org/10.1086/647952>
- Larghi, E. L., Bohn, M. L., & Kaufman, T. S. (2009). Aaptamine and related products. Their isolation, chemical syntheses, and biological activity. *Tetrahedron*, 65(22), 4257–4282. <https://doi.org/10.1016/j.tet.2009.03.027>
- Li, K., Fan, Y., Wang, H., Fu, Q., Jin, Y., & Liang, X. (2015). Qualitative and

- quantitative analysis of an alkaloid fraction from *Piper longum* L. using ultra-high performance liquid chromatography-diode array detector–electrospray ionization mass. *Journal of Pharmaceutical and Biomedical Analysis*, 109, 28–35. <https://doi.org/10.1016/j.jpba.2015.02.012>
- Liu, C., Tang, X., Li, P., & Li, G. (2012). Suberitine A-D, four new cytotoxic dimeric aaptamine alkaloids from the marine sponge *aaptos suberitoides*. *Organic Letters*, 14(8), 1994–1997. <https://doi.org/10.1021/ol3004589>
- Maldonado, M., Ribes, M., & van Duyl, F. C. (2012). Nutrient Fluxes Through Sponges. Biology, Budgets, and Ecological Implications. In *Advances in Marine Biology* (1 ed., Vol. 62, Nomor February). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-394283-8.00003-5>
- Mien, P. T., Ha, D. V., Ben, H. X., Chen, B., Liu, L., & Minh-Thu, P. (2020). Antimicrobial activities of sponge-derived microorganisms from coastal waters of central Vietnam. *Journal of Marine Science and Engineering*, 8(8). <https://doi.org/10.3390/JMSE8080594>
- Mitic, V., Stankov Jovanovic, V., Ilic, M., Jovanovic, O., Djordjevic, A., & Stojanovic, G. (2016). *Dittrichia graveolens* (L.) Greuter Essential Oil: Chemical Composition, Multivariate Analysis, and Antimicrobial Activity. *Chemistry and Biodiversity*, 13(1), 85–90. <https://doi.org/10.1002/cbdv.201500028>
- Mohamad, H., Rosmiati, Muhammad, T. S. T., Andriani, Y., Bakar, K., Ismail, N., Saidin, J., Latip, J., Musa, N., & Parenrengi, A. (2017). Potential secondary metabolites from marine sponge *Aaptos aaptos* for atherosclerosis and vibriosis treatments. *Natural Product Communications*, 12(8), 1227–1230. <https://doi.org/10.1177/1934578x1701200819>
- Mohanty, I., Podell, S., Biggs, J. S., Garg, N., Allen, E. E., & Agarwal, V. (2020). Multi-omic profiling of melophlus sponges reveals diverse metabolomic and microbiome architectures that are non-overlapping with ecological neighbors. *Marine Drugs*, 18(2). <https://doi.org/10.3390/md18020124>
- Murray, C. J., Ikuta, K. S., Sharara, F., Swetschinski, L., Robles Aguilar, G., Gray, A., Han, C., Bisignano, C., Rao, P., Wool, E., Johnson, S. C., Browne, A. J., Chipeta, M. G., Fell, F., Hackett, S., Haines-Woodhouse, G., Kashef Hamadani, B. H., Kumaran, E. A. P., McManigal, B., ... Naghavi, M. (2022). Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *The Lancet*, 399(10325), 629–655. [https://doi.org/10.1016/S0140-6736\(21\)02724-0](https://doi.org/10.1016/S0140-6736(21)02724-0)
- Ortiz, A. R., Pisabarro, M. T., & Gago, F. (1993). Molecular Model of the Interaction of Bee Venom Phospholipase A2 with Manoalide. *Journal of Medicinal Chemistry*, 36(13), 1866–1879. <https://doi.org/10.1021/jm00065a010>

- Othman, L., Sleiman, A., & Abdel-Massih, R. M. (2019). Antimicrobial activity of polyphenols and alkaloids in middle eastern plants. *Frontiers in Microbiology*, 10(MAY). <https://doi.org/10.3389/fmicb.2019.00911>
- Parama Cita, Y., Kamal Muzaki, F., Radjasa, O. K., & Sudarmono, P. (2017). Screening of Antimicrobial Activity of Sponges Extract from Pasir Putih, East Java (Indonesia). *Journal of Marine Science: Research & Development*, 07(05). <https://doi.org/10.4172/2155-9910.1000237>
- Paul Anulika, N., Osamiabe Ignatius, E., Sunday Raymond, E., Osasere, O.-I., & Hilda Abiola, A. (2016). The Chemistry Of Natural Product: Plant Secondary Metabolites. *International Journal of Technology Enhancements and Emerging Engineering Research*, 4(8), 1. <https://www.researchgate.net/publication/308174475>
- Perera, W. H., Meepagala, K. M., Fronczek, F. R., Cook, D. D., Wedge, D. E., & Duke, S. O. (2019). Bioassay-Guided Isolation and Structure Elucidation of Fungicidal and Herbicidal Compounds from *Ambrosia salsola* (Asteraceae). *Molecules*, 24(5). <https://doi.org/10.3390/molecules24050835>
- Pham, C. D., Hartmann, R., Müller, W. E. G., De Voogd, N., Lai, D., & Proksch, P. (2013). Aaptamine derivatives from the indonesian sponge *Aaptos suberitoides*. *Journal of Natural Products*, 76(1), 103–106. <https://doi.org/10.1021/np300794b>
- Pragst, F., Herzler, M., & Erxleben, B. T. (2004). Systematic toxicological analysis by high-performance liquid chromatography with diode array detection (HPLC-DAD). *Clinical Chemistry and Laboratory Medicine*, 42(11), 1325–1340. <https://doi.org/10.1515/CCLM.2004.251>
- Quave, C. L., Plano, L. R. W., Pantuso, T., & Bennett, B. C. (2008). Effects of extracts from Italian medicinal plants on planktonic growth, biofilm formation and adherence of methicillin-resistant *Staphylococcus aureus*. *Journal of Ethnopharmacology*, 118(3), 418–428. <https://doi.org/10.1016/j.jep.2008.05.005>
- Quiao, M. A. D., & Uy, M. M. (2013). Pyrimidines from the Philippine Marine Sponge *Aaptos suberitoides*. *International Journal of Scientific and Engineering Research*, 4(1), 656–659. <https://doi.org/10.14299/ijser.2013.01.002>
- Rajan, M. S. (2014). *Bioprospecting of Novel Potent Anticancer Metabolites From Chosen Marine Sponges Doctor of Philosophy*.
- Rao, K. V., Donia, M. S., Peng, J., Garcia-Palomero, E., Alonso, D., Martinez, A., Medina, M., Franzblau, S. G., Tekwani, B. L., Khan, S. I., Wahyuono, S., Willett, K. L., & Hamann, M. T. (2006). Manzamine B and E and ircinal A related alkaloids from an Indonesian *Acanthostrongylophora* sponge and

their activity against infectious, tropical parasitic, and Alzheimer's diseases. *Journal of Natural Products*, 69(7), 1034–1040.  
<https://doi.org/10.1021/np0601399>

- Riyadi, E., Andarwulan, N., Didah, D., & Faridah, N. (2014). Profil Senyawa Volatil Identitas Nutmeg Oil, Patchouli Oil dan Fresh Ginger Oil Asal Indonesia The Volatile Compounds Profile as Identity for Nutmeg Oil, Patchouli Oil and Fresh Ginger Oil from Indonesia 1. *Jurnal Mutu Pangan*, 1(1), 19–25.
- Rodrigues, F. F. G., Boligon, A. A., Menezes, I. R. A., Galvão-rodrigues, F. F., Salazar, G. J. T., Nonato, C. F. A., Braga, N. T. T. M., Correia, F. M. A., Caldas, G. F. R., Coutinho, H. D. M., Siyadatpanah, A., Kim, B., Costa, J. G. M., & Barros, A. R. C. (2021). HPLC/DAD, Antibacterial and Antioxidant Activities of Plectranthus Species (Lamiaceae) Combined with the Chemometric Calculations. *Molecules*, 26(24).  
<https://doi.org/10.3390/molecules26247665>
- Rohde, S., & Schupp, P. J. (2011). Allocation of chemical and structural defenses in the sponge *Melophlus sarasinorum*. *Journal of Experimental Marine Biology and Ecology*, 399(1), 76–83.  
<https://doi.org/10.1016/j.jembe.2011.01.012>
- Rosmiati, R., Mohamad, H., Muhammad, T. S. T., Musa, N., Ahmad, A., Ismail, N., Mohamad, F., & Nurhidayah, N. (2011). IN VITRO ANTAGONISTIC ACTIVITIES OF INDONESIAN MARINE SPONGE AAPTOS AAPTOS AND CALLYSPONGIA PSEUDORETICULATA EXTRACTS AND THEIR TOXICITY AGAINST *Vibrio* spp. *Indonesian Aquaculture Journal*, 6(2), 173. <https://doi.org/10.15578/iaj.6.2.2011.173-182>
- Rosmiati, R., Parenrengi, A., & Suryati, E. (2015). MARINE SPONGE *Aaptos suberitoides*, IT'S POTENTIAL SOURCE OF NATURAL ANTIBACTERIAL FOR CONTROLLING *Vibrio harveyi* ON TIGER SHRIMP (*Penaeus monodon*) CULTURE. *Indonesian Aquaculture Journal*, 10(1), 33. <https://doi.org/10.15578/iaj.10.1.2015.33-40>
- Samuel, M., Zazueta, H., Wenceslao, E., Aceves, C., & Saiz, C. L. (2022). *Antibacterial and antimycobacterial activity of white shrimp (Litopenaeus vannamei) exoskeleton and cephalothorax by-products extracts : fatty acids profile of the active hexanic shrimp cephalothorax extract*. May.  
<https://doi.org/10.18633/biotecnia.v24i2.1648>
- Sarker, S. D., & Nahar, L. (2012). An introduction to natural products isolation. *Methods in Molecular Biology*, 864, 1–25. [https://doi.org/10.1007/978-1-61779-624-1\\_1](https://doi.org/10.1007/978-1-61779-624-1_1)
- Selvin, J., & Lipton, A. P. (2004). Biopotentials of secondary metabolites isolated from marine sponges. *Hydrobiologia*, 513, 231–238.

<https://doi.org/10.1023/B:hydr.0000018183.92410.21>

- Setiawan, E., Nurhayati, A. P. D., & Muzaki, F. K. (2009). Sponge Diversity at Pecaron Bay Situbondo Based on Macroscopic and Microscopic Observation. *IPTEK The Journal for Technology and Science*, 20(4), 136–140. <https://doi.org/10.12962/j20882033.v20i4.20>
- Simister, R., Taylor, M. W., Tsai, P., & Webster, N. (2012). Sponge-Microbe Associations Survive High Nutrients and Temperatures. *PLoS ONE*, 7(12), 21–23. <https://doi.org/10.1371/journal.pone.0052220>
- Sipkema, D., Franssen, M. C. R., Osinga, R., Tramper, J., & Wijffels, R. H. (2005). Marine sponges as pharmacy. *Marine Biotechnology*, 7(3), 142–162. <https://doi.org/10.1007/s10126-004-0405-5>
- Steinert, G., Stauffer, C. H., Aas-Valleriani, N., Borchert, E., Bhushan, A., Campbell, A., De Mares, M. C., Costa, M., Gutleben, J., Knobloch, S., Lee, R. G., Munroe, S., Naik, D., Peters, E. E., Stokes, E., Wang, W., Einarsdóttir, E., & Sipkema, D. (2018). BluePharmTrain: Biology and Biotechnology of Marine Sponges. In *Grand Challenges in Biology and Biotechnology*. [https://doi.org/10.1007/978-3-319-69075-9\\_13](https://doi.org/10.1007/978-3-319-69075-9_13)
- Steingass, C. B., Vollmer, K., Lux, P. E., Dell, C., Carle, R., & Schweiggert, R. M. (2020). HPLC-DAD-APCI-MSn analysis of the genuine carotenoid pattern of pineapple (*Ananas comosus* [L.] Merr.) infructescence. *Food Research International*, 127, 108709. <https://doi.org/10.1016/j.foodres.2019.108709>
- Stinson, S. (1978). Organic chemistry. *Chemical and Engineering News*, 56(35), 26–27. <https://doi.org/10.1021/cen-v056n035.p026>
- Su, J. Y., Meng, Y. H., Zeng, L. M., Fu, X., & Schmitz, F. J. (1994). Stelletin A, a new triterpenoid pigment from the marine sponge *Stelletta tenuis*. *Journal of Natural Products*, 5(10), 1450–1451.
- Thi, B. U. I., Ly, K. I. M., Thi, N. G. O., Dung, P., & Huy, N. Q. (2017). Antibacterial Activity of Crude Methanolic and Fractionated Extracts of *Aaptos Suberitoides*. *Ho Chi Minh City Open University Journal of Science*, 7(2), 66–71.
- Timm, N. H. ed. (2002). Applied Multivariate Analysis. In *Springer New York*. <https://doi.org/10.1016/j.trim.2009.04.004>
- Van Soest, R. W. M. (1989). The Indonesian sponge fauna: A status report. *Netherlands Journal of Sea Research*, 23(2), 223–230. [https://doi.org/10.1016/0077-7579\(89\)90016-1](https://doi.org/10.1016/0077-7579(89)90016-1)
- Varijakzhan, D., Loh, J. Y., Yap, W. S., Yusoff, K., Seboussi, R., Lim, S. H. E., Lai, K. S., & Chong, C. M. (2021). Bioactive compounds from marine sponges: Fundamentals and applications. *Marine Drugs*, 19(5).

<https://doi.org/10.3390/md19050246>

- Vining, L. (1990). Functions Of Secondary Metabolites. *Annual Review of Microbiology*, 44(1), 395–427.  
<https://doi.org/10.1146/annurev.micro.44.1.395>
- Vitali, A. (2018). Antimicrobial Peptides Derived from Marine Sponges. *Am J Clin Microbiol and Antimicrob*, 1(1), 1006.
- Wagner, H., & Bladt, S. (1996). *Plant Drug Analysis, A Thin Layer Chromatography Atlas* (Second Edi). Springer Science & Business Media.
- Wang, X., Morinaka, B. I., & Molinski, T. F. (2014). Structures and solution conformational dynamics of stylissamides G and H from the Bahamian Sponge *Stylissa caribica*. *Journal of Natural Products*, 77(3), 625–630.  
<https://doi.org/10.1021/np400891s>
- Webster, N. S., & Taylor, M. W. (2012). Marine sponges and their microbial symbionts: Love and other relationships. *Environmental Microbiology*, 14(2), 335–346. <https://doi.org/10.1111/j.1462-2920.2011.02460.x>
- Wiegand, I., Hilpert, K., & Hancock, R. E. W. (2015). *Agar and broth dilution methods to determine the minimal inhibitory concentration ( MIC ) of antimicrobial substances*. September. <https://doi.org/10.1038/nprot.2007.521>
- Xu, S. W. A. B. and L. Y. L. N. N. M. H. Z. W. (2007). High-performance liquid chromatography-diode array detection/electrospray ionization mass spectrometry for the simultaneous analysis of cis-, trans- and dihydro-2-glucosyloxycinnamic acid derivatives from *Dendrobium* medicinal plants. *Rapid Communications in Mass Spectrometry*, 21, 1833–1840.  
<https://doi.org/10.1002/rcm>