

DAFTAR PUSTAKA

- Aggarwal, H. K., Jain, D., Sahney, A., Bansal, T., Yadav, R. K., Kathuria, K. L., 2012, Effect of dialyser reuse on the efficacy of hemodialysis in patients of chronic kidney disease in developing world, *JIMSA April-June 2012*, Vol. 25 No. 2.
- Ahrenholz, P., Taborsky, P., Bohling, M., Rawer, P., Ibrahim, N., Gajdos, M., Machek, P., Sagova, M., Gruber, H., Moucka, P., Rychlik, I., Leimenstoll, G., Vyskocil, P., Toenne, G., Possnickerova, J., Woggan, J., Riegel, W., Schneider, H., Wojke, R., 2011, Determination of Dialysis Dose: A Clinical Comparison of Methods, *Blood Purif*, 32 (4): 271–277.
- Bayhakki, 2013, *Seri Asuhan Keperawatan Klien Gagal Ginjal Kronik*, EGC, Jakarta.
- Bhimani, J. P., Ouseph, R., Ward, R. A., 2010, Effect of Increasing Dialysate Flow Rate on Diffusive Mass Transfer Urea, Phosphate, Beta 2-Microglobulin During Clinical Haemodialysis, *Nephrol Dial Transplant*, 25(12).
- Black, J., & Hawks, J., 2014, *Keperawatan Medikal Bedah: Manajemen Klinis untuk Hasil yang Diharapkan*, Diterjemahkan oleh Nampira R., Salemba Eman Patria, Jakarta.
- Borzou, S., Gholyaf, M., Zandina, M., Amin, R., Goodarsi M. T., Torkaman, B., 2009, The Effect of Increasing Blood Flow Rate on Dialysis Adequacy in Hemodialysis Patient, *Saudi Journal of Kidney Disease and Transplantation*; 20(4), 639-642.
- Breitsameter, G., Figueiredo, A. E., Kochhann, D. S., 2012, Calculation of Kt/v in Hemodialysis: A Comparison Between the Formulas, *Braz. J. Nephrol.*, 34 (1), diakses dari <https://doi.org/10.1590/S0101-28002012000100004>
- Brunner & Suddarth, 2008, *Keperawatan Medikal-Bedah*, Edisi 8 vol. 1, EGC, Jakarta.
- Clearly, J., Drennan, J., 2005, Quality of Life of Patients on Haemodialysis for End-Stage Renal Disease, *Journal of Advanced Nursing*, 51(6).
- Daugirdas, J. T., Blake, P. G., Ing, T. S., 2015, *Handbook of Dialysis*, 5th Edition, Wolters Kluwer Health, Philadelphia.
- Depner, T., Greene, T., Daugirdas, J.T., Gotch, F., & Kusek, J., 2000, Simultaneous Estimation of Delivered Blood Flow (Qb) and In Vivo Urea Mass Transfer Coefficient (KoA) from Cross-dialyzer Extraction Ratio (ER), *The Hemo Study Group : J Am Soc Nephrol*, 11 (3), 3174-3184.

- Depner, T., Greene, T., Daugirdas, J.T., Allon, M., Beck, G., Chumlea, C., 2004, Dialysis dose and the effect of gender and body size on outcome in the HEMO study, *Kidney International*, 65, 1386-1394.
- Dewi, I. G., 2010, *Hubungan Antara Quick of Blood (Qb) dengan Adekuasi Hemodialisis pada Pasien yang Menjalani Hemodialisis di Ruang HD BRSU Daerah Tabanan Bali*, Universitas Indonesia.
- De Vaus, D. A., 2002, *Survey in Social Research* 5th Edition, Allen and Unwin, New South Wales.
- Fadli, A., 2015, *Hubungan Antara Kombinasi Hemodialisis (HD)/Hemoperfusi (HP) dengan Gangguan Mineral Tulang Pasien Hemodialisis Reguler*, Universitas Sumatera Utara.
- Gatot, D., 2003, *Rasio Reduksi Ureum Dializer 0,90; 2,10; dan 2 Dializer Seri 0,90 dengan 1,20*, Universitas Sumatera Utara Digital Library.
- Haghighi, M. J., Rahdar, M., Shad, F. S., Bamari, F., 2018, A comparison of adequacy and complications of hemodialysis: A quasiexperimental study, *Biomedical Research*, Vol. 29, Issue 17.
- Haksara, E., Rahmanti, A., 2021, Efektifitas Pengaturan Quick of Blood (QB) Terhadap Rasio Reduksi Ureum Plasma Pada Pasien CKD yang Menjalani Hemodialisis di RST DR. Soedjono Magelang, *Jurnal Keperawatan Sisthana*, Vol 6, No. 1.
- Havens, L., Terra, R. P., 2005, Hemodialysis, <http://www.kidneyatlas.org>
- Hidayati, S., 2012, *Efektifitas Konseling Analisis Transaksional Tentang Diet Cairan terhadap Penurunan Interdialytic Weight Gain (IDWG) Pasien Gagal Ginjal Kronis yang menjalani Hemodialisa di Rumah Sakit Umum Daerah Kardinah Tegal*, Universitas Indonesia.
- Himmelfarb, J. & Sayegh, H. M., 2010, *Chronic Kidney Disease, Dialysis, Transplantation* 3rd edition, Lippincott William & Wilkins, Philadelphia.
- Ifudu, O., Feldman, J., Friedman, E. A., 1996, The intensity of haemodialysis and the response to erythropoietin in patients with end-stage renal disease, *N Engl J Med*, 334: 420–425.
- Ifudu, O., Uribarri, J., Rajwani, I., et al., 2000, Adequacy of dialysis and differences in haematocrit among dialysis facilities, *Am J Kidney Dis*, 36: 1166–1174.
- Ignatavicius, D. D., & Workman, M. L., 2006, *Medical Surgical Nursing: Critical thinking for collaborative care*, 5th Edition, Elsevier Saunders, St Louis Missouri.
- Indonesian Renal Registry, 2018, 11th Report of Indonesian Renal Registry, diakses dari <https://www.indonesianrenalregistry.org/data/IRR%202018.pdf>

- Kallenbach, J. Z., Gutch, C. F., Stoner, M. H., & Corea, A. L., 2005, *Review of Hemodialysis for Nurses and Dialysis Personal*, Ed. 7, Elsevier, St. Louis.
- Kallenbach, J. Z., 2012, *Review of Hemodialysis for Nurses and Dialysis Personal*, Ed. 8, Elsevier, St. Louis.
- Karkar, A., Chaballout, A., Ibrahim, M. H., Abdulrahman, M., Alshubail, I. M., 2014, Improving Arteriovenous Fistula Rate: Effect on Hemodialysis Quality, *Hemodial int*, 18(2).
- Kemkes RI, 2018, Laporan Nasional Riset Kesehatan Dasar, Kementerian Kesehatan RI.
- Kovacic, V., 2004, The assessment of hemodialysis technical efficacy, *Indian J Nephrol*, 14, 1-9.
- Kring, D. L., Crane, P. B., 2009, Factors Affecting Quality of Life in Persons on Hemodialysis, *Nephrology Nursing Journal*, 36, 15-24.
- Lambie, S. H., Taal, M. W., Fluck, R. J., McIntyre, C. W., 2004, Analysis of factors associated with variability in hemodialysis adequacy, *Nephrol Dial Transplant*, 19, 406-412.
- Malekmakan, A., Malekmakan L., Alimanesh, M., Haghpanah, A., Khajehdehil, P., Pakfetrat, M., 2010, Dialysis Adequacy and Kidney Disease Outcomes Quality Initiative Goals Achievement in an Iranian Hemodialysis Population, *IJKD*, 4:39-43.
- Moghrab, M., Madarshahian, F., Rezai, N., Mohammadi, A., 2010, Dialysis Adequacy in chronic hemodialysis patients in educational center Vali-Asr in Birjand, *J Birjand Univ Med Sci*; 17.
- Movilli, E., Cancarini, G. C., Zani, R., Camerini, C., Sandrini, M., Maiorca, R., 2001, Adequacy of dialysis reduces the doses of recombinant erythropoietin independently from the use of biocompatible membranes in haemodialysis patients, *Nephrol Dial Transplant*, 16: 111–114
- National Kidney Foundation, 2015, KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update, *American Journal of Kidney Disease*, 884-930.
- NIDDK, 2018, *Evaluating dialysis fluids properties and its effects on hemodialysis patients at several hospitals in Baghdad*, Scientific Figure on ResearchGate.
- Ni'mah, Alfiyatun, Endiyono, Eko, 2014, Perbedaan Pengaturan Quick of Blood Berdasarkan Perubahan Berat Badan dan Kenyamanan Terhadap Pencapaian Adekuasi Hemodialisis di Ruang Hemodialisis RSUD Banyumas, Volume 18, No. 3.

- NKF-K/DOQI, 2006, 2006 Updates Clinical Practice Guidelines and Recommendations Hemodialysis Adequacy Peritoneal Dialysis Adequacy Vascular Access, diakses dari https://www.kidney.org/sites/default/files/docs/12-50-0210_jag_dcp_guidelines-hd_oct06_sectiona_ofc.pdf
- Notoatmodjo, S., 2010, *Metodologi Penelitian Kesehatan*, Rineka Cipta, Jakarta.
- O'Callaghan, 2008, *At a Glance Sistem Ginjal*, Edisi II, Erlangga, Bandung.
- PERNEFRI, 2003, Konsesus Dialisis, diakses dari <https://www.pernefri.org/konsesus>
- PERNEFRI, 2012, *5th Report of Indonesian Renal Registry 2012*, diakses dari <https://www.indonesianrenalregistry.org/data/5th%20Annual%20Report%20Of%20IRR%202012.pdf>
- Pourfarziani, V., Ghanbarpour, F., Nemati, E., Taheri, S., & Einollahi, B., 2008, Laboratory variables and treatment adequacy in hemodialysis patients in iran, *Saudi J Kidney Dis Transpl*, 2(19), 842-846.
- Price, S.A., Wilson, L.M., 2006, *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*, Edisi 4, EGC, Jakarta.
- Saad, T. F., 1999, Bacteremia Associated with Tunneled Cuffed Hemodialysis Catheters, *Am J Kidney Dis*, 34 (1): 1114-1124.
- Saeed, F., Alam, A., Memon, S., Imtiaz, S., 2021, The Effect of Increasing Surface Area of Dialyzer Membrane on Adequacy of Hemodialysis, *European Journal of Clinical Medicine*, 2(6).
- Saran K. A., Sabry, A., Mamdouh, A., Yehia, A., 2009, Online Conductivity Monitoring of Dialysis Adequacy Versus Kt/V Derived from Urea Reduction Ratio: A Prospective Study from a Saudi Center, *Renal Failure*, 32:1, 36-40.
- Sathvik, B., Parthasarathi, G., Naraharil, G., Gurudev, C., 2008, An assessment of the quality of life in hemodialysis patients using the WHOQOL-BREF questionnaire, *Indian Journal of Nephrology*, 18(4).
- Shdaifat, E.A., Manaf, M.R., 2012, *Quality of Life of Caregivers and Patients undergoing Hemodialysis at Ministry of Health, Jordan Int J Appl Sci and Tech*, diakses dari http://www.ijastnet.com/journals/Vol_2_No_3_March_2012
- Silaen, H., Tarihoran, Y., 2019, Pengaruh Penentuan Quick of Blood (QB) Terhadap Keberhasilan Urem Reduction Ratio (URR) Dengan Lamanya Hemodialisis di Murni Teguh Memorial Hospital, *Jurnal Ilmiah Keperawatan Imelda*, Vol. 5, No. 2.
- Silviani, D., Adityawarman, & Lieza, D., 2011, Hubungan Lama Periode Hemodialisis dengan Status Albumin Penderita Gagal Ginjal Kronik di

Unit Hemodialisis RSUD Prof. Dr. Margono Soekarjo Purwokerto Tahun 2010, *Mandala of Health*, Vol. 5, No. 2.

Smeltzer, S. C., & Bare, G. B., 2012, *Brunner & Suddarth's Textbook of Medical Surgical Nursing* 12th edition, Lippincott William & Wilkins, China.

Sudiharto, Mardiyono, Arwani, 2014, Pengaturan Quick of Blood (Qb) Berdasarkan Berat Badan Terhadap Rasio Reduksi Ureum (RRU) pada Pasien Hemodialisis di RSUD Kota Semarang, Poltekkes Kemenkes Semarang.

Sukandar, E., 2006, Gagal Ginjal Kronis dan Terminal: Nefrologi Klinik, Edisi III, Penerbit ITB, Bandung.

Thomas, N., 2002, *Renal nursing*, 2nd Edition, Elsevier Science, London.

Tola'ba, Y., 2017, *Hubungan Antara Quick of Blood dengan Adekuasi Hemodialisis pada Pasien ESRD*, Universitas Hasanuddin.

Vanholder, R., Eloot, S., Van Biesen, W., 2008, Do we need new indicators of dialysis adequacy based on middle-molecule removal, *Nature Clinical Practice Nephrology*.

Welas, R., 2011, Hubungan Antara Penambahan Berat Badan di Antara Dua Waktu Hemodialisis (Interdialysis Weight Gain = Idwg) Terhadap Kualitas Hidup Pasien Gagal Ginjal Kronik Yang Menjalani Terapi Hemodialisis Di Unit Hemodialisis Ip2k RSUP Farmawati Jakarta, Universitas Indonesia.

Yuwono, I. H., Armiyati, Y., Chanif, 2014, Pengaturan Kecepatan Aliran Darah (*Quick of Blood*) terhadap Rasio Reduksi Ureum pada Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis di Unit Hemodialisis RSUD Kota Semarang, *FIKkes Jurnal keperawatan*, Vol. 7 No. 2: 130-141.

Zyga, S., Sarafis, P., 2009, Hemodialysis adequacy – contemporary trends, *Health Science Journal*, 3(4), 209-215.