



## DAFTAR PUSTAKA

- Akin, M., Aksakalli, S., Basciftci, F. A., & Demir, A. (2013). The effect of tooth bleaching on the shear bond strength of orthodontic brackets using self-etching primer systems. *Eur. J. Dent.*, 7(01), 055-060.
- AlJehani, Y. A., Baskaradoss, J. K., Geevarghese, A., & AlShehry, M. A. (2014). Current trends in aesthetic dentistry. *Health, 2014*.
- Anwar, A. I., & Tjokro, J. (2018). Efek aplikasi karbamid peroksida 10% dan hidrogen peroksida 6% pada prosedur home bleaching terhadap kekerasan dan kekasaran email. *MDJ*, 7(2).
- Årtun, Jon, and Sven Bergland. "Clinical trials with crystal growth conditioning as an alternative to acid-etch enamel pretreatment." *AJODO* 85.4 (1984): 333-340.
- Aristizábal, J. F., González, A. P. P., & McNamara, J. A. (2020). Improving shear bond strength of metallic brackets after whitening. *DOAJ*, 25, 38-43.
- Banomyong, D., Kanchanasantikul, P., & Wong, R. H. (2013). Effects of casein phosphopeptide-amorphous calcium phosphate remineralizing paste and 8% arginine desensitizing paste on dentin permeability. *JICD*, 4(3), 200-206.
- Bergman, R. T. (1999). Cephalometric soft tissue facial analysis. *AJODO*, 116(4), 373-389.
- Blatz, M. B., Chiche, G., Bahat, O., Roblee, R., Coachman, C., & Heymann, H. O. (2019). Evolution of aesthetic dentistry. *J.Dent.Res.*, 98(12), 1294-1304.
- Boruziniat, A., Khazaei, Y., Motaghi, S., & Moghaddas, M. (2015). Evaluation of bond strength of orthodontic brackets without enamel etching. *J.Clin.Exp.Dent.*, 7(4), e519.
- Britto, F. A. R., Lucato, A. S., Valdrighi, H. C., & Vedovello, S. A. S. (2015). Influence of bleaching and desensitizing gel on bond strength of orthodontic brackets. *DOAJ*, 20, 49-54.
- Budipramana, M., Hamid, T., & Goenharto, S. (2013). Shear strength of orthodontic bracket bonding with GIC bonding agent after the application of CPP-ACPF paste. *Dental Journal (Majalah Kedokteran Gigi)*, 46(1), 39-44.
- Busman, B., Arma, U., & Nofriadi, N. (2014). Hubungan Aplikasi Casein Phosphopeptide Amorphous Calcium Phosphate (Cpp-Acp) terhadap Remineralisasi Gigi. *B-Dent: JBD*, 1(1), 18-23.
- Cavalli, V., Rosa, D. A. D., Silva, D. P. D., Kury, M., Liporoni, P., Soares, L. E. S., & Martins, A. A. (2018). Effects of experimental bleaching agents on the mineral content of sound and demineralized enamels. *J Appl.Oral.Sci*, 26.
- Chatzistavrou, E., Eliades, T., Zinelis, S., Athanasiou, A. E., & Eliades, G. (2010). Fluoride release from an orthodontic glass ionomer adhesive in vitro and enamel fluoride uptake in vivo. *AJODO*, 137(4), 458-e1.



- Cochrane, N. J., Lo, T. W., Adams, G. G., & Schneider, P. M. (2017). Quantitative analysis of enamel on debonded orthodontic brackets. *AJODO*, 152(3), 312-319.
- Cozza, P., Martucci, L., De Toffol, L., & Penco, S. I. (2006). Shear bond strength of metal brackets on enamel. *Angle Orthod*, 76(5), 851-856.
- Ditaprilia, M. (2016). *Pengaruh Hidrogen Peroksida 40% sebagai Bahan Bleaching terhadap Kekuatan Geser Pelekatan Braket Logam dengan Resin-Modified Glass Ionomer (Penelitian Eksperimental Laboratoris)* (Doctoral dissertation, Universitas Gadjah Mada).
- Djuanda, R. (2019). Perawatan Internal Bleaching Menggunakan Teknik Walking Bleach Pada Gigi Inisisif Sentral Kanan Rahang Atas (Case Report). *SONDE (Sound of Dentistry)*, 4(2), 1-11.
- Farawati, F. A., Hsu, S. M., O'Neill, E., Neal, D., Clark, A., & Esquivel-Upshaw, J. (2019). Effect of carbamide peroxide bleaching on enamel characteristics and susceptibility to further discoloration. *J Prosthet Dent*, 121(2), 340-346.
- Federer, W. T. (1977). On the Existence and Construction of a Complete Set of Orthogonal \$F(4t; 2t, 2t)\$-Squares Design. *Ann.Stat.*, 5(3), 561-564.
- Giulio, A. B., Matteo, Z., Serena, I. P., Silvia, M., & Luigi, C. (2009). In vitro evaluation of casein phosphopeptide-amorphous calcium phosphate (CPP-ACP) effect on stripped enamel surfaces. A SEM investigation. *J.Dent.*, 37(3), 228-232.
- Gonçalves, F. M. C., Delbem, A. C. B., Gomes, L. F., Emerenciano, N. G., Pessan, J. P., Romero, G. D. A., ... & Danelon, M. (2021). Effect of fluoride, casein phosphopeptide-amorphous calcium phosphate and sodium trimetaphosphate combination treatment on the remineralization of caries lesions: An in vitro study. *Arch.Oral.Biol.*, 122, 105001.
- Goracci, C., Di Bello, G., Franchi, L., Louca, C., Juloski, J., Juloski, J., & Vichi, A. (2022). Bracket bonding to all-ceramic materials with universal adhesives. *Materials*, 15(3), 1245.
- Grazioli, G., Valente, L. L., Isolan, C. P., Pinheiro, H. A., Duarte, C. G., & Münchow, E. A. (2018). Bleaching and enamel surface interactions resulting from the use of highly-concentrated bleaching gels. *Arch.Oral.Biol.*, 87, 157-162.
- Gungor, A. Y., Ozcan, E., Alkis, H., & Turkkahraman, H. (2013). Effects of different bleaching methods on shear bond strengths of orthodontic brackets. *Angle Orthod*, 83(4), 686-690.
- Guzman, U. A., Jerrold, L., Vig, P. S., & Abdelkarim, A. (2013). Comparison of shear bond strength and adhesive remnant index between precoated and conventionally bonded orthodontic brackets. *Prog.Orthod.*, 14(1), 1-5.
- Henkin, F. D. S., Macêdo, É. D. O. D. D., Santos, K. D. S., Schwarzbach, M., Samuel, S. M. W., & Mundstock, K. S. (2016). In vitro analysis of shear bond



strength and adhesive remnant index of different metal brackets. *DOAJ*, 21, 67-73.

Hutagalung, M. H. P., Safitri, T., & Tarigan, S. (2019). Perbandingan efektifitas bahan bleaching karbamid peroksida 5% dan 10% terhadap perubahan kecerahan warna pada tumpatan resin komposit nanohybrid. *Prima JODS*, 2(2), 40-44.

Khan, T., Ahad, B., Khan, T. A., & Naseer, A. (2012). Effect of bleaching on shear bond strength of orthodontic brackets. *J.Pak.Dent.Assoc.*, 32(1).

Khanehmasjedi, M., Naseri, M. A., Khanehmasjedi, S., & Basir, L. (2017). Comparative evaluation of shear bond strength of metallic brackets bonded with two different bonding agents under dry conditions and with saliva contamination. *J.Clin.Med.Assoc.*, 80(2), 103-108.

Kulunk, S., Sarac, D., Külünk, T., & KARAKAŞ, Ö. (2011). The effects of different desensitizing agents on the shear bond strength of adhesive resin cement to dentin. *J.Esthet.Restor.Dent.*, 23(6), 380-387.

Kumala, Y. R., Faidah, F., & Harsari, S. S. (2019). Pengaruh Bahan Bleaching Hidrogen Peroksida 35% Terhadap Kekasaran Permukaan Resin Komposit Nanohybrid. *E-Prodenta Journal of Dentistry*, 3(1), 208-215.

Kusumaningrum, H., Pudyani, P. S., & Suwarni, A. (2013). Pengaruh Bleaching Karbamid Peroksida Konsentrasi 10%, 15%, 20% dan 35% Terhadap Kekuatan Geser dan Tarik Braket Logam dengan Semen Ionomerkaca Aktivasi Sinar. *Jurnal Kedokteran Gigi*, 4(4), 254-260.

Kutuk, Z. B., Ergin, E., Cakir, F. Y., & Gurgan, S. (2018). Effects of in-office bleaching agent combined with different desensitizing agents on enamel. *J.Appl.Oral Sci.*, 27.

Kristanti, Y., Asmara, W., Sunarintyas, S., & Handajani, J. (2014). Efektivitas Desensitizing Agent dengan dan tanpa Fluor pada Metode in Office Bleaching terhadap Kandungan Mineral Gigi (Kajian In Vitro). *MKG*, 21(2), 136-140.

Madrid-Troconis, C. C., & Perez-Puello, S. D. C. (2019). Casein phosphopeptide-amorphous calcium phosphate nanocomplex (CPP-ACP) in dentistry: State of the art. *Revista Facultad de Odontología Universidad de Antioquia*, 30(2), 248-262.

Mehta, R., Nandlal, B., & Prashanth, S. (2013). Comparative evaluation of remineralization potential of casein phosphopeptide-amorphous calcium phosphate and casein phosphopeptide-amorphous calcium phosphate fluoride on artificial enamel white spot lesion: An in vitro light fluorescence study. *IJDR*, 24(6), 681.

Meizarini, A., & Rianti, D. (2005). Bahan pemutih gigi dengan sertifikat ADA/ISO. *Dent.J.*, 38(2), 73-75.

Micknautsch, S., Mount, G., & Yengopal, V. (2011). Therapeutic effect of glass-ionomers: an overview of evidence. *Aust.Dent.J.*, 56(1), 10-15.



- Öztaş, E., Bağdelen, G., Kılıçoğlu, H., Ulukapı, H., & Aydin, İ. (2012). The effect of enamel bleaching on the shear bond strengths of metal and ceramic brackets. *Eur.J.Orthod.*, 34(2), 232-237.
- Øgaard, B., & Fjeld, M. (2010, March). The enamel surface and bonding in orthodontics. In *Seminars in orthodontics* (Vol. 16, No. 1, pp. 37-48). WB Saunders.
- Pierote, J. J. A., Prieto, L. T., Dias, C. T. D. S., CÂmara, J. V. F., Lima, D. A. N. L., Aguiar, F. H. B., & Paulillo, L. A. M. S. (2020). Effects of desensitizing products on the reduction of pain sensitivity caused by in-office tooth bleaching: a 24-week follow-up. *J.Appl.Oral Sci.*, 28.
- Pinto, C. F., Oliveira, R. D., Cavalli, V., & Giannini, M. (2004). Peroxide bleaching agent effects on enamel surface microhardness, roughness and morphology. *Braz.Oral.Res.*, 18, 306-311.
- Proffit, W. R., Fields Jr, H. W., & Sarver, D. M. (2006). *Contemporary orthodontics*. Elsevier Health Sciences. p : 566.
- Rao, K. S., Reddy, T. P., Yugandhar, G., Kumar, B. S., Reddy, S. N., & Babu, D. A. (2013). Comparison of shear bond strength of resin reinforced chemical cure glass ionomer, conventional chemical cure glass ionomer and chemical cure composite resin in direct bonding systems: an in vitro study. *J Contemp Dent Pract*, 14(1), 21-5.
- Rasni, N. D., & Khoman, J. A. (2021). Penatalaksanaan Hipersensitivitas Dentin. *e-GiGi*, 9(2), 133-138.
- Reynolds, I. R. (1975). A review of direct orthodontic bonding. *Br.J.Orthod.*, 2(3), 171-178.
- Rosyida, N. F., Suparwitri, S., & Pudyani, P. S. (2017). Improving tensile bond strength of orthodontic bracket by applying papain gel as an email deproteinization agent. *J.Dent.*, 24(3), 70-74.
- Sailer, I., Tettamanti, S., Stawarczyk, B., Fischer, J., & Hämerle, C. H. (2010). In vitro study of the influence of dentin desensitizing and sealing on the shear bond strength of two universal resin cements. *J.Adhes Dent.*, 12(5), 381.
- Samaha, A. E., ElFadl, A. K., & Anwar, M. N. (2022). The micro-shear bond strength of resin cements to aged laser bleached enamel after using different desensitizing agents. *Clin.Exp.Dent.*, 8(1), 248-256.
- Sidhu, S. K., & Nicholson, J. W. (2016). A review of glass-ionomer cements for clinical dentistry. *JFB*, 7(3), 16.
- Siregar, E. (1995). Faktor-Faktor yang Berperan dalam Rekatan antara Braket dengan Enamel Gigi (Studi Pustaka). *J.DenT.*, 3(3), 67-71.
- Soesilo, D. (2016). Perawatan Internal Bleaching Untuk Estetik Gigi Pasca Perawatan Endodontik (Internal Bleaching For Dental Esthetics Post Endodontic Treatment). *DENTA Jurnal Kedokteran Gigi*, 10(2), 195-200.



Srinivasan, N., Kavitha, M., & Loganathan, S. C. (2010). Comparison of the remineralization potential of CPP–ACP and CPP–ACP with 900 ppm fluoride on eroded human enamel: an in situ study. *Arch.Oral.Biol.*, 55(7), 541-544.

Syaafriadi, M., & Risa, R. (2013). Efek Bahan Pemutih Gigi (Bleaching) terhadap Jaringan Lunak dan Jaringan Keras Rongga Mulut. *Prosiding Temu Ilmiah Forum Dies 54 Fakultas Kedokteran Gigi Universitas Padjajaran*

Thambas, A., Kartini, A., & Dewi, R. S. (2012). Pengembangan dan modifikasi estetik dalam pembuatan crown dan bridge. *Jurnal Ilmiah Widya*, 218683.

Vilhena, K. F. B., Nogueira, B. C. L., Fagundes, N. C. F., Loretto, S. C., Angelica, R. S., Lima, R. R., & Silva e Souza, M. H. (2019). Dental enamel bleached for a prolonged and excessive time: Morphological changes. *PLoS One*, 14(4), e0214948.

[www.medicalexpo.com](http://www.medicalexpo.com) diakses pada tanggal 15 Agustus 2022

[www.intechopen.com](http://www.intechopen.com) diakses pada tanggal 12 Agustus 2022

[www.batan.go.id](http://www.batan.go.id) diakses pada tanggal 5 Agustus 2022