



DAFTAR PUSTAKA

- Abdel-Latif, A., & Osman, G. (2017). Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize. *Plant Methods*, 13(1). <https://doi.org/10.1186/s13007-016-0152-4>
- Abdullah, J. M., & Ahmed, T. (2019). Fitness Dependent Optimizer: Inspired by the Bee Swarming Reproductive Process. *IEEE Access*, 7, 43473–43486. <https://doi.org/10.1109/ACCESS.2019.2907012>
- Ansari, M. J., Al-Ghamdi, A., Nuru, A., Khan, K. A., & Alattal, Y. (2017). Geographical distribution and molecular detection of Nosema ceranae from indigenous honey bees of Saudi Arabia. *Saudi Journal of Biological Sciences*, 24(5), 983–991. <https://doi.org/10.1016/j.sjbs.2017.01.054>
- Bailey, Leslie., & Ball, B. V. (Brenda V.). (1991). *Honey bee pathology*. Academic Press.
- Bataille, A., Levin, I. I., & Sari, E. H. R. (2018). Colonization of Parasites and Vectors. In *Disease Ecology, Social and Ecological Interactions in the Galapagos Islands* (pp. 45–79). https://doi.org/10.1007/978-3-319-65909-1_3
- Beverley, C. (2022). Melissococcus plutonius. *CABI Compendium, CABI Compendium*. <https://doi.org/10.1079/cabicompendium.34446>
- Blackiston, H. (2020). *Beekeeping fo Dummies* (5th ed.). John Wiley & Sons, Inc.
- Botías, C., Anderson, D. L., Meana, A., Garrido-Bailón, E., Martín-Hernández, R., & Higes, M. (2012). Further evidence of an oriental origin for Nosema ceranae (Microsporidia: Nosematidae). *Journal of Invertebrate Pathology*, 110(1), 108–113. <https://doi.org/10.1016/j.jip.2012.02.014>
- Bovo, S., Utzeri, V. J., Ribani, A., Cabbri, R., & Fontanesi, L. (2020). Shotgun sequencing of honey DNA can describe honey bee derived environmental signatures and the honey bee hologenome complexity. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-66127-1>
- Buchori, D., Rizali, A., Priawandiputra, W., Raffiudin, R., Sartiami, D., Pujiastuti, Y., Jauharlina, Pradana, M. G., Meilin, A., Leatemia, J. A., Sudiarta, I. P., Rustam, R., Nelly, N., Lestari, P., Syahputra, E., Hasriyanti, Watung, J. F., Daud, I. D. A., Hariani, N., ... Johannis, M. (2022). Beekeeping and Managed Bee Diversity in Indonesia: Perspective and Preference of Beekeepers. *Diversity*, 14(1). <https://doi.org/10.3390/d14010052>
- Carreck, N. L., Ball, B. v., & Martin, S. J. (2010). Honey bee colony collapse and changes in viral prevalence associated with varroa destructor. *Journal of Apicultural Research*, 49(1), 93–94. <https://doi.org/10.3896/IBRA.1.49.1.13>



- Chantawannakul, P., de Guzman, L. I., Li, J., & Williams, G. R. (2016). Parasites, pathogens, and pests of honeybees in Asia. *Apidologie*, 47(3), 301–324. <https://doi.org/10.1007/s13592-015-0407-5>
- Chen, Y., Evans, J. D., Zhou, L., Boncristiani, H., Kimura, K., Xiao, T., Litkowski, A. M., & Pettis, J. S. (2009). Asymmetrical coexistence of Nosema ceranae and Nosema apis in honey bees. *Journal of Invertebrate Pathology*, 101(3), 204–209. <https://doi.org/10.1016/j.jip.2009.05.012>
- Cohen, J. (1998). *Statistical Power Analysis for the Behavioral Sciences* (2nd ed.). Taylor & Francis Group.
- Crane, E. (2009). Apis Species: (Honey Bees). In *Encyclopedia of Insects* (pp. 31–32). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-374144-8.00009-6>
- Dussaubat, C., Brunet, J. L., Higes, M., Colbourne, J. K., Lopez, J., Choi, J. H., Martín-Hernández, R., Botías, C., Cousin, M., McDonnell, C., Bonnet, M., Belzunces, L. P., Moritz, R. F. A., le Conte, Y., & Alaux, C. (2012). Gut pathology and responses to the microsporidium Nosema ceranae in the honey bee *Apis mellifera*. *PLoS ONE*, 7(5). <https://doi.org/10.1371/journal.pone.0037017>
- Emsen, B., Guzman-Novoa, E., Hamiduzzaman, M. M., Eccles, L., Lacey, B., Ruiz-Pérez, R. A., & Nasr, M. (2016). Higher prevalence and levels of Nosema ceranae than Nosema apis infections in Canadian honey bee colonies. *Parasitology Research*, 115(1), 175–181. <https://doi.org/10.1007/s00436-015-4733-3>
- Engel, M. S. (2012). The Honey Bees of Indonesia (Hymenoptera: Apidae). *Treubia*, 39, 41–49.
- FAO. (2006). *Honey bee diseases and pests: a practical guide*.
- FAO. (2018). GLOBAL SURVEY OF HONEYBEES AND OTHER POLLINATORS. *INTERGOVERNMENTAL TECHNICAL WORKING GROUP ON ANIMAL GENETIC RESOURCES FOR FOOD AND AGRICULTURE*, 22. <https://goo.gl/forms/veNe0krWGcFjmT752>
- Forsgren, E., Budge, G. E., Charrière, J. D., & Hornitzky, M. A. Z. (2013). Standard methods for European foulbrood research. In *Journal of Apicultural Research* (Vol. 52, Issue 1). <https://doi.org/10.3896/IBRA.1.52.1.12>
- Forsgren, E., Wei, S., Guiling, D., Zhiguang, L., van Tran, T., Tang, P. T., Truong, T. A., Dinh, T. Q., & Fries, I. (2015). Preliminary observations on possible pathogen spill-over from *Apis mellifera* to *Apis cerana*. *Apidologie*, 46(3), 265–275. <https://doi.org/10.1007/s13592-014-0320-3>
- Fries, I., Chauzat, M. P., Chen, Y. P., Doublet, V., Genersch, E., Gisder, S., Higes, M., McMahon, D. P., Martín-Hernández, R., Natsopoulou, M., Paxton, R. J., Tanner, G., Webster, T. C., & Williams, G. R. (2013).



Standard methods for Nosema research. In *Journal of Apicultural Research* (Vol. 52, Issue 1). <https://doi.org/10.3896/IBRA.1.52.1.14>

- Fries, I., Feng, F., da Silva, A., Slemenda, S. B., & Pieniazek, N. J. (1996). Nosema ceranae n. sp. (Microspora, Nosematidae), morphological and molecular characterization of a microsporidian parasite of the Asian honey bee Apis cerana (Hymenoptera, Apidae). *European Journal of Protistology*, 32(3), 356–365. [https://doi.org/10.1016/S0932-4739\(96\)80059-9](https://doi.org/10.1016/S0932-4739(96)80059-9)
- Garrido-Bailón, E., Higes, M., Martínez-Salvador, A., Antúnez, K., Botías, C., Meana, A., Prieto, L., & Martín-Hernández, R. (2013). The prevalence of the honeybee brood pathogens Ascospaera apis, Paenibacillus larvae and Melissococcus plutonius in Spanish apiaries determined with a new multiplex PCR assay. *Microbial Biotechnology*, 6(6), 731–739. <https://doi.org/10.1111/1751-7915.12070>
- Genersch, E. (2010). Honey bee pathology: Current threats to honey bees and beekeeping. In *Applied Microbiology and Biotechnology* (Vol. 87, Issue 1, pp. 87–97). <https://doi.org/10.1007/s00253-010-2573-8>
- Gisder, S., & Genersch, E. (2013). Molecular differentiation of Nosema apis and Nosema ceranae based on species-specific sequence differences in a protein coding gene. *Journal of Invertebrate Pathology*, 113(1), 1–6. <https://doi.org/10.1016/j.jip.2013.01.004>
- Gouda, H. I., Radi, M., El Gendy, R. M., El Shafeiy, S. M., & Khattaby, A. M. (2022). *Nosema ceranae isolate SHRM00T small subunit ribosomal RNA gene, partial sequence*. Nuccore NCBI.
- Govan, V. A., Bro'zel, V., Allsopp, M. H., & Davison, S. (1985). A PCR Detection Method for Rapid Identification of Melissococcus pluton in Honeybee Larvae. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*, 64(5), 1983–1986. <http://aem.asm.org/>
- Grupe, A. C., & Alisha Quandt, C. (2020). A growing pandemic: A review of Nosema parasites in globally distributed domesticated and native bees. *PLoS Pathogens*, 16(6). <https://doi.org/10.1371/journal.ppat.1008580>
- Han, S. H., Lee, D. B., Lee, D. W., Kim, E. H., & Yoon, B. S. (2008). Ultra-rapid real-time PCR for the detection of Paenibacillus larvae, the causative agent of American Foulbrood (AFB). *Journal of Invertebrate Pathology*, 99(1), 8–13. <https://doi.org/10.1016/j.jip.2008.04.010>
- Harper, L. R., Lawson Handley, L., Hahn, C., Boonham, N., Rees, H. C., Gough, K. C., Lewis, E., Adams, I. P., Brotherton, P., Phillips, S., & Häneling, B. (2018). Needle in a haystack? A comparison of eDNA metabarcoding and targeted qPCR for detection of the great crested newt Triturus cristatus. *Ecology and Evolution*, 8(12), 6330–6341. <https://doi.org/10.1002/ece3.4013>



- Hawkins, J., de Vere, N., Griffith, A., Ford, C. R., Allainguillaume, J., Hegarty, M. J., Baillie, L., & Adams-Groom, B. (2015). Using DNA Metabarcoding to Identify the Floral Composition of Honey: A New Tool for Investigating Honey Bee Foraging Preferences. *PLOS ONE*, 10(8), e0134735. <https://doi.org/10.1371/journal.pone.0134735>
- Higes, M., García-Palencia, P., Martín-Hernández, R., & Meana, A. (2007). Experimental infection of *Apis mellifera* honeybees with *Nosema ceranae* (Microsporidia). *Journal of Invertebrate Pathology*, 94(3), 211–217. <https://doi.org/10.1016/j.jip.2006.11.001>
- Higes, M., Martín, R., & Meana, A. (2006). *Nosema ceranae*, a new microsporidian parasite in honeybees in Europe. *Journal of Invertebrate Pathology*, 92(2), 93–95. <https://doi.org/10.1016/j.jip.2006.02.005>
- Higes, M., Martín-Hernández, R., Botías, C., Bailón, E. G., González-Porto, A. v., Barrios, L., del Nozal, M. J., Bernal, J. L., Jiménez, J. J., Palencia, P. G., & Meana, A. (2008). How natural infection by *Nosema ceranae* causes honeybee colony collapse. *Environmental Microbiology*, 10(10), 2659–2669. <https://doi.org/10.1111/j.1462-2920.2008.01687.x>
- Higes, M., Martín-Hernández, R., Garrido-Bailón, E., García-Palencia, P., & Meana, A. (2008). Detection of infective *Nosema ceranae* (Microsporidia) spores in corbicula pollen of forager honeybees. *Journal of Invertebrate Pathology*, 97(1), 76–78. <https://doi.org/10.1016/j.jip.2007.06.002>
- Higes, M., Martín-Hernández, R., & Meana, A. (2010). *Nosema ceranae* in Europe: An emergent type C nosemosis. In *Apidologie* (Vol. 41, Issue 3, pp. 375–392). <https://doi.org/10.1051/apido/2010019>
- ITIS. (2020). *Apis Linnaeus, 1758*. Https://Www.Itis.Gov/Servlet/SingleRpt/SingleRpt?Search_topic=TSN&search_value=154395#null.
- Jain, S. A., Thalita De Jesus, F., Marchioro, G. M., & Divino De Araújo, E. (n.d.). Extraction of DNA from honey and its amplification by PCR for botanical identification. *Food Sci. Technol, Campinas*, 33(4), 753–756. <https://doi.org/10.1016/S0308>
- Kadri, K. (2020). Polymerase Chain Reaction (PCR): Principle and Applications. In *Synthetic Biology - New Interdisciplinary Science*. IntechOpen. <https://doi.org/10.5772/intechopen.86491>
- Kaskinova, M., Saltykova, E., Poskryakov, A., Nikolenko, A., & Gaifullina, L. (2021). The current state of the protected *apis mellifera mellifera* population in russia: Hybridization and nosematosis. *Animals*, 11(10). <https://doi.org/10.3390/ani11102892>



- Koetz, A. (2013). Ecology, Behaviour and Control of *Apis cerana* with a Focus on Relevance to the Australian Incursion. *Insects*, 4(4), 558–592.
<https://doi.org/10.3390/insects4040558>
- Maharani, S. M. P. P. (2017). *Deteksi dan Identifikasi Morfologi Nosema apis pada Apis mellifera di Peternakan Istana Lebah Gringsing Batang*.
Universitas Gadjah Mada.
- Martín-Hernández, R., Meana, A., Prieto, L., Salvador, A. M., Garrido-Bailón, E., & Higes, M. (2007). Outcome of colonization of *Apis mellifera* by *Nosema ceranae*. *Applied and Environmental Microbiology*, 73(20), 6331–6338.
<https://doi.org/10.1128/AEM.00270-07>
- McLennan, D. A. (2010). How to Read a Phylogenetic Tree. In *Evolution: Education and Outreach* (Vol. 3, Issue 4, pp. 506–519). BioMed Central Ltd.
<https://doi.org/10.1007/s12052-010-0273-6>
- Nabian, S., Ahmadi, K., Nazem Shirazi, M., & Gerami Sadeghian, A. (2011). First Detection of *Nosema ceranae*, a Microsporidian Protozoa of European Honeybees (*Apis mellifera*) In Iran. *Iranian Journal of Parasitology*, 6(3), 89–95.
- Nizar, H., Alaa, A. T., Noureddine, A., Fares, K., & Quddoumi, S. (2015). Diagnosis of *Paenibacillus* larvae from honeybees in Jordan according to microbiological and chemicals techniques. *Asian Journal of Animal Sciences*, 9(6), 318–329. <https://doi.org/10.3923/ajas.2015.318.329>
- Oda, Y., Koichiros, S., Yoshikawa, Y., Tadayuki, I., Takiguchi, K., Hayashi, M., Kenmotsu, T., & Yoshikawa, K. (2016). Highly Concentrated Ethanol Solutions: Good Solvents for DNA as Revealed by Single-Molecule Observation. *Chem Phys Chem*, 17, 471–473. www.chemphyschem.org
- OIE. (2018). Chapter 3.2.4 Nosemosis of Honey Bees. In *OIE Terrestrial Manual* (pp. 744–750).
- Pacini, A., Mira, A., Molineri, A., Giacobino, A., Bulacio Cagnolo, N., Aignasse, A., Zago, L., Izaguirre, M., Merke, J., Orellano, E., Bertozzi, E., Pietronave, H., Russo, R., Scannapieco, A., Lanzavecchia, S., Schnittger, L., & Signorini, M. (2016). Distribution and prevalence of *Nosema apis* and *N. ceranae* in temperate and subtropical eco-regions of Argentina. *Journal of Invertebrate Pathology*, 141, 34–37.
<https://doi.org/10.1016/j.jip.2016.11.002>
- Paudel, Y. P., Mackereth, R., Hanley, R., & Qin, W. (2015). Honey Bees (*Apis mellifera* L.) and Pollination Issues: Current status, impacts and potential drivers of decline. *Journal of Agricultural Science*, 7(6).
<https://doi.org/10.5539/jas.v7n6p93>



- Pettis, J. S., Vanengelsdorp, D., Johnson, J., & Dively, G. (2012). Pesticide exposure in honey bees results in increased levels of the gut pathogen Nosema. *Naturwissenschaften*, 99(2), 153–158.
<https://doi.org/10.1007/s00114-011-0881-1>
- Piccini, C., D'Alessandro, B., Antúnez, K., & Zunino, P. (2002). Detection of Paenibacillus larvae subspecies larvae spores in naturally infected bee larvae and artificially contaminated honey by PCR. *World Journal of Microbiology and Biotechnology*, 18(8), 761–765.
<https://doi.org/10.1023/A:1020435703165>
- Ptaszynska, A. A., Borsuk, G., Mulenko, W., & Olszewki, K. (2012). Monitoring of nosemosis in the Lublin region and preliminary morphometric studies of Nosema spp. spores. *Med. Weter*, 68(10), 622–625.
<https://www.researchgate.net/publication/233808987>
- Purwanto, H. (2023, March 28). *Kegiatan Impor Ratu Lebah Madu Indonesia*. Komunikasi Pribadi
- Rachmawati, R. D., Agus, A., Umami, N., Agussalim, & Purwanto, H. (2022). Diversity, distribution, and nest characteristics of stingless bees (Hymenoptera: Meliponini) in Baluran National Park, East Java, Indonesia. *Biodiversitas*, 23(8), 3890–3901. <https://doi.org/10.13057/biodiv/d230805>
- Radloff, S. E., Hepburn, C., Randall Hepburn, H., Fuchs, S., Hadisoesilo, S., Tan, K., Engel, M. S., & Kuznetsov, V. (2010). Population structure and classification of *Apis cerana*. *Apidologie*, 41(6), 589–601.
<https://doi.org/10.1051/apido/2010008>
- Raffiudin, R., & Crozier, R. H. (2007). Phylogenetic analysis of honey bee behavioral evolution. *Molecular Phylogenetics and Evolution*, 43(2), 543–552. <https://doi.org/10.1016/j.ympev.2006.10.013>
- Ribani, A., Utzeri, V. J., Taurisano, V., & Fontanesi, L. (2020). Honey as a source of environmental DNA for the detection and monitoring of honey bee pathogens and parasites. *Veterinary Sciences*, 7(3).
<https://doi.org/10.3390/VETSCI7030113>
- Rice, R. N. (2001). *Nosema disease in honeybees : genetic variation and control*. RIRDC.
- Rivièvre, M.-P., Ribièvre, M., & Chauzat, M.-P. (2013). Recent molecular biology methods for foulbrood and nosemosis diagnosis. In *Rev. sci. tech. Off. int. Epiz* (Vol. 32, Issue 3).
- Rojas-Sandoval, J. (2022). *Apis cerana* (Asian honeybee). *CABI Compendium, CABI Compendium*. <https://doi.org/10.1079/cabicompendium.6352>
- Sagili, R. R., & Burgett, D. M. (2011). Evaluating Honey Bee Colonies for Pollination A Guide for Commercial Growers and Beekeepers. *Pacific*



UNIVERSITAS
GADJAH MADA

**Deteksi Molekuler Mikroba Patogen pada Madu Lebah Madu Apis mellifera Linnaeus 1761
(Hymenoptera:
Apidae)**

I Gusti Made Raka Alpin Aditya, Drs. Hari Purwanto, M.P., Ph.D
Universitas Gadjah Mada, 2023 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Northwest Extension Publication, 1–8.

<https://catalog.extension.oregonstate.edu/pnw623>

Salkova, D., Shumkova, R., Balkanska, R., Palova, N., Neov, B., Radoslavov, G., & Hristov, P. (2022). Molecular Detection of Nosema spp. in Honey in Bulgaria. *Veterinary Sciences*, 9(1). <https://doi.org/10.3390/vetsci9010010>

Schoch, C. L. (2020). *Nosema sp.* NCBI Taxonomy: A Comprehensive Update on Curation, Resources and Tools.
<Https://Www.Ncbi.Nlm.Nih.Gov/Taxonomy/Browser/Wwntax.Cgi?Id=40300>.

Shumkova, R., Georgieva, A., Radoslavov, G., Sirakova, D., Dzhebir, G., Neov, B., Bouga, M., & Hristov, P. (2018). The first report of the prevalence of Nosema ceranae in Bulgaria. *PeerJ*, 6, e4252.
<https://doi.org/10.7717/peerj.4252>

Snowdon, J. A., & Cliverb, D. O. (1996). Microorganisms in honey. *International Journal of Food Microbiology*, 31, 1–26.

Soares, S., Amaral, J. S., Oliveira, M. B. P. P., & Mafra, I. (2015). Improving DNA isolation from honey for the botanical origin identification. *Food Control*, 48, 130–136. <https://doi.org/10.1016/j.foodcont.2014.02.035>

Thummajitsakul, S., Silprasit, K., Klinbunga, S., & Sittipraneed, S. (2013). The partial mitochondrial sequence of the Old World stingless bee, Tetragonula pagdeni. *Journal of Genetics*, 92(2), 299–304. <http://www.ncbi.nlm.nih.gov>.

Zabrodski, M. W., DeBruyne, J. E., Wilson, G., Moshynskyy, I., Sharafi, M., Wood, S. C., Kozii, I. v., Thebeau, J., Klein, C. D., de Mattos, I. M., Sobchishin, L. R., Epp, T., Ruzzini, A. C., & Simko, E. (2022). Comparison of individual hive and apiary-level sample types for spores of Paenibacillus larvae in Saskatchewan honey bee operations. *PLoS ONE*, 17(2).
<https://doi.org/10.1371/journal.pone.0263602>

Zepner, L., Karrasch, P., Wiemann, F., & Bernard, L. (2021). ClimateCharts.net – an interactive climate analysis web platform. *International Journal of Digital Earth*, 14(3), 338–356. <https://doi.org/10.1080/17538947.2020.1829112>