

DAFTAR PUSTAKA

- Al-Arifi, M.N., Al-Husein, H.O., Al Shamiri, M.Q., Said, R., Wajid, S. and Babelghaith, S.D., 2014. Research Article Prevalence of Polypharmacy in Elderly Cardiac Patients at King Fahad Cardiac Center Kfcc in King Khalid University Hospital Kkuh-Riyadh Saudi Arabia.
- Alhawassi, T.M., Krass, I., Bajorek, B.V. and Pont, L.G., 2014. A systematic review of the prevalence and risk factors for adverse drug reactions in the elderly in the acute care setting. *Clinical interventions in aging*, pp.2079-2086.
- Alhawassi, T.M., Krass, I. and Pont, L.G., 2018. Antihypertensive-related adverse drug reactions among older hospitalized adults. *International Journal of Clinical Pharmacy*, 40, pp.428-435.
- Allredge, B.K., Corelli, R.L, dan Ernst, M.E (Editor), 2013. Applied Therapeutics: The Clinical Use of Drugs, Wolters Kluwer/Lippincott Williams & Wilkins. Philadelphia, 10: 2359-2373.
- Alsaedi, A.A. and Younus, M.M., 2021. Gender Differences in Adverse Drug Reactions Among Adult Patients Reported to the Iraqi Pharmacovigilance Center. *Iraqi Journal of Pharmaceutical Sciences (P-ISSN 1683-3597 E-ISSN 2521-3512)*, 30(2), pp.249-260.
- Amarya, S., Singh, K. and Sabharwal, M., 2018. Ageing process and physiological changes. In *Gerontology*. IntechOpen.
- American Geriatrics Society, 2015. American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. *Journal of the American Geriatrics Society*, 63: 2227–2246.
- Arrigo, F. and Consolo, F., 1990. Long-term therapy with slow-release nifedipine in essential hypertension. *Cardiovascular drugs and therapy*, 4, pp.941-945.
- Australian Institute of Health and Welfare (AIHW) 2023, *Heart, stroke and vascular disease: Australian facts*, viewed 6 June 2023, <https://www.aihw.gov.au/reports/heart-stroke-vascular-diseases/hsvd-facts>
- Aymanns, C., Keller, F., Maus, S., Hartmann, B. and Czock, D., 2010. Review on pharmacokinetics and pharmacodynamics and the aging kidney. *Clinical Journal of the American Society of Nephrology*, 5(2), pp.314-327.
- Badan Pusat Statistik, 2019, *Statistik Penduduk Lanjut Usia 2019*, <https://www.bps.go.id/publication/2019/12/20/ab17e75dbe630e05110ae53b/statistik-penduduk-lanjut-usia-2019.html>. Diakses tanggal 11 Desember 2022.
- Biologorum, P., & Vitezi, D., 2016, *Pharmacodynamics and pharmacokinetics in the elderly*, December 2013.
- Binfar, D., 2006. 'Pedoman Pelayanan Farmasi (Tata Laksana Terapi Obat) Untuk Pasien Geriatrik', *Departemen Kesehatan*. URL: <https://www.scribd.com/document/57249973/PEDOMAN-GERIATRI-1> (diakses tanggal 25/01/2023).
- BPOM, 2020, *Modul Farmakovigilans Bagi Tenaga Profesional Kesehatan*, Jakarta.

- Bots SH, Peters SAE, Woodward M. Sex differences in coronary heart disease and stroke mortality: a global assessment of the effect of ageing between 1980 and 2010. *BMJ Global Health* 2017;2:e000298.
- Buresly, K., Eisenberg, M.J., Zhang, X. and Pilote, L., 2005. Bleeding complications associated with combinations of aspirin, thienopyridine derivatives, and warfarin in elderly patients following acute myocardial infarction. *Archives of internal medicine*, 165(7), pp.784-789.
- Burnier, M., 2020. Renin-angiotensin system blockade in advanced kidney disease: stop or continue?. *Kidney Medicine*, 2(3), pp.231-234.
- Campanelli, C.M., 2012. American Geriatrics Society updated beers criteria for potentially inappropriate medication use in older adults: the American Geriatrics Society 2012 Beers Criteria Update Expert Panel. *Journal of the American Geriatrics Society*, 60(4), p.616.
- Chang, C.M., Liu, P.Y.Y., Yang, Y.H.K., Yang, Y.C., Wu, C.F. and Lu, F.H., 2005. Use of the Beers criteria to predict adverse drug reactions among first-visit elderly outpatients. *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*, 25(6), pp.831-838.
- Chang, J.Y., Locke, G.R., Schleck, C.D., Zinsmeister, A.R. and Talley, N.J., 2007. Risk factors for chronic constipation and a possible role of analgesics. *Neurogastroenterology & Motility*, 19(11), pp.905-911.
- Chang, C.B., Lai, H.Y., Hwang, S.J., Yang, S.Y., Wu, R.S., Chang, L.Y., Lee, I.S., Liu, H.C. and Chan, D.C., 2019. The updated PIM-Taiwan criteria: a list of potentially inappropriate medications in older people. *Therapeutic Advances in Chronic Disease*, 10, p.2040622319879602.
- Clegg, A., Young, J., Iliffe, S., Rikkert, M.O., & Rockwood, K., 2013, Frailty in elderly people, *Lancet*, 381 (9868), 752–762. [https://doi.org/10.1016/S0140-6736\(12\)62167-9](https://doi.org/10.1016/S0140-6736(12)62167-9).
- Cobert, B., 2011. Cobert's Manual of Drug Safety and Pharmacovigilance. *Jones & Bartlett Publishers*, 21-27.
- Davies, E.A. dan O'Mahony, M.S., 2015. Adverse drug reactions in special populations – the elderly. *British Journal of Clinical Pharmacology*, 80(4): 796-807.
- Dunlay, S.M. and Chamberlain, A.M., 2016. Multimorbidity in older patients with cardiovascular disease. *Current cardiovascular risk reports*, 10, pp.1-9.
- Ekasari, M.F., Riasmini, N.M. and Hartini, T., 2019. *Meningkatkan kualitas hidup lansia konsep dan berbagai intervensi*. Wineka Media.
- Fang, M.C., Go, A.S., Hylek, E.M., Chang, Y., Henault, L.E., Jensvold, N.G. and Singer, D.E., 2006. Age and the risk of warfarin-associated hemorrhage: the anticoagulation and risk factors in atrial fibrillation study. *Journal of the American Geriatrics Society*, 54(8), pp.1231-1236.
- Farida, Y. and Tsalatsatun, K.F., 2021. Adverse Drug Reactions Study of Antihypertensive Drugs in Primary Care Settings. *JURNAL MANAJEMEN DAN PELAYANAN FARMASI (Journal of Management and Pharmacy Practice)*, 10(4), pp.241-248.
- Farinde, A. and Hebdon, M., 2019, Pharmacological Considerations in Gerontology: A Patient-centered Guide for Advanced Practice Registered

- Nurses and Related Health Professions, *Springer Publishing Company*, <http://dx.doi.org/10.5772/intechopen.76249>.
- Fick, D.M., Cooper, J.W., Wade, W.E., Waller, J.L., Maclean, J.R. and Beers, M.H., 2003. Updating the Beers criteria for potentially inappropriate medication use in older adults: results of a US consensus panel of experts. *Archives of internal medicine*, 163(22), pp.2716-2724.
- Fosnes, G.S., Lydersen, S. and Farup, P.G., 2011. Constipation and diarrhoea-common adverse drug reactions? A cross sectional study in the general population. *BMC clinical pharmacology*, 11(1), pp.1-9.
- Gadó, K., Szabo, A., Markovics, D., and Virág, A. (2022). Most common cardiovascular diseases of the elderly – A review article. *Developments in Health Sciences* 4, 2, 27-32, Available From: AKJournals <https://doi.org/10.1556/2066.2021.00048> [Accessed 05 June 2023]
- Griffin, C.E., Kaye, A.M., Bueno, F.R. and Kaye, A.D., 2013. Benzodiazepine pharmacology and central nervous system-mediated effects. *Ochsner Journal*, 13(2), pp.214-223.
- Gumantara, M. P. B. & Oktarlina, R. Z., 2017, Perbandingan Monoterapi dan Kombinasi Terapi Sulfonilurea-Metformin terhadap Pasien Diabetes Melitus Tipe 2. *Majority*; 6; 55–59.
- Herman LL, Padala SA, Ahmed I, et al. Angiotensin-Converting Enzyme Inhibitors (ACEI) [Updated 2023 Jan 28]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK431051/>
- Holt, S., Schmiedl, S. & Thürmann, P. A., 2010, Potentially Inappropriate Medications in the Elderly: The PRISCUS List. *Deutsches Ärzteblatt International*; 107; 543–551. doi: 10.3238/arztebl.2010.0543.
- Jones, R., Rubin, G., Berenbaum, F. and Scheiman, J., 2008. Gastrointestinal and cardiovascular risks of nonsteroidal anti-inflammatory drugs. *The American journal of medicine*, 121(6), pp.464-474.
- Jyrkkä, J., Enlund, H., Korhonen, M.J., Sulkava, R. and Hartikainen, S., 2009. Patterns of drug use and factors associated with polypharmacy and excessive polypharmacy in elderly persons: results of the Kuopio 75+ study: a cross-sectional analysis. *Drugs & aging*, 26, pp.493-503.
- Kementerian Kesehatan Republik Indonesia, 2019, *Situasi dan Analisis Lanjut Usia*, Pusat Data dan Informasi Kementrian Kesehatan RI, Jakarta.
- Kim, Jiwon., dan M. Mak., 2013. Geriatric Drug Use. Dalam *Koda-Kimble dan Young's Applied Therapeutics: The Clinical Use of Drugs*. Tenth Edition. Editor B. K. Alldredge, R. L. Corelli, M. E. Ernest, B. J. Guglielmo, P. A. Jacobson, W. A. Kradjan, et.al. Lippincott Williams & Wilkins, Philadelphia.
- Kim, J. dan Mak, M., 2009. Koda-Kimble and Young's Applied Therapeutics: The Clinical Use of Drugs, dalam: *Geriatric Drug Use*. Lippincott Williams & Wilkins, Philadelphia, hal. 2359–2374.
- Lettino, M., Mascherbauer, J., Nordaby, M., Ziegler, A., Collet, J.P., Derumeaux, G., Hohnloser, S.H., Leclercq, C., O'Neill, D.E., Visseren, F. and Weidinger, F., 2022. Cardiovascular disease in the elderly: proceedings of the European

- Society of Cardiology—Cardiovascular Round Table. *European Journal of Preventive Cardiology*, 29(10), pp.1412-1424.
- Lexicomp, 2023, *Amlodipine*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Aspirin*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Clopidogrel*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Diclofenac Sodium*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Furosemide*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Ibuprofen*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Nifedipine*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Lexicomp, 2023, *Warfarin*, diakses dari <http://online.lexi.com/> pada 15 Juni 2023.
- Liang, L., Kung, J.Y., Mitchelmore, B., Cave, A. and Banh, H.L., 2022. Comparative peripheral edema for dihydropyridines calcium channel blockers treatment: A systematic review and network meta-analysis. *The Journal of Clinical Hypertension*, 24(5), pp.536-554.
- Lovell, A. R., & Ernst, M. E., 2017, Drug-Induced Hypertension: Focus on Mechanisms and Management. *Current Hypertension Reports*; 19; 1–12. doi: 10.1007/s11906-017-0736-z
- Lutfiyati, H., Yulastuti, F. & Khotimah, A., 2017, Pola Pengobatan Hipertensi Pada Pasien Lansia Di Puskesmas Windusari Kabupaten Magelang. *Jurnal Farmasi Sains dan Praktis*; 3; 14–18. doi: 10.31603/pharmacy.v3i2.1726.
- Marcum, Z.A., Amuan, M.E., Hanlon, J.T., Aspinall, S.L., Handler, S.M., Ruby, C.M. dan Pugh, M.J.V., 2012, Prevalence of Unplanned Hospitalizations Caused by Adverse Drug Events in Older Veterans, *Journal of the American Geriatrics Society*, 60: 34-41.
- Malone, P., Kier, K., Stanovich, J., dan Malone, M.J., 2014. *Drug Information A Guide for Pharmacists*. McGraw Hill Professional. hal 74.
- Marinda, F. D., Suwandi, J. F. & Karyus, A., 2016, Pharmacologic Management of Diabetes Mellitus Type 2 in Elderly Woman with Uncontrolled Blood Glucose. *Jurnal Medula Unila*; 5; 26–32.
- Martin, J.H., 2018. *Pharmacology in Geriatric Medicine : A Problem-Based Approach*. Gateway East : Springer Nature :43-57.
- Martono, H. 2010. Aspek Fisiologik dan Patologik Akibat Proses Menua, dalam Martono, H. dan Pranarka, K., *Buku Ajar Boedhi Darmojo, Geriatri (Ilmu Kesehatan Usia Lanjut)*, Edisi 4. Balai Penerbit FK Universitas Indonesia, Jakarta. hal 58.
- Martono, H. dan Pranarka, K. (Editor), 2010. *Buku Ajar Boedhi Darmojo, Geriatri (Ilmu Kesehatan Usia Lanjut)*, 4th ed. Balai Penerbit FK Universitas Indonesia, Jakarta, 4: 1-35.
- Martono, H., 2015. Aspek Fisiologik dan Patologik Akibat Proses Menua, dalam: *Buku Ajar Boedhi Darmojo, Geriatri (Ilmu Kesehatan Usia Lanjut)*. Balai Penerbit FK Universitas Indonesia, Jakarta, hal. 61–79.

- Massoud, L., Agha, H.A. and Taleb, M., 2017. Pharmacokinetic and pharmacodynamic changes in elderly people. *World j Pharm Med*, 3(11), pp.14-23.
- Moriarty, F., Bennett, K., Fahey, T., Kenny, R.A., dan Cahir, C., 2015. Longitudinal prevalence of potentially inappropriate medicines and potential prescribing omissions in a cohort of community-dwelling older people. *European Journal of Clinical Pharmacology*, 71: 473–482.
- Mugosa, S., Radosavljevic, I., Sahman, M., Djordjevic, N. and Todorovic, Z., 2022. Risk factors for adverse drug reactions associated with clopidogrel therapy. *Open Medicine*, 17(1), pp.694-701.
- Naranjo, C.A., Busto, U., Sellers, E.M., Sandor, P., Ruiz, I., Roberts, E.A., dkk., 1981. A method for estimating the probability of adverse drug reactions. *Clinical Pharmacology & Therapeutics*, 30: 239–245.
- Narum, S., Solhaug, V., Myhr, K., Johansen, P.W., Brørs, O. and Kringen, M.K., 2011. Warfarin-associated bleeding events and concomitant use of potentially interacting medicines reported to the Norwegian spontaneous reporting system. *British journal of clinical pharmacology*, 71(2), pp.254-262.
- Nuryati, 2017, *Farmakologi, Bahan Ajar Rekam medis dan Informasi Kesehatan (RMIK)*, Pusat Pendidikan Sumber Daya Manusia Kesehatan, Badan Pengembangan dan pemberdayaan Sumber Daya Manusia Kesehatan, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Permenkes RI, 2014, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 Tahun 2014 tentang Penyelenggaraan Pelayanan Geriatri di Rumah Sakit*, Peraturan Menteri Kesehatan.
- Permenkes RI, 2016, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia Tahun 2016-2019*, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Qato, D.M., Alexander, G.C., Conti, R.M., Johnson, M., Schumm, P. and Lindau, S.T., 2008. Use of prescription and over-the-counter medications and dietary supplements among older adults in the United States. *Jama*, 300(24), pp.2867-2878.
- Ren, Y., Ribas, H.T., Heath, K., Wu, S., Ren, J., Shriwas, P., Chen, X., Johnson, M.E., Cheng, X., Burdette, J.E. and Kinghorn, A.D., 2020. Na⁺/K⁺-ATPase-targeted cytotoxicity of (+)-digoxin and several semisynthetic derivatives. *Journal of natural products*, 83(3), pp.638-648.
- Rudolph, J. L., Salow, M. J., Angelini, M. C. & McGlinchey, R. E., 2008, The Anticholinergic Risk Scale and Anticholinergic Adverse Effects in Older Persons. *Archives of Internal Medicine*; 168; 508–513. doi: 10.1001/archinternmed.2007.106.
- Rusli, 2018, *Bahan Ajar Farmasi Klinik*, 7-13, Kementerian Kesehatan Republik Indonesia, Jakarta.
- Schmidt, M., Mansfield, K.E., Bhaskaran, K., Nitsch, D., Sørensen, H.T., Smeeth, L. and Tomlinson, L.A., 2017. Serum creatinine elevation after renin-angiotensin system blockade and long term cardiorenal risks: cohort study. *bmj*, 356.

- Steffens, D.C., Blazer, D.G., dan Thakur, M.E., 2015. *The American Psychiatric Publishing Textbook of Geriatric Psychiatry*. American Psychiatric Pub. hal 34.
- Sudhakar, R., George, M.K., Yasaswini, B., Sundararajan, N. and Mariyam, A.S.M., 2016. Adverse drug reactions associated with anti-hypertensive drugs and its management. *International Journal of Pharmaceutical Sciences and Research*, 7(3), p.898.
- Suga, T., Takenoshita, M., Watanabe, T., Tu, T. T. H., Mikuzuki, L., Hong, C., Miura, K., Yoshikawa, T., Nagamine, T. & Toyofuku, A., 2019, Therapeutic Dose of Amitriptyline for Older Patients with Burning Mouth Syndrome. *Neuropsychiatric Disease and Treatment*; 15; 3599–3607. doi: 10.2147/NDT.S235669.
- Sugiyono, 2016, *Metode Penelitian Kuantitatif, Kualitatif, R&D*, IKAPI, Bandung.
- Sukmawati, S., Kosman, R. & Damayanti, I., 2016, Identifikasi Penggunaan Obat Pada Pasien Hipertensi Usia Lanjut Dengan Beer's Criteria di Instalasi Rawat Inap Rumah Sakit Ibnu Sina Makassar Periode Tahun 2012. *As-Syifaa Jurnal Farmasi*; 8; 52–58. doi: 10.33096/jifa.v8i1.151.
- Sunarti, S., Ratnawati, R., Ngrahenny, D., Mattalitti, G.N.M., Ramadhan, R., Budianto, R., Pratiwi, I.C., Prakosa, A.G., 2019, Prinsip Dasar Kesehatan Lanjut Usia (Geriatric), UB Press, Malang, Hal. 84-123.
- Syuaib, A, N., Darmawan, E., Mustofa., 2015. Penggunaan Potentially Inappropriate Medications (PIMs) pada Pasien Geriatric Rawat Inap Osteoarthritis di RS PKU Muhammadiyah Yogyakarta. *Pharmaciana*, 5 (1): 77-84.
- Talley, N.J., Evans, J.M., Fleming, K.C., Harmsen, W.S., Zinsmeister, A.R. and Joseph Melton, L., 1995. Nonsteroidal antiinflammatory drugs and dyspepsia in the elderly. *Digestive diseases and sciences*, 40, pp.1345-1350.
- Talley, N.J., Jones, M., Nuyts, G. and Dubois, D., 2003. Risk factors for chronic constipation based on a general practice sample. *The American journal of gastroenterology*, 98(5), pp.1107-1111.
- Tao, L., Qu, X., Gao, H., Zhai, J., Zhang, Y. and Song, Y., 2021. Polypharmacy and potentially inappropriate medications among elderly patients in the geriatric department at a single-center in China: A retrospective cross-sectional study. *Medicine*, 100(42).
- Tjokroprawiro, A. 2015. *Buku Ajar Ilmu Penyakit Dalam*. Surabaya: UNAIR Press.
- Tridente, G., 2013. *Adverse Events with Biomedicines: Prevention Through Understanding*. Springer Science & Business Media, 15-24.
- Tsao, C.W., Aday, A.W., Almarzooq, Z.I., Anderson, C.A., Arora, P., Avery, C.L., Baker-Smith, C.M., Beaton, A.Z., Boehme, A.K., Buxton, A.E. and Commodore-Mensah, Y., 2023. Heart disease and stroke statistics—2023 update: a report from the American Heart Association. *Circulation*, 147(8), pp.e93-e621.
- Undang-Undang Republik Indonesia, 1998, *Undang-Undang Republik Indonesia No.13 Tahun 1998*, Tentang Kesejahteraan Lanjut Usia, 1-2.

- Uygungül, E., Ayrik, C., Narci, H., Erdoğan, S., Toker, İ., Demir, F. and Karaaslan, U., 2014. Determining risk factors of bleeding in patients on warfarin treatment. *Advances in hematology*, 2014.
- Vishwas HN, Harugeri A, Parthasarathi G, Ramesh M., 2012, Potentially inappropriate medication use in Indian elderly: comparison of Beers' criteria and Screening Tool of Older Persons' potentially inappropriate Prescriptions, *Geriatr Gerontol Int*;12(3):506-14. doi: 10.1111/j.1447-0594.2011.00806.x. Epub 2012 Jan 12. PMID: 2223906
- Woo, S.D., Yoon, J., Doo, G.E., Park, Y., Lee, Y., Lee, S.H., Lee, Y.H. and Ye, Y.M., 2020. Common causes and characteristics of adverse drug reactions in older adults: a retrospective study. *BMC Pharmacology and Toxicology*, 21(1), pp.1-9.
- Yasaei R, Saadabadi A. Clonidine. [Updated 2022 Jul 19]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459124/>
- Yu, E. W., Bauer, S. R., Bain, P. A. & Bauer, D., 2011, Proton Pump Inhibitors and Risk of Fractures: a Meta-Analysis of 11 International Studies. *American Journal of Medicine*; 124; 519–526. doi: 10.1016/j.amjmed.2011.01.007
- Zucker, I. and Prendergast, B.J., 2020. Sex differences in pharmacokinetics predict adverse drug reactions in women. *Biology of sex differences*, 11, pp.1