

DAFTAR PUSTAKA

- Ali, R. Ben, Omrani, R., Akacha, A. Ben, Dziri, C., and El May, M.V., 2019, Development and validation of a colorimetric method for the quantitative analysis of thioamide derivatives, *Spectrochim Acta A Mol Biomol Spectrosc*, 220.
- Amharar, S. and Aydogan, A., 2022, Highly sensitive and cost-effective fluorescent turn-on sensors based on octamethylcalix[4]pyrrole receptor for the detection of fluoride anion, *Dyes and Pigments*, 197.
- Araujo, P., 2009, Key aspects of analytical method validation and linearity evaluation, *J Chromatogr B Analyt Technol Biomed Life Sci*, 877, 2224–2234.
- Blažek Bregović, V., Basarić, N., and Mlinarić-Majerski, K., 2015, Anion binding with urea and thiourea derivatives, *Coord Chem Rev*, 295, 80–124.
- Caroleo, F., Magna, G., Nardis, S., Catini, A., Allegra, V., Natale, C. Di, and Paolesse, R., 2023, Silicon corrole functionalized Color Catcher strips for Fluoride ion detection, *Chem Eng J Adv*, 100478.
- Daksh, S., Goyal, A., and Pandiya, C.K., 2015, Validation of Analytical Methods-Strategies & Sigficance, 4, *Int J Res Dev Pharm life Sci*, 1489–1497.
- Fa, Y., Yu, Y., Li, F., Du, F., Liang, X., and Liu, H., 2018, Simultaneous detection of anions and cations in mineral water by two dimensional ion chromatography, *J Chromatogr A*, 1554, 123–127.
- Fan, Y., Li, J., Guo, Y., Xie, L., and Zhang, G., 2021, Digital image colorimetry on smartphone for chemical analysis: A review, *Measurement (Lond)*, 171.
- Harmita, H., 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Majalah Ilmu Kefarmasian*, 1, 117–135.
- Hou, D., You, Y., Wu, X., Li, C., Wu, S., Zhang, C., and Xian, Y., 2021, A nanosized metal–organic framework for visual detection of fluoride ions with smartphone via colorimetric test kit, *Sens Actuators B Chem*, 332.
- Kandil, A.-H.T., Gado, H.S., Cheira, M.F., Soliman, M.H., and Akl, H.M.H., 2016, Potentiality of Fluoride Determination from Egyptian Phosphogypsum Using an Ion Selective Electrode, *J Appl Chem*, 9, 1–11.
- Khoshmaram, L. and Mohammadi, M., 2021, Combination of a smart phone based low-cost portable colorimeter with air-assisted liquid-liquid

- microextraction for speciation and determination of chromium (III) and (VI), *Microchem J*, 164.
- Kwon, S.M. and Shin, H.S., 2014, Sensitive determination of fluoride in biological samples by gas chromatography-mass spectrometry after derivatization with 2-(bromomethyl)naphthalene, *Anal Chim Acta*, 852, 162–167.
- Lavanya, G., Sunil, M., Eswarudu, M.M., Eswaraiah, M.C., Harisudha, K., and Naga Spandana, B., 2013, Analytical Method Validation: An Updated Review, *Int J Pharm Sci Res*, 4, 1280.
- Li, Y., Xiao, Y., Tao, Q., Yu, M., Zheng, L., Yang, S., Ding, G., Dong, H., and Xie, X., 2021, Selective coordination and localized polarization in graphene quantum dots: Detection of fluoride anions using ultra-low-field NMR relaxometry, *Chin Chem Lett*, 32, 3921–3926.
- Li, Z.Y., Su, H.K., Tong, H.X., Yin, Y., Xiao, T., Sun, X.Q., Jiang, J., and Wang, L., 2018, Calix[4]arene containing thiourea and coumarin functionality as highly selective fluorescent and colorimetric chemosensor for fluoride ion, *Spectrochim Acta A Mol Biomol Spectrosc*, 200, 307–312.
- Liu, X., Chen, Z., Gao, R., Kan, C., and Xu, J., 2021, Portable quantitative detection of Fe³⁺ by integrating a smartphone with colorimetric responses of a rhodamine-functionalized polyacrylamide hydrogel chemosensor, *Sens Actuators B Chem*, 340.
- Maikap, A., Mukherjee, K., Mandal, N., Mondal, B., and Meikap, A.K., 2018, Iron (III) oxide hydroxide based novel electrode for the electrochemical detection of trace level fluoride present in water, *Electrochim Acta*, 264, 150–156.
- Maity, S., Maity, A.C., kumar Das, A., Roymahapatra, G., Goswami, S., and Mandal, T.K., 2022, Colorimetric and theoretical investigation of coumarin based chemosensor for selective detection of fluoride, *J Mol Struct*, 1264.
- Manna, U., Chutia, R., and Das, G., 2016, Entrapment of cyclic fluoride-water and sulfate-water-sulfate cluster within the self-assembled structure of linear meta-phenylenediamine based bis-urea receptors: Positional isomeric effect, *Cryst Growth Des*, 16, 2893–2903.
- Mukherjee, S., Shah, M., Chaudhari, K., Jana, A., Sudhakar, C., Srikrishnarka, P., Islam, M.R., Philip, L., and Pradeep, T., 2020, Smartphone-based Fluoride-specific Sensor for Rapid and Affordable Colorimetric Detection and Precise Quantification at Sub-ppm Levels for Field Applications, *ACS Omega*, 5, 25253–25263.
- Nelis, J.L.D., Zhao, Y., Zhao, Y., Bura, L., Rafferty, K., Elliott, C.T., and Campbell, K., 2020, A Randomized Combined Channel Approach for

- the Quantification of Color- And Intensity-Based Assays with Smartphones, *Anal Chem*, 92, 7852–7860.
- Okudan, A., Erdemir, S., and Kocyigit, O., 2013, “Naked-eye” detection of fluoride and acetate anions by using simple and efficient urea and thiourea based colorimetric sensors, *J Mol Struct*, 1048, 392–398.
- Sadaphal, Y.R. and Gholap, S.S., 2017, A highly selective colorimetric chemosensor for copper(II) based on N-phenyl-N’-(pyridin-2-yl)thiourea(HPyPT), *Sens Actuators B Chem*, 253, 173–179.
- Saikia, E., Borpuzari, M.P., Chetia, B., and Kar, R., 2016, Experimental and theoretical study of urea and thiourea based new colorimetric chemosensor for fluoride and acetate ions, *Spectrochim Acta A Mol Biomol Spectrosc*, 152, 101–108.
- Saranchina, N. V., Slizhov, Y.G., Vodova, Y.M., Murzakasymova, N.S., Ilyina, A.M., Gavrilenko, N.A., and Gavrilenko, M.A., 2021, Smartphone-based colorimetric determination of fluoride anions using polymethacrylate optode, *Talanta*, 226.
- Şengül, Ü., 2016, Comparing determination methods of detection and quantification limits for aflatoxin analysis in hazelnut, *J Food Drug Anal*, 24, 56–62.
- Taverniers, I., De Loose, M., and Van Bockstaele, E., 2004, Trends in quality in the analytical laboratory. II. Analytical method validation and quality assurance, *Trends Anal Chem*, 23, 535–552.
- Wang, R., Ruan, G., Sun, Y., Zhao, D., Yu, H., Zhang, C.W., Li, L., and Liu, J., 2021, A full-wavelength coverage colorimetric sensor depending on polymer-carbon nanodots from blue to red for visual detection of nitrite via smartphone, *Dyes and Pigments*, 191.
- Xia, Y., Wang, Q., Feng, X., Xiao, X., Wang, Y., and Xu, Z., 2022, Objective tongue diagnosis based on HSV color space: controlled study of tongue appearance in patients treated with percutaneous coronary intervention for coronary heart disease, *Intell Med*.
- Yadav, P., Laddha, H., Agarwal, M., and Gupta, R., 2021, Colorimetric assay of fluoride goes digital: On the spot testing of F⁻ ions in water using smartphone’s digital imaging and test strip assay by a novel chromofluorogenic receptor based on 1,8-naphthalimide, *J Mol Liq*, 324.
- Yadav, P., Laddha, H., Agarwal, M., Kushwaha, H.S., and Gupta, R., 2021, Studies on 1,8-naphthalimide derivative as a robust multi-responsive receptor for an array of low cost microanalytical techniques for selective prompt and on-site recognition of duplicitous fluoride in semi-aqueous medium, *J Fluor Chem*, 249.

- Yang, L., Liu, Y.L., Liu, C.G., Fu, Y., and Ye, F., 2021, A naked-eye visible colorimetric and ratiometric chemosensor based on Schiff base for fluoride anion detection, *J Mol Struct*, 1236.
- Zavala-Contreras, B., Santacruz-Ortega, H., Orozco-Valencia, A.U., Inoue, M., Ochoa Lara, K., and Navarro, R.E., 2021, Optical Anion Receptors with Urea/Thiourea Subunits on a TentaGel Support, *ACS Omega*, 6, 9381–9390.
- Zhang, F., Dong, W., Jia, X., Jiang, T., Li, X., and Ma, Y., 2022, A novel colorimetric and ratiometric fluorescent probe for fluoride anions based on perylene tetra-(alkoxycarbonyl) derivatives, *J Mol Struct*, 1259.
- Zhang, W., Qiu, L., Shea, K.J., Fan, J., Liu, Y., Zheng, W., Xue, M., Liu, W., Xu, Z., Xiu-Tian-Feng, E., Dong, X., Qiao, Y., and Meng, Z., 2022, Quantitative Analysis of Structure Color of Photonic Crystal Sensors Based on HSB Color Space, *ACS Appl Mater Interfaces*, 14, 35010–35019.