

DAFTAR PUSTAKA

- Agustika, D. & Triyana, K. (2016). *Metode Manipulasi Baseline Untuk Mengatasi Sensor Drift Pada Sensor Gas Untuk Uji Diskriminasi Jamu The Method Of Baseline Manipulation To Overcome The Sensor Drift On Gas Sensor Test For Herbal Drinks Discrimination*. In J. Sains Dasar (Vol. 5, Issue 1).
- Aji, M. A. P., Kamal, M., & Farda, N. M. (2023). *Mangrove species mapping through phenological analysis using random forest algorithm on Google Earth Engine*. Remote Sensing Applications: Society and Environment, 30, 100978. <https://doi.org/10.1016/j.rsase.2023.100978>
- Astuti, P., Airin, C., Widiyanto, S., Sjahfirdi, L., & Maheswari, H. (2017a). *Pemanfaatan Electronic Nose Sebagai Sensor Kimiawi Urin Guna Melacak Birahi Sapi (Electronic Nose As Urinary Chemical Sensor For Determining Estrous Phase In Cattle)*. Jurnal Veteriner, 17(4), 477–483. <https://doi.org/10.19087/jveteriner.2016.17.4.477>
- Astuti, P., Airin, C., Widiyanto, S., Sjahfirdi, L., & Maheswari, H. (2017b). *Pemanfaatan Electronic Nose Sebagai Sensor Kimiawi Urin Guna Melacak Birahi Sapi (Electronic Nose As Urinary Chemical Sensor For Determining Estrous Phase In Cattle)*. Jurnal Veteriner, 17(4), 477–483. <https://doi.org/10.19087/jveteriner.2016.17.4.477>
- Ayu Larasati, D., & Kunci, K. (2021). Application of the K-NN Method and GLCM Feature Extraction in Classifying Formalin Fish Images. In JRCS (Journal of Research Computer Science) (Vol. 1, Issue 1). <http://journal.station-it.org/index.php/jrcs>
- Burns, G. S., & Thompson, A. J. (2014). *Viral Hepatitis B: Clinical and Epidemiological Characteristics*. Cold Spring Harbor Perspectives in Medicine, 4(12), a024935–a024935. <https://doi.org/10.1101/cshperspect.a024935>
- Cahyanti, D., Rahmayani, A., & Ainy Husniar, S. (2020). *Analisis performa metode Knn pada Dataset pasien pengidap Kanker Payudara*. Indonesian Journal of Data and Science. 1(2), 39–43.
- Firmawati, N., & Triyana, K. (2016). *Kelayakan Teknologi Electronic Nose Untuk Mendeteksi Urin Yang Mengandung Metadon Dengan Menggunakan Principal Component Analysis (Pca)*. Jurnal Ilmu Fisika, Universitas Andalas, 8(1), 45–51. <https://doi.org/10.25077/Jif.8.1.45-51.2016>
- Hartmann, K. F., Speck, S., Truyen, U., Reese, S., & Proksch, A.-L. (2017). *Faecal shedding of canine parvovirus after modified-live vaccination in healthy adult dogs*. The Veterinary Journal, 219, 15–21. <https://doi.org/10.1016/j.tvjl.2016.11.011>

- Hidayat, S. N., Julian, T., Dharmawan, A. B., Puspita, M., Chandra, L., Rohman, A., Julia, M., Rianjanu, A., Nurputra, D. K., Triyana, K., & Wasisto, H. S. (2022). *Hybrid learning method based on feature clustering and scoring for enhanced COVID-19 breath analysis by an electronic nose*. Artificial Intelligence in Medicine, 129. <https://doi.org/10.1016/j.artmed.2022.102323>
- Jolly, G. M., Gilliaux, G., Jolly, S., Casanova, T., Bayrou, C., Gommeren, K., Fett, T., Mauroy, A., Lévy, E., Cassart, D., Peeters, D., Poncelet, L., & Desmecht, D. (2016). *Feline panleukopenia virus in cerebral neurons of young and adult cats*. BMC Veterinary Research, 12(1), 28. <https://doi.org/10.1186/s12917-016-0657-0>
- Julianto, B. & Supriyadi. (2013). Pengaruh Suhu Terhadap Hambatan Rangkaian Listrik. Universitas Negeri Semarang. Jurnal Fisika Vol. 3 No. 2
- Kabuhung, E. I., Ningrum, N. W., Sari, S., & Banjarmasin, M. (2018). *Deteksi Dini Kanker Serviks Dengan Media Urine*. In Dinamika Kesehatan (Vol. 9, Issue 2).
- Kamilla, S. K., & Ojha, M. (2023). *Review on nano-electro-mechanical-system devices*. Materials Today: Proceedings, 81, 133–136. <https://doi.org/10.1016/j.matpr.2021.02.801>
- McGreevy, P., Masters, S., Richards, L., Soares Magalhaes, R. J., Peaston, A., Combs, M., Irwin, P. J., Lloyd, J., Croton, C., Wylie, C., & Wilson, B. (2019). *Identification of Microchip Implantation Events for Dogs and Cats in the VetCompass Australia Database*. Animals, 9(7), 423. <https://doi.org/10.3390/ani9070423>
- Neuerer, F. F., Horlacher, K., Truyen, U., & Hartmann, K. (2008). *Comparison of different in-house test systems to detect parvovirus in faeces of cats*. Journal of Feline Medicine and Surgery, 10(3), 247–251. <https://doi.org/10.1016/j.jfms.2007.12.001>
- Nurputra, D. K., Kusumaatmaja, A., Hakim, M. S., Hidayat, S. N., Julian, T., Sumanto, B., Mahendradhata, Y., Saktiawati, A. M. I., Wasisto, H. S., & Triyana, K. (2022). *Fast and noninvasive electronic nose for sniffing out COVID-19 based on exhaled breath-print recognition*. Npj Digital Medicine, 5(1). <https://doi.org/10.1038/s41746-022-00661-2>
- Patel, H. K. (2014). *The Electronic Nose: Artificial Olfaction Technology*. Springer India. <https://doi.org/10.1007/978-81-322-1548-6>
- Patel, H. K., & Kunpara, M. J. (2011). *Electronic nose sensor response and qualitative review of e-nose sensors*. Nirma University International Conference on Engineering, 1–6. <https://doi.org/10.1109/NUiConE.2011.6153319>

- Pearce, T. C., Schiffman, S. S., Nagle, H. T., & Gardner, J. W. (2003). *Handbook of Machine Olfaction Electronic Nose Technology*. Wiley-VCH, Weinheim. pp. 33-53". DOI: 10.1002/3527601597
- Pedregosa, F., Michel, V., Thirion, B., Grisel, O., Dubourg, V., Passos, A., Brucher, M., Perrot Andédouardand, M., Duchesnay, Andédouard, & Duchesnay Edouardduchesnay, Fré. (2011). *Scikit-Learn: Machine Learning in Python*. Matthieu Perrot. In Journal of Machine Learning Research (Vol. 12). <Http://Scikit-Learn.Sourceforge.Net>.
- Saktiawati, A. M. I., Triyana, K., Wahyuningtias, S. D., Dwihardiani, B., Julian, T., Hidayat, S. N., Ahmad, R. A., Probandari, A., & Mahendradhata, Y. (2021). *eNose-TB: A trial study protocol of electronic nose for tuberculosis screening in Indonesia*. PLOS ONE, 16(4). <https://doi.org/10.1371/journal.pone.0249689>
- Saptadi, A. H. (2018). *Implementasi Metode Simple Moving Average dalam Penghitungan Nilai Rerata dan Simpangan Baku pada Aplikasi Pencatat Data Ukur Sensor*. In Seminar Nasional Aplikasi Teknologi Informasi (SNATi). www.processing.org
- Sari, G. Y., Wildian, W., & Firmawati, N. (2019). *Rancang Bangun Sistem Electronic Nose (E-Nose) Untuk Deteksi Sampel Kanker Payudara Berbasis Mikrokontroler Arduino Uno*. Universitas Andalas, Jurnal Fisika, 10(1), 1–10. <https://doi.org/10.25077/Jif.10.1.1-10.2018>
- Sulistya, E. (2020). *Penggunaan Arduino dan Sistem Akuisisi Data Excel Pada Praktikum Kesetaraan Kalor Listrik*. Jurnal Fisika Indonesia, 22(2), 12. <https://doi.org/10.22146/jfi.v22i2.40031>
- Sykes, B. C., Mullis, R. A., Hagenmuller, C., Melton, T. W., & Sartori, M. (2014). *Genetic analysis of hair samples attributed to yeti, bigfoot and other anomalous primates*. Proceedings of the Royal Society B: Biological Sciences, 281(1789), 20140161. <https://doi.org/10.1098/rspb.2014.0161>
- Truyen, R. T., Hartmann, K., Truyen, U., Zablotski, Y., & Bergmann, M. (2022). *Feline Panleukopenia Outbreaks and Risk Factors in Cats in Animal Shelters*. Viruses, 14(6), 1248. <https://doi.org/10.3390/v14061248>
- Wijaya, D. R., Sarno, R., Zulaika, E., & Sabila, S. I. (2017). *Development of mobile electronic nose for beef quality monitoring*. Procedia Computer Science, 124, 728–735. <https://doi.org/10.1016/j.procs.2017.12.211>
- Yan, J., Guo, X., Duan, S., Jia, P., Wang, L., Peng, C., & Zhang, S. (2015). *Electronic Nose Feature Extraction Methods: A Review*. Sensors, 15(11), 27804–27831. <https://doi.org/10.3390/s151127804>