

DAFTAR PUSTAKA

- Abotaleb, M., Liskova, A., Kubatka, P. and Büsselberg, D., 2020. Therapeutic potential of plant phenolic acids in the treatment of cancer. *Biomolecules*, 10(2), p.221.
- Ahmed, F. and Iqbal, M., 2018. Antioxidant activity of *Ricinus communis*. *Organic & Medicinal Chemistry International Journal*, 5(4), pp.107-112.
- Ahlina, F.N., Nugraheni, N., Salsabila, I.A., Haryanti, S., Da'i, M. and Meiyanto, E., 2020. Revealing the reversal effect of galangal (*Alpinia galanga* L.) extract against oxidative stress in metastatic breast cancer cells and normal fibroblast cells intended as a co-chemotherapeutic and anti-ageing agent. *Asian Pacific Journal of Cancer Prevention*, 21(1), pp.107-117.
- Amalina, N.D., Salsabila, I.A., Zulfin, U.M., Jenie, R.I. and Meiyanto, E., 2023. In vitro synergistic effect of hesperidin and doxorubicin downregulates epithelial-mesenchymal transition in highly metastatic breast cancer cells. *Journal of the Egyptian National Cancer Institute*, 35(1), pp.1-13.
- Ammerman, N.C., Beier-Sexton, M. and Azad, A.F., 2008. Growth and maintenance of Vero cell lines. *Current protocols in microbiology*, 11(1), pp.A-4E.
- Akhlaghi, M., Brian, B. 2009. Mechanisms of flavonoid protection against myocardial ischemia–reperfusion injury. *Journal of Molecular and Cellular Cardiology*. 46 : 309–17.
- Alfaridz, F., 2018. Review jurnal: Klasifikasi dan aktivitas farmakologi dari senyawa aktif flavonoid. *Farmaka*, 16(3).
- Ali, S., Rasool, M., Chaoudhry, H., Pushparaj, P.N., Jha, P., Hafiz, A., Mahfooz, M., Sami, G.A., Kamal, M.A., Bashir, S. and Ali, A., 2016. Molecular mechanisms and mode of tamoxifen resistance in breast cancer. *Bioinformation*, 12(3), p.135.
- Arianingrum, R., Sunarminingsih, R., Meiyanto, E. and Mubarika, S., 2015. Synergistic effects of para-hydroxy meta-methoxy chalcone (pHmMC)-doxorubicin treatments on T47D breast cancer cells. *IJ Biotech*, 20, pp.141-151.
- Bae, Y.S., Oh, H., Rhee, S.G., dan Yoo, Y. Do, 2011. Regulation of Reactive Oxygen Species Generation in Cell Signaling 491–509.
- Bahri, M., Fleurence, J., Faraj, S., Daho, M.B.M., Fougerey, S. and Birklé, S., 2019. Potentiation of anticancer antibody efficacy by antineoplastic drugs: detection of antibody-drug synergism using the combination index equation. *JoVE (Journal of Visualized Experiments)*, (143), p.e58291.
- Bag, G.C., Devi, P.G. and Bhaigyabati, T.H., 2015. Assessment of total flavonoid content and antioxidant activity of methanolic rhizome extract of three *Hedychium* species of Manipur valley. *International Journal of Pharmaceutical Sciences Review and Research*, 30(1), pp.154-159.

- Baskaran, X.R., Geo Vigila, A.V., Zhang, S.Z., Feng, S.X. and Liao, W.B., 2018. A review of the use of pteridophytes for treating human ailments. *Journal of Zhejiang University-Science B*, 19(2), pp.85-119.
- Bhardwaj, P., Au, C.C., Benito-Martin, A., Ladumor, H., Oshchepkova, S., Moges, R. and Brown, K.A., 2019. Estrogens and breast cancer: Mechanisms involved in obesity-related development, growth and progression. *The Journal of steroid biochemistry and molecular biology*, 189, pp.161-170.
- Brownsey, P.J. and Perrie, L.R., 2021. Flora Of New Zealand Ferns And Lycophytes. *Breitwieser, I. Heenan, Wilton, AD Flora of New Zealand*.
- Bukowski, K., Kciuk, M. and Kontek, R., 2020. Mechanisms of multidrug resistance in cancer chemotherapy. *International journal of molecular sciences*, 21(9), p.3233.
- Burdall, E.S., Hanby M.A., Landsdown, R.J.M., dan Speirs, V. 2003. Breast Cancer Cell Line. *Breast Cancer Res.*, 5(2): 89-95.
- Cao, J., Xia, X., Dai, X., Wang, Q. and Xiao, J., 2014. Chemical composition and bioactivities of flavonoids-rich extract from *Davallia cylindrica* Ching. *Environmental Toxicology and Pharmacology*, 37(2), pp.571-579.
- Cappetta, D., De Angelis, A., Sapio, L., Prezioso, L., Illiano, M., Quaini, F., dkk., 2017. Oxidative Stress and Cellular Response to Doxorubicin: A Common Factor in the Complex Milieu of Anthracycline Cardiotoxicity. *Oxidative Medicine and Cellular Longevity*, 2017: e1521020.
- Castonguay, A., Doucet, C., Juhas, M. and Maysinger, D., 2012. New ruthenium (II)–letrozole complexes as anticancer therapeutics. *Journal of medicinal chemistry*, 55(20), pp.8799-8806.
- Chai T-T, Yeoh L-Y, Ismail NM, Ong H-C, Manan FA, Wong F-C. 2015. Evaluation of glucosidase inhibitory and cytotoxic potential of five selected edible and medicinal ferns. *Tropical Journal of Pharmaceutical Research*. 14(3):449-54.
- Chaves, J.O., De Souza, M.C., Da Silva, L.C., Lachos-Perez, D., Torres-Mayanga, P.C., Machado, A.P.D.F., Forster-Carneiro, T., Vázquez-Espinosa, M., González-de-Peredo, A.V., Barbero, G.F. and Rostagno, M.A., 2020. Extraction of flavonoids from natural sources using modern techniques. *Frontiers in Chemistry*, 8, p.507887.
- Chen, Y.H., Chang, F.R., Lin, Y.J., Hsieh, P.W., Wu, M.J. and Wu, Y.C., 2008. Identification of antioxidants from rhizome of *Davallia solida*. *Food chemistry*, 107(2), pp.684-691.
- Cheng, A.S., Chang, W.C., Cheng, Y.H., Chen, K.Y., Chen, K.H. and Chang, T.L., 2012. The effects of Davallic acid from *Davallia divaricata* Blume on apoptosis induction in A549 lung cancer cells. *Molecules*, 17(11), pp.12938-12949.
- Choi, S.S., Lee, S.H. and Lee, K.A., 2022. A comparative study of hesperetin, hesperidin and hesperidin glucoside: Antioxidant, anti-inflammatory, and antibacterial activities in vitro. *Antioxidants*, 11(8), p.1618.

- Christowitz, C., Davis, T., Isaacs, A., Van Niekerk, G., Hattingh, S. and Engelbrecht, A.M., 2019. Mechanisms of doxorubicin-induced drug resistance and drug resistant tumour growth in a murine breast tumour model. *BMC cancer*, 19(1), pp.1-10.
- Dajas, F. 2012. Life or Death: Neuroprotective and Anticancer Effects of Quercetin. *J Ethnopharmacol.* 143: 383-396.
- Damiani, E., Solorio, J.A., Doyle, A.P. and Wallace, H.M., 2019. How reliable are in vitro IC₅₀ values? Values vary with cytotoxicity assays in human glioblastoma cells. *Toxicology letters*, 302, pp.28-34.
- David, A.V.A., Arulmoli, R. and Parasuraman, S., 2016. Overviews of biological importance of quercetin: A bioactive flavonoid. *Pharmacognosy reviews*, 10(20), p.84.
- De Souza Farias, S.A., da Costa, K.S. and Martins, J.B., 2021. Analysis of conformational, structural, magnetic, and electronic properties related to antioxidant activity: revisiting flavan, anthocyanidin, flavanone, flavanol, isoflavone, flavone, and flavan-3-ol. *ACS omega*, 6(13), pp.8908-8918.
- Dembic, Z., 2020. Antitumor Drugs and Their Targets. *Molecules*, 25: 5776.
- Elasbali, A.M., Al-Soud, W.A., Al-Oanzi, Z.H., Qanash, H., Alharbi, B., Binsaleh, N.K., Alreshidi, M., Patel, M. and Adnan, M., 2022. Cytotoxic activity, cell cycle inhibition, and apoptosis-inducing potential of *Athyrium hohenackerianum* (Lady Fern) with its phytochemical profiling. *Evidence-Based Complementary and Alternative Medicine*, 2022.
- Elster, N., Collins, D.M., Toomey, S., Crown, J., Eustace, A.J. and Hennessy, B.T., 2015. HER2-family signalling mechanisms, clinical implications and targeting in breast cancer. *Breast cancer research and treatment*, 149, pp.5-15.
- Esakov, E.L., Hale, J., Richards, E.G., Torre-Healy, L., Gullapalli, K., Trivedi, D., Chumakova, A., Wessely, O., Jensen, J., Lathia, J. and Reizes, O., 2019. Therapeutic strategies to induce ER α in luminal breast cancer to enhance tamoxifen efficacy. *Endocrine-related cancer*, 26(8), p.689.
- Feitelson, M.A., Arzumanyan, A., Kulathinal, R.J., Blain, S.W., Holcombe, R.F., Mahajna, J., Marino, M., Martinez-Chantar, M.L., Nawroth, R., Sanchez-Garcia, I. and Sharma, D., 2015, December. Sustained proliferation in cancer: Mechanisms and novel therapeutic targets. In *Seminars in cancer biology* (Vol. 35, pp. S25-S54). Academic Press.
- Fikriansyah, F., Widiastuti, M., Wulandari, N., Tirtanirmala, P., dan Murwanti, R., 2015. Cardioprotective Effect of Kelor (*Moringa oleifera*) Leaf Ethanolic Extract against Doxorubicin-Induced Cardiotoxicity in Rats. *Indonesian Journal of Cancer Chemoprevention*, 6: 53–57.
- Fragomeni, S.M., Sciallis, A. and Jeruss, J.S., 2018. Molecular subtypes and local-regional control of breast cancer. *Surgical Oncology Clinics*, 27(1), pp.95-120.
- Gao, J.J. and Swain, S.M., 2018. Luminal a breast cancer and molecular assays: a review. *The oncologist*, 23(5), pp.556-565.

- Ghibu, S., Delemasure, S., Richard, C., Guillard, J.C., Martin, L., Gambert, S., Rochette, L. and Vergely, C., 2012. General oxidative stress during doxorubicin-induced cardiotoxicity in rats: absence of cardioprotection and low antioxidant efficiency of alpha-lipoic acid. *Biochimie*, 94(4), pp.932-939.
- Gracelin, D.H.S., Britto, A. and Kumar, B.J.R.P., 2013. Qualitative and quantitative analysis of phytochemicals in five *Pteris* species. *Int J Pharm Pharm Sci*, 5(1), pp.105-107.
- Györfy B, Schäfer R. Meta-analysis of gene expression profiles related to relapse-free survival in 1,079 breast cancer patients. *Breast Cancer Res Treat*. 2009;118:433–41.
- Haagensen, E.J., Kyle, S., Beale, G.S., Maxwell, R.J., dan Newell, D.R., 2012. The synergistic interaction of MEK and PI3K inhibitors is modulated by mTOR inhibition. *British Journal of Cancer*, 106: 1386–1394.
- Habli, Z., Toumieh, G., Fatfat, M., Rahal, O.N. and Gali-Muhtasib, H., 2017. Emerging cytotoxic alkaloids in the battle against cancer: Overview of molecular mechanisms. *Molecules*, 22(2), p.250.
- Hammami, S., Snène, A., El Mokni, R., Faidi, K., Falconieri, D., Dhaouadi, H., Piras, A., Mighri, Z. and Porcedda, S., 2016. Essential oil constituents and antioxidant activity of *Asplenium* ferns. *Journal of chromatographic science*, 54(8), pp.1341-1345.
- Haryanti, S., Zulfin, U.M., Salsabila, I.A., Wulandari, F. and Meiyanto, E., 2022. The Cytotoxic and Anti-Migratory Properties of *Caesalpinia sappan* and *Ficus septica*, in Combination with Doxorubicin on 4T1 TNBC Cells with Nephroprotective Potential. *Asian Pacific Journal of Cancer Prevention*, 23(2), pp.743-752.
- Henninger, C. dan Fritz, G., 2018. Statins in anthracycline-induced cardiotoxicity: Rac and Rho, and the heartbreakers. *Cell Death & Disease*, 8: e2564–e2564.
- Hidayati, D.N., Jenie, R.I. and Meiyanto, E., 2018. Combination of curcuma (*Curcuma xanthorrhiza* Roxb) rhizome ethanolic extract and awar-awar (*Ficus septica* Burm. F) leaves ethanolic extract increases cisplatin cytotoxicity on T47D breast cancer cells through cell cycle modulation. *Indonesian Journal of Cancer Chemoprevention*, 8(3), pp.120-125.
- Huang, R.Y., Pei, L., Liu, Q., Chen, S., Dou, H., Shu, G., Yuan, Z.X., Lin, J., Peng, G., Zhang, W. and Fu, H., 2019. Isobologram analysis: a comprehensive review of methodology and current research. *Frontiers in pharmacology*, 10, p.1222.
- Hunyadi, A., 2019. The mechanism (s) of action of antioxidants: From scavenging reactive oxygen/nitrogen species to redox signaling and the generation of bioactive secondary metabolites. *Medicinal research reviews*, 39(6), pp.2505-2533.
- Ikawati, M., Jenie, R.I., Utomo, R.Y., Amalina, N.D., Ilmawati, G.P.N., Kawaichi, M. and Meiyanto, E., 2020. Genistein enhances cytotoxic and antimigratory activities of doxorubicin on 4T1 breast cancer cells through cell cycle arrest

- and ROS generation. *Journal of Applied Pharmaceutical Science*, 10(10), pp.095-104.
- Huang, H., Zhou, J., Chen, H., Li, J., Zhang, C., Jiang, X. and Ni, C., 2021. The immunomodulatory effects of endocrine therapy in breast cancer. *Journal of Experimental & Clinical Cancer Research*, 40, pp.1-16.
- Jenie, R., Handayani, S., Susidarti, R.A. and Meiyanto, E., 2020. The Effect of Brazilin from *Caesalpinia sappan* on Cell Cycle and Modulation and Cell Senescence in T47D cells. *Indonesian Journal of Pharmacy*, 31(2), p.84.
- Jenie, R. I., Santoso, R. A., Salsabila, I. A., Nugraheni, N., & Meiyanto, E. 2021. *Alpinia galanga* extract induces senescence in human epidermal growth factor receptor 2-overexpressing breast cancer cells. *Thai Journal of Pharmaceutical Sciences*, 7.
- Kaminska, K., Akrap, N., Staaf, J., Alves, C.L., Ehinger, A., Ebbesson, A., Hedenfalk, I., Beumers, L., Veerla, S., Harbst, K. and Ehmsen, S., 2021. Distinct mechanisms of resistance to fulvestrant treatment dictate level of ER independence and selective response to CDK inhibitors in metastatic breast cancer. *Breast Cancer Research*, 23(1), pp.1-18.
- Kciuk, M., Gielecińska, A., Mujwar, S., Kołat, D., Kałuzińska-Kołat, Ż., Celik, I. and Kontek, R., 2023. Doxorubicin—An Agent with Multiple Mechanisms of Anticancer Activity. *Cells*, 12(4), p.659.
- Khoirunnisa, I. and Sumiwi, S.A., 2019. Peran flavonoid pada berbagai aktivitas farmakologi. *Farmaka*, 17(2), pp.131-142.
- Koklesova, L., Liskova, A., Samec, M., Qaradakhi, T., Zulli, A., Smejkal, K., Kajo, K., Jakubikova, J., Behzadi, P., Pec, M. and Zubor, P., 2020. Genoprotective activities of plant natural substances in cancer and chemopreventive strategies in the context of 3P medicine. *EPMA Journal*, 11, pp.261-287.
- Komala, I., Sitorus, S., Dewi, F.R., Nurmeilis, N. and Hendarmin, L.A., 2022. Cytotoxic Activity of the Indonesian Fern *Angiopteris angustifolia* C. Presl and Liverwort *Mastigophora dielados* (Birs. ex Web) Nees Against Breast Cancer Cell Lines (MCF-7). *Jurnal Kimia Valensi*, 8(1), pp.79-84.
- Kusnadi K., Devi ET. Isolasi dan identifikasi senyawa flavonoid pada ekstrak daun seledri (*Apium graveolens* L.) dengan metode refluks. *Pancasakti Sci Educ J*. 2017;2(1):56–67.
- Lee, V.W. and Harris, D.C., 2011. Adriamycin nephropathy: a model of focal segmental glomerulosclerosis. *Nephrology*, 16(1), pp.30-38.
- Li, J., Wang, Z. and Shao, Z., 2019. Fulvestrant in the treatment of hormone receptor-positive/human epidermal growth factor receptor 2-negative advanced breast cancer: A review. *Cancer medicine*, 8(5), pp.1943-1957.
- Lindström, L.S., Yau, C., Czene, K., Thompson, C.K., Hoadley, K.A., Van't Veer, L.J., Balassanian, R., Bishop, J.W., Carpenter, P.M., Chen, Y.Y. and Datnow, B., 2018. Intratumor heterogeneity of the estrogen receptor and the long-term

- risk of fatal breast cancer. *JNCI: Journal of the National Cancer Institute*, 110(7), pp.726-733.
- Luque-Bolivar, A., Pérez-Mora, E., Villegas, V.E. and Rondón-Lagos, M., 2020. Resistance and overcoming resistance in breast cancer. *Breast Cancer: Targets and Therapy*, pp.211-229.
- Makris, D.P., Kallithraka, S., Kefalas, P., 2006. Flavonols in grapes, grape products and wines: Burden, profile and influential parameters. *J. Food Compos. Anal.* 19, 396–404.
- Makuasa, D.A.A. and Ningsih, P., 2020. The analysis of total flavonoid levels in young leaves and old soursop leaves (*Annona muricata* L.) using uv-vis sepctrofotometry methods. *Journal of Applied Science, Engineering, Technology, and Education*, 2(1), pp.11-17.
- Mbara, K.C., Devnarain, N. and Owira, P.M., 2022. Potential Role of Polyphenolic Flavonoids as Senotherapeutic Agents in Degenerative Diseases and Geroprotection. *Pharmaceutical Medicine*, 36(6), pp.331-352.
- Mohany, K.M., Abdel Shakour, A.B., Mohamed, S.I., Hanna, R.S. and Nassar, A.Y., 2023. Cytotoxic n-Hexane Fraction of the Egyptian *Pteris vittata* Functions as Anti-breast Cancer Through Coordinated Actions on Apoptotic and Autophagic Pathways. *Applied Biochemistry and Biotechnology*, pp.1-15.
- Mokhtari, R.B., Homayouni, T.S., Baluch, N., Morgatskaya, E., Kumar, S., Das, B. and Yeger, H., 2017. Combination therapy in combating cancer. *Oncotarget*, 8(23), p.38022.
- Muchtady D. 2012. Pangan fungsional dan senyawa bioaktif. Alfabeta. Bandung
- National Cancer Institute (NIH). [Internet]. National Cancer Institute (NIH); c2019-2022. Cancer Stat Facts: Female Breast Cancer Subtypes. <https://seer.cancer.gov/statfacts/html/breast-subtypes.html> [Accessed on 20 Jun 2022]
- National Cancer Institute (NIH). 2022. Breast Cancer Treatment (PDQ) Patient Version. Diakses pada 8 April 2023, dari <https://www.cancer.gov/types/breast/patient/breast-treatment-pdq>
- Novitasari, A.E. dan D.Z. Putri. 2016. Isolasi dan identifikasi saponin pada ekstrak daun mahkota dewa dengan ekstraksi maserasi. *Jurnal Sains*. 6(12):10-14.
- Nwiloh BI, Monago CC, Uwakwe AA, 2014. Chemical composition of essential oil from the fiddleheads of *Pteridium aquilinum* L. Kuhn found in Ogoni. *J Med Plants Res*, 8(1):77-80.
- Ogunro, O.B., Fakayode, A.E. and Batiha, G.E.S., 2022. Involvement of Antioxidant in the Prevention of Cellular Damage. In *Importance of Oxidative Stress and Antioxidant System in Health and Disease*. IntechOpen.
- Opdam, F.L., Guchelaar, H.J., Beijnen, J.H. and Schellens, J.H., 2012. Lapatinib for advanced or metastatic breast cancer. *The oncologist*, 17(4), pp.536-542.
- Otohinoyi, D.A., Ekpo, O. and Ibraheem, O., 2014. Effect of ambient temperature storage on 2, 2-diphenyl-1-picrylhydrazyl (DPPH) as a free radical for the evaluation of antioxidant activity. *International Journal of Biological and Chemical Sciences*, 8(3), pp.1262-1268.

- Panchal, H., Amin, A. and Shah, M., 2017. Development of validated high-performance thin-layer chromatography method for simultaneous determination of quercetin and kaempferol in *Thespesia populnea*. *Pharmacognosy Research*, 9(3), p.277.
- Panche, A.N., Diwan, A.D. and Chandra, S.R., 2016. Flavonoids: an overview. *Journal of nutritional science*, 5, p.e47.
- Parhiz, H., Roohbakhsh, A., Soltani, F., Rezaee, R. and Iranshahi, M., 2015. Antioxidant and anti-inflammatory properties of the citrus flavonoids hesperidin and hesperetin: an updated review of their molecular mechanisms and experimental models. *Phytotherapy research*, 29(3), pp.323-331.
- Pellegrino, B., Hlavata, Z., Migali, C., De Silva, P., Aiello, M., Willard-Gallo, K., Musolino, A. and Solinas, C., 2021. Luminal breast cancer: Risk of recurrence and tumor-associated immune suppression. *Molecular Diagnosis & Therapy*, 25(4), pp.409-424.
- Perazella, M.A., 2012. Onco-Nephrology: Renal Toxicities of Chemotherapeutic Agents. *Clinical Journal of the American Society of Nephrology*, 7: 1713–1721.
- Ponnusamy, L., Mahalingaiah, P.K.S. and Singh, K.P., 2017. Treatment schedule and estrogen receptor-status influence acquisition of doxorubicin resistance in breast cancer cells. *European Journal of Pharmaceutical Sciences*, 104, pp.424-433.
- Rahmawati Y., Setyawati Y., Widodo I., Ghazali A., Purnomosari D. 2017. Molecular subtypes of Indonesian breast carcinomas - Lack of association with patient age and tumor size. *Asian Pacific J Canc Prev*, 19(1), 161-166.
- Rajesh, K.D., Vasantha, S.U., Panneerselvam, A.N., Rajesh, N.V., Jeyathilakan, N.A., 2016. Phytochemical analysis, in vitro antioxidant potential and gas chromatography-mass spectrometry studies of *Dicranopteris linearis*. *Asian J. Pharm. Clin. Res*, 9(2), pp.1-6.
- Rawat, P.S., Jaiswal, A., Khurana, A., Bhatti, JS, & Navik, U. 2021. Kardiotoksisitas yang diinduksi doxorubicin: Pembaruan pada mekanisme molekuler dan strategi terapi baru untuk manajemen yang efektif. *Biomedis & Farmakoterapi*, 139, 111708.
- Razavi, P., Chang, M.T., Xu, G., Bandlamudi, C., Ross, D.S., Vasan, N., Cai, Y., Bielski, C.M., Donoghue, M.T., Jonsson, P. and Penson, A., 2018. The genomic landscape of endocrine-resistant advanced breast cancers. *Cancer cell*, 34(3), pp.427-438.
- Rizeq, B., Gupta, I., Ilesanmi, J., AlSafran, M., Rahman, M.D. and Ouhtit, A., 2020. The power of phytochemicals combination in cancer chemoprevention. *Journal of Cancer*, 11(15), pp.4521-4533.
- Rodriguez-Garcia C., Sanchez-Quesada C. Dietary Flavonoids as Cancer Chemopreventive Agents: An Updated Review of Human Studies. *Antioxidants*. 2019;8:137. doi: 10.3390/antiox8050137.

- Roychoudhury, S., Kumar, A., Bhatkar, D. and Sharma, N.K., 2020. Molecular avenues in targeted doxorubicin cancer therapy. *Future Oncology*, 16(11), pp.687-700.
- Salsabila, I.A., Nugraheni, N., Ahlina, F.N., Haryanti, S. and Meiyanto, E., 2021. Synergistic cotreatment potential of soursop (*Annona muricata* L.) leaves extract with Doxorubicin on 4T1 cells with antisenesence and anti-reactive-oxygen-species properties. *Iranian Journal of Pharmaceutical Research: IJPR*, 20(2), p.57.
- Santos, M.L.C., de Brito, B.B., da Silva, F.A.F., Botelho, A.C. dos S., dan de Melo, F.F., 2020. Nephrotoxicity in cancer treatment: An overview. *World Journal of Clinical Oncology*, 11: 190–204.
- Schafer, J.M., Lee, E.S., O'Regan, R.M., Yao, K., dan Jordan, V.C., 2000, Rapid Development of Tamoxifen-stimulated Mutant p53 Breast Tumors (T47D) in Athymic Mice, *Clinical Cancer Research*, 6, 4373-4380.
- Schuurman, T.N., Witteveen, P.O., Van Der Wall, E., Passier, J.L.M., Huitema, A.D.R., Amant, F. and Lok, C.A.R., 2019. Tamoxifen and pregnancy: an absolute contraindication?. *Breast Cancer Research and Treatment*, 175, pp.17-25.
- Shankar, E., Goel, A., Gupta, K., and Gupta, S. (2017). Plant Flavone Apigenin: An Emerging Anticancer Agent. *Curr. Pharmacol. Rep.* 3 (6), 423–446. doi:10.1007/s40495-017-0113-2
- Sharma, P. and Allison, J.P., 2015. The future of immune checkpoint therapy. *Science*, 348(6230), pp.56-61.
- Sigh, M., Malhotra, K. and Singh, C., 2015. Phytochemical evaluation and antioxidant activity of different samples of *Pteris vittata* in Doon Valley, Uttarakhand region. *Int J Pure App Biosci*, 3, pp.296-304.
- Sultana, B., Anwar, F., & Ashraf, M. (2009). Effect of Extraction Solvent/Technique on the Antioxidant Activity of Selected Medicinal Plant Extracts. *Molecules*, 14, 2167–2180.
- Sung, H., Ferlay, J., Siegel, R.L., Laversanne, M., Soerjomataram, I., Jemal, A. and Bray, F., 2021. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians*, 71(3), pp.209-249.
- Susidarti, R.A., Jenie, R.I., Putri, D.D.P. and Meiyanto, E., 2014. Cytotoxic activity and apoptosis induction of 8-hydroxyisocapnolactone-2', 3'-diol and its combination with Doxorubicin on MCF-7 and T47D cells. *Journal of Applied Pharmaceutical Science*, 4(6), pp.089-097.
- Sutejo, I.R., Putri, H., Handayani, S., Jenie, R.I. and Meiyanto, E., 2019. In vitro study of the combination of doxorubicin, *Curcuma xanthorrhiza*, *Brucea javanica*, and *Ficus septica* as a potential novel therapy for metastatic breast cancer. *Indonesian Journal of Pharmacy*, 30(1), p.15.
- Tao, J., Huang, Z., Wang, Y., Liu, Y., Zhao, T., Wang, Y., Tian, L. and Cheng, G., 2022. Ethanolic Extract from *Pteris wallichiana* Alleviates DSS-Induced

- Intestinal Inflammation and Intestinal Barrier Dysfunction by Inhibiting the TLR4/NF- κ B Pathway and Regulating Tight Junction Proteins. *Molecules*, 27(10), p.3093.
- Thomas, B.F. and ElSohly, M.A., 2016. Biosynthesis and pharmacology of phytocannabinoids and related chemical constituents. *The Analytical Chemistry of Cannabis: Quality Assessment, Assurance, and Regulation of Medicinal Marijuana and Cannabinoid Preparations*, p.32.
- Unnikrishnan, M.K., Veerapur, V., Nayak, Y., Mudgal, P.P., dan Mathew, G. 2014. Antidiabetic, Antihyperlipidemic and Antioxidant Effects of the Flavonoids. Polyphenols in Human Health and Disease. 1:143-61.
- Yao, J., Deng, K., Huang, J., Zeng, R. and Zuo, J., 2020. Progress in the understanding of the mechanism of tamoxifen resistance in breast cancer. *Frontiers in Pharmacology*, 11, p.592912.
- Yu, S., Kim, T., Yoo, K.H. and Kang, K., 2017. The T47D cell line is an ideal experimental model to elucidate the progesterone-specific effects of a luminal A subtype of breast cancer. *Biochemical and Biophysical Research Communications*, 486(3), pp.752-758.
- Yunita, E., Muflikhasari, H.A., Ilmawati, G.P.N., Meiyanto, E. and Hermawan, A., 2020. Hesperetin alleviates doxorubicin-induced migration in 4T1 breast cancer cells. *Future Journal of Pharmaceutical Sciences*, 6(1), pp.1-9.
- Valizadeh, H., Sonboli, A., Kordi, F.M., Dehghan, H. and Bahadori, M.B., 2016. Cytotoxicity, antioxidant activity and phenolic content of eight fern species, from north of Iran. *Pharmaceutical Sciences*, 21(1), pp.18-24.
- Wang, X., Wang, M., Cao, J., Wu, Y., Xiao, J. and Wang, Q., 2017. Analysis of flavonoids and antioxidants in extracts of ferns from Tianmu Mountain in Zhejiang Province (China). *Industrial Crops and Products*, 97, pp.137-145.
- Wang, T., Li, Q., Bi, K., 2018. Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian J. Pharm. Sci.* 13, 12–23.
- Wozniak, M.A. and Keely, P.J., 2005. Use of three-dimensional collagen gels to study mechanotransduction in T47D breast epithelial cells. *Biological procedures online*, 7, pp.144-161.
- Wulandari, N., Meiftasari, A., Fadliyah, H. and Jenie, R.I., 2018. Red betel leaves methanolic extract (*Piper crocatum* Ruiz & Pav.) increases cytotoxic effect of Doxorubicin on WiDr colon cancer cells through apoptosis induction. *Indonesian Journal of Cancer Chemoprevention*, 9(1), pp.1-8.
- Zampieri, L., Bianchi, P., Ruff, P., dan Arbuthnot, P., 2002. Differential modulation by estradiol of P-glycoprotein drug resistance protein expression in cultured MCF7 and T47D breast cancer cells, *Anticancer Res.*, 22(4):2253-9.
- Zanoaga, O., Braicu, C., Jurj, A., Rusu, A., Buiga, R. and Berindan-Neagoe, I., 2019. Progress in research on the role of flavonoids in lung cancer. *International journal of molecular sciences*, 20(17), p.4291.

- Zhang, X., Wang, X., Wang, M., Cao, J., Xiao, J. and Wang, Q., 2019. Effects of different pretreatments on flavonoids and antioxidant activity of *Dryopteris erythrosora* leave. *PloS one*, 14(1), p.e0200174.
- Zhao, N., Woodle, M.C. and Mixson, A.J., 2018. Advances in delivery systems for doxorubicin. *Journal of nanomedicine & nanotechnology*, 9(5).
- Zhao, S., Ma, D., Xiao, Y., Li, X.M., Ma, J.L., Zhang, H., Xu, X.L., Lv, H., Jiang, W.H., Yang, W.T. and Jiang, Y.Z., 2020. Molecular subtyping of triple-negative breast cancers by immunohistochemistry: molecular basis and clinical relevance. *The oncologist*, 25(10), pp.e1481-e1491.
- Zulfin, U.M., Rahman, A., Hanifa, M., Utomo, R.Y., Haryanti, S. and Meiyanto, E., 2021. Reactive oxygen species and senescence modulatory effects of rice bran extract on 4T1 and NIH-3T3 cells co-treatment with doxorubicin. *Asian Pacific Journal of Tropical Biomedicine*, 11(4), p.174.