



DAFTAR PUSTAKA

- Alfred N. Martin. (2011). *Martins Physical Pharmacy and Pharmaceutical Sciences*, 6th Edition by PATRICK J. SINKO. <https://innocentbalti.files.wordpress.com/2015/01/martins-physical-pharmacy-6th-ed-2011-dr-murtadha-alshareifi.pdf>
- Al-Malah, K. (2006). *Rheological Properties of Carbomer Dispersions*. Annual Transactions Of The Nordic Rheology Society, **14**.
- Amos, Zainuddin, I., Triputranto, A., Rusmandana, B., & Ngudiwaluyo, S. (2004). *Teknologi Pasca Panen Gambir*. Badan Pengkajian dan Penerapan Teknologi. (p. 65).
- Andrade, C. (2021). A Student's Guide to the Classification and Operationalization of Variables in the Conceptualization and Design of a Clinical Study: Part 2. *Indian Journal of Psychological Medicine*, **43**(3), 265–268. <https://doi.org/10.1177/0253717621996151>
- Anggraini, T., Tai, A., Yoshino, T., & Itani, T. (2011). Antioxidative activity and catechin content of four kinds of Uncaria gambir extracts from West Sumatra, Indonesia. *African Journal of Biochemistry Research*, **5**(1), 33–38.
- Asidah, N., Sari, R. K., Rafi, M., & Syafitri, U. D. (2021). Total Phenolic Content, Antioxidant, and Sunscreen Activities of Daemonorops draco Resin Extracts from Extraction at Various Ethanol Concentrations and Resin-Solvent Ratio. *IOP Conference Series: Earth and Environmental Science*, **891**(1). <https://doi.org/10.1088/1755-1315/891/1/012023>
- Asih, I., Puspawati, N. (2017). In Vitro Evaluation of Antioxidant Activity Of Flavonoid Compounds From Terong Belanda (*Solanum Betaceum*, cav.). *Ojs.Unud.Ac.Id*, **1**(2), 5–8. <https://ojs.unud.ac.id/index.php/JHSM/article/download/36988/22403>
- Aspelmeier, J. (2005). *Table of critical values for Pearson's r*, <https://pdf4pro.com/amp/view/table-of-critical-values-for-pearsontsr-59198f.html>.
- Atmaja, H. I. P., Fajaryanti, N., Mediastini, E., & Purnomo, D. H. (2022). Perbandingan konsentrasi carbopol terhadap stabilitas fisik sediaan gel ekstrak etanol kulit buah alpukat. *Jurnal Farmasetis*, **11**(2), 125–134.
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. A., Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials : A review. *Journal of Food Engineering*, **117**(4), 426–436. <https://doi.org/10.1016/j.jfoodeng.2013.01.014>
- Badan Pengawasan Obat dan Makanan Republik Indonesia. (2020). *Peraturan Badan Pengawas Obat dan Makanan Nomor 30 Tahun 2020 tentang Persyaratan Teknis Penandaan Kosmetika*. BPOM RI, 1–16.



- Barbasz, A., Oćwieja, M., & Barbasz, J. (2015). Cytotoxic Activity of Highly Purified Silver Nanoparticles Sol Against Cells of Human Immune System. *Applied Biochemistry and Biotechnology*, **176**(3), 817–834. <https://doi.org/10.1007/S12010-015-1613-3>
- Bartosikova, L., & Necas, J. (2018). Epigallocatechin gallate: a review. *Veterinarni Medicina*, **63**(10), 443–467. <https://doi.org/10.17221/31/2018-VETMED>
- Baudonnet, L., Pere, D., Michaud, P., Grossiord, J. L., & Rodriguez, F. (2002). Effect of dispersion stirring speed on the particle size distribution and rheological properties of carbomer dispersions and gels. *Journal of Dispersion Science and Technology*, **23**(4), 499–510. <https://doi.org/10.1081/DIS-120014018>
- Berkey, C., Oguchi, N., Miyazawa, K., & Dauskardt, R. (2019). Role of sunscreen formulation and photostability to protect the biomechanical barrier function of skin. *Biochemistry and Biophysics Reports*, **19**, 100657. <https://doi.org/10.1016/J.BBREP.2019.100657>
- Bhandari, L., & Rajbhandari, M. (2014). Isolation of Quercetin From Flower Petals, Estimation of Total Phenolic, Total Flavonoid and Antioxidant Activity of the Different Parts of. *Scientific World Journal*, **12**(12), 34–40.
- Blainski, A., Lopes, G. C., & De Mello, J. C. P. (2013). Application and Analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from Limonium Brasiliense L. *Molecules*, **18**(6), 6852. <https://doi.org/10.3390/MOLECULES18066852>
- BMKG. (2022). *Indeks Sinar Ultraviolet (UV)*. Badan Meteorologi, Klimatologi, Dan Geofisika. <https://www.bmkg.go.id/kualitas-udara/indeks-uv.bmkg>. Diakses pada 08 September 2022 pukul 20.18 WIB.
- Braicu, C., Ladomery, M. R., Chedea, V. S., Irimie, A., & Berindan-Neagoe, I. (2013). The relationship between the structure and biological actions of green tea catechins. *Food Chemistry*, **141**(3), 3282–3289. <https://doi.org/10.1016/J.FOODCHEM.2013.05.122>
- Choquenot, B., Couteau, C., Paparis, E., & Coiffard, L. J. M. (2009). Flavonoids and polyphenols, molecular families with sunscreen potential: Determining effectiveness with an in vitro method. *Natural Product Communications*, **4**(2), 227–230. <https://doi.org/10.1177/1934578X0900400212>
- D’Orazio, J., Jarrett, S., Amaro-Ortiz, A., & Scott, T. (2013). UV radiation and the skin. *International Journal of Molecular Sciences*, **14**(6), 12222–12248. <https://doi.org/10.3390/ijms140612222>
- Dabas, D. (2018). Polyphenols as Colorants. *Advances in Food Technology and Nutritional Sciences - Open Journal*, **SE** (2), S1–S6. <https://doi.org/10.17140/AFTNSOJ-SE-2-101>
- Dantas, M. G. B., Reis, S. A. G. B., Damasceno, C. M. D., Rolim, L. A., Rolim-Neto, P. J., Carvalho, F. O., Quintans-Junior, L. J., & Da Silva Almeida, J.



- R. G. (2016). Development and Evaluation of Stability of a Gel Formulation Containing the Monoterpene Borneol. *Scientific World Journal*. <https://doi.org/10.1155/2016/7394685>
- Dutra, E. A., Da Costa E Oliveira, D. A. G., Kedor-Hackmann, E. R. M., & Miritello Santoro, M. I. R. (2004). Determination of sun protection factor (SPF) of sunscreens by ultraviolet spectrophotometry. *Revista Brasileira de Ciências Farmacêuticas*, **40**(3), 381–385. <https://doi.org/10.1590/S1516-93322004000300014>
- Eddy, D. R., Nursyamsiah, D., Permana, M. D., Solihudin, Noviyanti, A. R., & Rahayu, I. (2022). Green Production of Zero-Valent Iron (ZVI) Using Tea-Leaf Extracts for Fenton Degradation of Mixed Rhodamine B and Methyl Orange Dyes. *Materials*, **15**(1). <https://doi.org/10.3390/MA15010332/S1>
- European Commission. (2006). COMMISSION RECOMMENDATION of 22 September 2006 on the efficacy of sunscreen products and the claims made relating thereto. *Official Journal of the European Union*, 39–43. <https://eur-lex.europa.eu/legal-content/IT/TXT/PDF/?uri=CELEX:32006H0647&from=EN>
- Fang, P., Manglik, R. M., & Jog, M. A. (1999). Characteristics of laminar viscous shear-thinning fluid flows in eccentric annular channels. *Journal of Non-Newtonian Fluid Mechanics*, **84**(1), 1–17. [https://doi.org/10.1016/S0377-0257\(98\)00145-1](https://doi.org/10.1016/S0377-0257(98)00145-1)
- Farmakope Herbal Indonesia II. (2017). *Farmakope Herbal Indonesia*. Edisi II. Kementerian Kesehatan RI. Jakarta.
- FDA. (2017). *Sun Protection Factor (SPF) / FDA*. FDA. <https://www.fda.gov/about-fda/center-drug-evaluation-and-research-cder/sun-protection-factor-spf>
- FDA. (2022a). *Code of Federal Regulations Title: Cosmetics containing sunscreen ingredients*. U.S Food & Drug Administration. <https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/cfrsearch.cfm?fr=700.35>
- FDA. (2022b). *Tips to Stay Safe in the Sun: From Sunscreen to Sunglasses*. U.S Food & Drug Administration. <https://www.fda.gov/consumers/consumer-updates/tips-stay-safe-sun-sunscreen-sunglasses#:~:text=In~general%2C~the~FDA~recommends,inside~your~mouth~and~eyes.>
- Ferreira, L. A., Cole, J. T., Reichardt, C., Holland, N. B., Uversky, V. N., & Zaslavsky, B. Y. (2015). Solvent Properties of Water in Aqueous Solutions of Elastin-Like Polypeptide. *International Journal of Molecular Sciences*, **16**(6), 13528. <https://doi.org/10.3390/IJMS160613528>
- Fonmboh, D. J., Abah, E. R., Fokunang, T. E., Herve, B., Teke, G. N., Rose, N. M., Borgia, N. N., Fokunang, L. B., Andrew, B. N., Kaba, N., Bathelemy, N., & Ntungwen, F. C. (2020). An Overview of Methods of Extraction, Isolation and Characterization of Natural Medicinal Plant Products in Improved Traditional Medicine Research. *Asian Journal of Research in*



- Medical and Pharmaceutical Sciences*, 31–57.
<https://doi.org/10.9734/AJRIMPS/2020/V9I230152>
- Ford, L., Theodoridou, K., Sheldrake, G. N., & Walsh, P. J. (2019). A critical review of analytical methods used for the chemical characterisation and quantification of phlorotannin compounds in brown seaweeds. *Phytochemical Analysis*, 30(6), 587–599.
<https://doi.org/10.1002/PCA.2851>
- Geoffrey, K., Mwangi, A. N., & Maru, S. M. (2019). Sunscreen products: Rationale for use, formulation development and regulatory considerations. *Saudi Pharmaceutical Journal*, 27(7), 1009–1018.
<https://doi.org/10.1016/J.JSPS.2019.08.003>
- Ghani, U. (2020). Polyphenols. *Alpha-Glucosidase Inhibitors*, 61–100.
<https://doi.org/10.1016/B978-0-08-102779-0.00003-4>
- Grillet, A. M., Wyatt, N. B., & Gole, L. M. (2012). *Polymer Gel Rheology and Adhesion. Rheology*. <https://doi.org/10.5772/36975>
- Hashemi, Z., Ebrahimzadeh, M. A., & Khalili, M. (2019). Sun protection factor, total phenol, flavonoid contents and antioxidant activity of medicinal plants from iran. *Tropical Journal of Pharmaceutical Research*, 18(7), 1443–1448. <https://doi.org/10.4314/tjpr.v18i7.11>
- Hidayat, R., & Patricia Wulandari. (2021). Methods of Extraction: Maceration, Percolation and Decoction. *Eureka Herba Indonesia*, 2(1), 73–79.
<https://doi.org/10.37275/ehi.v2i1.15>
- Hikmawanti, N. P. E., Fatmawati, S., & Asri, A. W. (2021). The effect of ethanol concentrations as the extraction solvent on antioxidant activity of Katuk (*Sauvagesia androgynus* (L.) Merr.) leaves extracts. *IOP Conference Series: Earth and Environmental Science*, 755(1). <https://doi.org/10.1088/1755-1315/755/1/012060>
- ICH. (2018). *ICH Q1 F: Stability testing of active pharmaceutical ingredients and finished pharmaceutical products*, WHO.
- International Organization for Stardatization. (2010). *ISO 24444:2010. Sun protection test methods – In vivo determination of the Sun Protection Factor (SPF)*. <https://www.iso.org/standard/72250.html>
- Ismail, A. S., Rizal, Y., Armenia, & Kasim, A. (2021). Identification of bioactive compounds in gambier (*Uncaria gambir*) liquid by-product in west Sumatra, Indonesia. *Biodiversitas*, 22(3), 1474–1480.
<https://doi.org/10.13057/BIODIV/D220351>
- ITIS. (2011). *ITIS - Report: Uncaria gambir*.
<https://www.itis.gov/servlet/SingleRpt/SingleRpt#null>
- Jelvehgari, M., Rashidi, M. R., Samadi, H. (2006). Mucoadhesive and Drug Release Properties of Benzocaine Gel. *Iranian Journal of Pharmaceutical Sciences Autumn*. 2. 185-194.



- Jung, H., Lee, Y. J., & Yoon, W. B. (2018). Effect of Moisture Content on the Grinding Process and Powder Properties in Food: A Review. *Processes* 2018, **6**(6), 69. <https://doi.org/10.3390/PR6060069>
- Kabir, S. M. (2016). Measurement concepts: Variable, reliability, validity, and norm. *Basic Guidelines for Research: An Introductory Approach for All Disciplines*, July 2016, 72–110. https://www.researchgate.net/publication/325846760_MEASUREMENT_CONCEPTS_VARIABLE_RELIABILITY_VALIDITY_AND_NORM
- Kamtekar, S., Keer, V., & Patil, V. (2014). Estimation of Phenolic content, Flavonoid content, Antioxidant and Alpha amylase Inhibitory Activity of Marketed Polyherbal Formulation. *Journal of Applied Pharmaceutical Science*, **4**(09), 61–065. <https://doi.org/10.7324/JAPS.2014.40911>
- Kar, M., Chourasiya, Y., Maheshwari, R., & Tekade, R. K. (2019). Current Developments in Excipient Science: Implication of Quantitative Selection of Each Excipient in Product Development. *Basic Fundamentals of Drug Delivery*, 29–83. <https://doi.org/10.1016/B978-0-12-817909-3.00002-9>
- Kasim, A., Asben, A., Mutiar, S. (2015). Kajian Kualitas Gambir dan Hubungannya dengan Kualitas Kulit Tersamak. Majalah Kulit, Karet, dan Plastik, **31** (1): 55-64.
- Kassim, M. J., Hussin, M.H., Achmad, A., Dahon, N. H., T. K. S. and H. S. H. (2013). Determination of total phenol, condensed tannin and flavonoid contents and antioxidant activity of Uncaria gambir extracts. *Journal of Chemical Information and Modeling*, **53**(1), 1689–1699.
- Katdare, A., & Chaubal, M. V. (2006). *Excipient Development for Pharmaceutical, Biotechnology, And Drug Delivery Systems*. <https://doi.org/10.1201/9781420004137>
- Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal*. <https://doi.org/10.1155/2013/162750>
- Kuo, S. H., Shen, C. J., Shen, C. F., & Cheng, C. M. (2020). Role of pH Value in Clinically Relevant Diagnosis. *Diagnostics*, **10**(2). <https://doi.org/10.3390/DIAGNOSTICS10020107>
- Latha, M. S., Martis, J., Shobha, V., Shinde, R. S., Bangera, S., Krishnankutty, B., Bellary, S., Varughese, S., Rao, P., & Kumar, B. R. N. (2013). Sunscreening agents: A review. *Journal of Clinical and Aesthetic Dermatology*, **6**(1), 16–26.
- Liebel, F., Kaur, S., Ruvolo, E., Kollias, N., & Southall, M. D. (2012). Irradiation of Skin with Visible Light Induces Reactive Oxygen Species and Matrix-Degrading Enzymes. *Journal of Investigative Dermatology*, **132**(7), 1901–1907. <https://doi.org/10.1038/JID.2011.476>
- Lieberman, H.A., Rieger, M.M., & Banker, G.S., (1996). Pharmaceutical Dosage Forms: Disperse Systems Chapter Gel, 2, Marcel Dekker Inc, New York, p.400 -403.



- Liony, B. (2014). Pengaruh Penambahan Ekstrak Gambir Terhadap Sifat Fisik Dan Nilai Sun Protection Factor (SPF) Pada Hasil Jadi Krim Tabir Surya. *Jurnal Tata Rias*, 3(01), 209–216. <https://jurnalmahasiswa.unesa.ac.id/index.php/jurnal-tata-rias/article/view/6868>
- Litbang Sulawesi Barat. (2017). *Healthy with Gambier Leaves*. <http://sulbar.litbang.pertanian.go.id/eng/index.php/do-you-know/247-healthy-with-gambier-leaves>
- Mansur, J. de S., Breder, M. N. R., Mansur, M. C. d'Ascenção, & Azulay, R. D. (1986). Determinação do fator de proteção solar por espectrofotometria. *An. Bras. Dermatol*, 121–124.
- Martin, A., N. (2011). *Martins Physical Pharmacy and Pharmaceutical Sciences*, 6th Edition by PATRICK J. SINKO. <https://innocentbalti.files.wordpress.com/2015/01/martins-physical-pharmacy-6th-ed-2011-dr-murtadha-alshareifi.pdf>
- Mauricino, A. R., & Juliana, M. P. (2013). *Natural Product Extraction Principles and Applications*. The Royal Society of Chemistry. <https://doi.org/10.1039/9781849737579-fp001>
- Monks, T. (2016). Operational research as implementation science: definitions, challenges and research priorities. *Implementation Science*, 11(1):81 <https://doi.org/10.1186/s13012-016-0444-0>
- Munggari, I. P., Kurnia, D., Deawati, Y., & Julaeha, E. (2022). Current Research of Phytochemical, Medicinal and Non-Medicinal Uses of Uncaria gambir Roxb.: A Review. *Molecules*, 27, <https://doi.org/10.3390/molecules27196551>
- Nainggolan, P., & Parhusip, D. (2012). Tanaman Gambir Komoditas Spesifik Lokasi Di Kabupaten Pakpak Bharat Sumatera Utara. *Prosiding Seminar Dan Kongres Nasional Sumber Daya Genetik Medan*, 1, 12–14.
- Ngoc, L. T. N., Tran, V. Van, Moon, J. Y., Chae, M., Park, D., & Lee, Y. C. (2019). Recent Trends of Sunscreen Cosmetic. *Cosmetics*, 6(64), 1–15.
- Nichols, J. A., & Katiyar, S. K. (2010). Skin photoprotection by natural polyphenols: Anti-inflammatory, anti-oxidant and DNA repair mechanisms. *Archives of Dermatological Research*, 302(2), 71. <https://doi.org/10.1007/S00403-009-1001-3>
- Nintyas, S. S. A., & Caesaron, D. (2015). Pengaruh Kecepatan Putar Spindel Dalam Dengan Metode Anova. *Journal of Industrial Engineering & Management System*, 8(1), 70–78.
- Orzechowski, S. (2008). Starch metabolism in leaves. *Acta Biochimica Polonica*. https://doi.org/10.18388/abp.2008_3049
- Pambayun, R., Gardjito, M., Sudarmadji, S., & Kuswanto, K., R. (2007). Kandungan Fenol dan Sifat Antibakteri Dari Berbagai Jenis Ekstrak Produk Gambir (*Uncaria gambir* Roxb.). *Majalah Famasi Indonesia*. 18 (3), 141-146.



- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5. <https://doi.org/10.1017/jns.2016.41>
- Pelizzo, M., Zattra, E., Nicolosi, P., Peserico, A., Garoli, D., & Alaibac, M. (2012). In Vitro Evaluation of Sunscreens: An Update for the Clinicians. *ISRN Dermatology*. 1–4. <https://doi.org/10.5402/2012/352135>
- Poon, T. S. C., & Barnetson, R. S. C. (2002). The importance of using broad spectrum SPF 30+ sunscreens in tropical and subtropical climates. *Photodermatology, Photoimmunology & Photomedicine*, **18**(4), 175–178. <https://doi.org/10.1034/J.1600-0781.2002.00768.X>
- Rahayu, T., Fudholi, A., & Fitria, A. (2016). Optimasi Formulasi Gel Ekstrak Daun Tembakau (Nicotiana Tabacum) Dengan Variasi Kadar Karbopol 940 Dan Tea Menggunakan Metode Simplex Lattice Design (Sld). *Jurnal Ilmiah Farmasi*, **12**(1), 22–34. <https://doi.org/10.20885/jif.vol12.iss1.art3>
- Rashid, S., Majeed, L. R., Nisar, B., Nisar, H., Bhat, A. A., & Ganai, B. A. (2021). Phytomedicines: Diversity, extraction, and conservation strategies. *Phytomedicine: A Treasure of Pharmacologically Active Products from Plants*, 1–33. <https://doi.org/10.1016/B978-0-12-824109-7.00009-1>
- Rasul, M. G. (2018). Extraction, Isolation and Characterization of Natural Products from Medicinal Plants. *International Journal of Basic Sciences and Applied Computing (IJBSAC)*, **6**, 2394–367.
- Rauf, R., Santoso, U., & Suparmo, S. (2010). Aktivitas Penangkapan Radikal DPPH Ekstrak Gambir (Uncaria gambir Roxb.). *Agritech*, **30**(1), 1–5. <https://journal.ugm.ac.id/agritech/article/view/9684>
- Ricke, J. (2018). Biomimetic Chemistry at Interfaces. *Interface Science and Technology*, **21**, 367–404. <https://doi.org/10.1016/B978-0-12-801970-2.00007-0>
- Rina, A., Eff, Y., Rahayu, S. T., Saraswati, H., & Mun'im, A. (2019). Formulation and Evaluation of Sunscreen Gels Containing Mangiferin Isolated from Phaleria macrocarpa Fruits. *International Journal of Pharmaceutical Investigation*, **9**(3), 141–145. <https://doi.org/10.5330/ijpi.2019.3.26>
- Rowe, R., Sheskey, P., J., Quinn, M. (2009). *Handbook of Pharmaceutical Excipients*. 6 th edition. Pharmaceutical Press. London.
- Russo, A., Acquaviva, R., Campisi, A., Sorrenti, V., Di Giacomo, C., Virgata, G., Barcellona, M. L., & Vanella, A. (2000). Bioflavonoids as antiradicals, antioxidants and DNA cleavage protectors. *Cell Biology and Toxicology 2000* **16**:2, 91–98. <https://doi.org/10.1023/A:1007685909018>
- Saad, M. F. M., Goh, H.-H., Rajikan, R., Yusof, T. R. T., Baharum, S. N., & Bunawan, H. (2020). Uncaria gambir (W. Hunter) Roxb: From phytochemical composition to pharmacological importance. *Tropical Journal of Pharmaceutical Research*, **19**(8), 1767–1773. <https://doi.org/10.4314/tjpr.v19i8.28>



- Saewan, N., & Jimtaisong, A. (2013). Photoprotection of natural flavonoids. *Journal of Applied Pharmaceutical Science*, **3**(9), 129–141. <https://doi.org/10.7324/JAPS.2013.3923>
- Safitri, F. I., Nawangsari, D., & Febrina, D. (2021). Overview: Application of Carbopol 940 in Gel. <https://doi.org/10.2991/AHSR.K.210127.018>
- Sayre, R. M., Agin, P. P., LeVee, G. J., & Marlowe, E. (1979). a Comparison of in Vivo and in Vitro Testing of Sunscreen Formulas. *Photochemistry and Photobiology*, **29**(3), 559–566. <https://doi.org/10.1111/j.1751-1097.1979.tb07090.x>
- Serpone, N., Dondi, D., & Albini, A. (2007). Inorganic and organic UV filters: Their role and efficacy in sunscreens and suncare products. *Inorganica Chimica Acta*, **360**(3), 794–802. <https://doi.org/10.1016/j.ica.2005.12.057>
- Shaw, C. (2016). *In Essential Chemistry for Formulators of Semisolid and Liquid Dosages*. <https://doi.org/10.1016/c2013-0-18871-x>
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *Lwt*, **150**, 111932. <https://doi.org/10.1016/j.lwt.2021.111932>
- Singh, A. (2021). An Introduction to Experimental and Exploratory Research. *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.3789360>
- Stevanato, R., Bertelle, M., & Fabris, S. (2014). Photoprotective characteristics of natural antioxidant polyphenols. *Regulatory Toxicology and Pharmacology*, **69**(1), 71–77. <https://doi.org/10.1016/J.YRTPH.2014.02.014>
- Sugiyono, D. (2013). *Metode Penelitian Kuantitatif, Kualitatif, dan Tindakan*. Alfabeta. Bandung.
- Sundang, M., Nasir, S., Sipaut, C., & Othman, H. (2014). Antioxidant Activity, Phenolic, Flavonoid and Tannin Content of Piper Betle and Leucosyke Capitella. *Malaysian Journal of Fundamental and Applied Sciences*, **8**(1), 1–6. <https://doi.org/10.11113/mjfas.v8n1.115>
- Swanson, B. G. (2003). TANNINS AND POLYPHENOLS. *Encyclopedia of Food Sciences and Nutrition*, 5729–5733. <https://doi.org/10.1016/B0-12-227055-X/01178-0>
- Swathi Reddy, P., Sureshkumar, A., & Jain, V. (2018). Sunscreens: Developments and challenges. *International Journal of Applied Pharmaceutics*, **10**(6), 54–59. <https://doi.org/10.22159/IJAP.2018V10I6.27379>
- Tambun, R., Alexander, V., & Ginting, Y. (2021). Performance comparison of maceration method, soxhletation method, and microwave-assisted extraction in extracting active compounds from soursop leaves (*Annona muricata*): A review. *IOP Conference Series: Materials Science and Engineering*, **1122**(1), 012095. <https://doi.org/10.1088/1757-899x/1122/1/012095>



- Tambunan, S., & Sulaiman, T. N. S. (2018). Formulasi Gel Minyak Atsiri Sereh Dengan Basis HPMC dan Karbopol. *Majalah Farmaceutik*, **14**(2), 87–95.
- Tan, J., De Bruijn, W. J. C., Van Zadelhoff, A., Lin, Z., & Vincken, J. P. (2020). Browning of Epicatechin (EC) and Epigallocatechin (EGC) by Auto-Oxidation. *Journal of Agricultural and Food Chemistry*, **68**(47), 13879–13887. <https://doi.org/10.1021/acs.jafc.0c05716>
- Tsabitah, A. F., Zulkarnain, A. K., Wahyuningsih, M. S. H., & Nugrahaningsih, D. A. A. (2020). Optimasi Carbomer, Propilen Glikol, dan Trietanolamin Dalam Formulasi Sediaan Gel Ekstrak Etanol Daun Kembang Bulan (*Tithonia diversifolia*). *Majalah Farmaceutik*, **16**(2), 111. <https://doi.org/10.22146/farmaceutik.v16i2.45666>
- Varges, P. R., Costa, C. M., Fonseca, B. S., Naccache, M. F., & De Souza Mendes, P. R. (2019). Rheological characterization of carbopol ® dispersions in water and in water/glycerol solutions. *Fluids*, **4**(1). <https://doi.org/10.3390/fluids4010003>
- Vieito, C., Fernandes, É., Velho, M. V., & Pires, P. (2018). The effect of different solvents on extraction yield, total phenolic content and antioxidant activity of extracts from pine bark (*Pinus pinaster* subsp. *atlantica*). *Chemical Engineering Transactions*, **64**, 127–132. <https://doi.org/10.3303/CET1864022>
- Viena, V., & Nizar, M. (2018). Studi Kandungan Fitokimia Ekstrak Etanol Daun Gambir Asal Aceh Tenggara Sebagai Anti Diabetes. *Jurnal Serambi Engineering*, **3**(1). <https://doi.org/10.32672/jse.v3i1.352>
- Vuthijumnok, J. (2013). Effect of freeze-drying and extraction solvents on the total phenolic contents, total flavonoids and antioxidant activity of different Rabbiteye blueberry genotypes grown in New Zealand. *IOSR Journal of Pharmacy and Biological Sciences*, **8**(1), 42–48. <https://doi.org/10.9790/3008-0814248>
- Wang, L. ping, & Wang, J. ye. (2014). Skin penetration of inorganic and metallic nanoparticles. *Journal of Shanghai Jiaotong University (Science)*, **19**(6), 691–697. <https://doi.org/10.1007/s12204-014-1567-6>
- WHO. (1996). Annex 5: Guidelines for Stability Testing of Pharmaceutical Products Containing Well Established Drug Substances in Conventional Dosage Forms. World Health Organization Technical Report Series, 863, 65–80. https://www.paho.org/hq/dmdocuments/2008/6_Annex_5_report_34.pdf
- Winarti, C., Innawati, & Hemani. (2022). Physical Characteristics and UV Protection (In Vitro) of Gambier Leaf Extract Lotion. *IOP Conference Series: Earth and Environmental Science*, **1024**(1). <https://doi.org/10.1088/1755-1315/1024/1/012061>
- Yeni, G., Sa'id, E. G., Syamsu, K., & Mardliyati, E. (2014). Penentuan Kondisi Terbaik Ekstraksi Antioksidan dari Gambir Menggunakan Metode



- Permukaan Respon. *Jurnal Litbang Industri*, **4**(1), 39.
<https://doi.org/10.24960/jli.v4i1.637.39-48>
- Yeni, G., Syamsu, K., Suparno, O., Mardliyati, E., & Muchtar, H. (2014). Repeated extraction process of raw gambiers (*Uncaria gambier Robx.*) for the catechin production as an antioxidant. *International Journal of Applied Engineering Research*.
https://www.researchgate.net/publication/274075950_Repeated_Extraction_Process_of_Raw_Gambiers_Uncaria_gambier_Robx_for_the_Catechin_Production_as_an_Antioxidant
- Yulianti, E., Adelsa, A., & Putri, A. (2015). Penentuan nilai SPF (sun protection Factor) ekstrak etanol 70% temu mangga (*Curcuma mangga*) dan krim ekstrak etanol 70% temu mangga (*Curcuma mangga*) secara in vitro menggunakan metode spektrofotometri. *Majalah Kesehatan FKUB*, **2**(1), 41–50.
- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, **13**(1), 20. <https://doi.org/10.1186/S13020-018-0177-X>
- Zhang, Z. S., Li, D., Wang, L. J., Ozkan, N., Chen, X. D., Mao, Z. H., & Yang, H. Z. (2007). Optimization of ethanol–water extraction of lignans from flaxseed. *Separation and Purification Technology*, **57**(1), 17–24.
<https://doi.org/10.1016/J.SEPPUR.2007.03.006>