

DAFTAR PUSTAKA

- Alexander J, Thomas P, Sanghera J, 2002, 'Treatments for secondary postpartum haemorrhage.', *Cochrane Database Syst Rev*, Vol 1.
- ASHP, 2022, *Tranexamic Acid Monograph for Professional by drugs.com*. [Online] Available at: <https://www.drugs.com/monograph/tranexamic-acid.html#pharmacokinetics> [Accessed 09 June 2022].
- Badan Pengawas Obat dan Makanan Republik Indonesia, 2015, *Asam Traneksamat PAO*, [Online] Available at: <https://pionas.pom.go.id/monografi/asam-traneksamat> [Accessed 26 April 2021].
- Bouthors, A, S, Gilliot, S, Faraoni, D, & Senthiles, 2021, 'Antifibrinolytic agents for the prevention of postpartum hemorrhage', *Thrombosis Update*, 5. Clinicalkey, Dilihat 28 Maret 2022, dari <https://www-clinicalkey-com.ezproxy.ugm.ac.id/#!/content/journal/1-s2.0-S2666572721000584>
- Brown, V, G, & Schneider, P, 2020, 'Prevention of postpartum hemorrhage.', *Seminars in Fetal and Neonatal Medicine*, vol 25, diakses 15 April 2022, https://www.clinicalkey.com.ezproxy.ugm.ac.id/service/content/pdf/watermark/1-s2.0-S1744165X20300548.pdf?locale=en_US&searchIndex=.
- Brown M, Hong Jr M, Lindquist J, 2021, 'Uterine artery embolization for primary postpartum hemorrhage', *Tech Vasc Interv Radiol*, vol 24, hal 100727.
- Brenner, A, Shakur-Still, H, Chaudhri, R, Fawole, B, Arulkumaran, S, Roberts, I., & WOMAN Trial Collaborators, 2018, 'The impact of early outcome events on the effect of tranexamic acid in post-partum haemorrhage: an exploratory subgroup analysis of the WOMAN trial.', *BMC pregnancy and childbirth*, vol 18(1), hal 215, <https://doi.org/10.1186/s12884-018-1855-5>.
- Brenner, A, Ker, K, Shakur-Still, H, & Roberts, I., 2019, 'Tranexamic acid for postpartum haemorrhage: What, who and when.', *Best practice & research. Clinical obstetrics & gynaecology*, vol 61, hal 66–74, <https://doi.org/10.1016/j.bpobgyn.2019.04.005>.
- Cai, J, Ribkoff, J, Olson, S, Raghunathan, V, Al-Samkari, H, DeLoughery, T, G, & Shatzel, J, J, 2020, 'The many roles of tranexamic acid: An overview of the clinical indications for TXA in medical and surgical patients', *European journal of haematology*, vol 104, hal 79–87, <https://doi.org/10.1111/ejh.13348>.
- Cesarman-Maus G, Hajjar KA, 2005, 'Molecular mechanisms of fibrinolysis', *Br J Haematol*, vol 129, hal 307e21. <https://doi.org/10.1111/j.1365-2141.2005.05444.x>.
- Chimawati, L, Pradjatmo, H, Siswosudarmo, H.R, 2014, 'Pengaruh Pemberian Asam Traneksamat Terhadap, Jumlah Perdarahan Pascasalin pada Kelahiran Vaginal, *jurnal kesehatan reproduksi*, vol (1).

- Cunningham FG, Leveno KJ, Bloom SL, Hauth JC, Rouse DJ, Y C, 2010, *Williams Obstetrics. 23rd ed.* New York, McGraw Hill Medical, hal 759.
- Diop, A, Abbas, D, Ngoc, N, Martin, R, Razafi, A, Tuyet, H., & Winikoff, B, 2020, 'A double-blind, randomized controlled trial to explore oral tranexamic acid as adjunct for the treatment for postpartum hemorrhage', *Reproductive health*, vol 17, hal 34. <https://doi.org/10.1186/s12978-020-0887-2> .
- Ducloy-Bouthors, A. S, Duhamel, A, Kipnis, E, Tournoy, A, Prado-Dupont, A, Elkalioubie, A, Jeanpierre, E, Debize, G, Peynaud-Debayle, E, DeProst, D, Huissoud, C, Rauch, A, & Susen, S, 2016, 'Postpartum haemorrhage related early increase in D-dimers is inhibited by tranexamic acid: haemostasis parameters of a randomized controlled open labelled trial', *British journal of anaesthesia*, vol 116(5), hal 641–648. <https://doi.org/10.1093/bja/aew021>.
- Ducloy-Bouthors, A. S, Jude, B, Duhamel, A, Broisin, F, Huissoud, C, Keita-Meyer, H, Mandelbrot, L, Tillouche, N, Fontaine, S, Le Goueff, F, Depret-Mosser, S, Vallet, B, EXADELI Study Group, & Susen, S, 2011, 'High-dose tranexamic acid reduces blood loss in postpartum haemorrhage', *Critical care (London, England)*, vol 15(2), hal R117. <https://doi.org/10.1186/cc10143>.
- Frass, K, A, 2015, 'Postpartum hemorrhage is related to hemoglobin levels at labor: Observational study.', *Alexandria Journal of Medicine*, vol 51, hal 333-337.
- Grassin-Delyle, S, Semeraro, M, Lamy, E, Urien, S, Runge, I, Foissac, F, Bouazza, N, Treluyer, J, M, Arribas, M, Roberts, I., & Shakur-Still, H, 2022, 'Pharmacokinetics of tranexamic acid after intravenous, intramuscular, and oral routes: a prospective, randomised, crossover trial in healthy volunteers.', *British journal of anaesthesia*, vol 128, hal 465–472. <https://doi.org/10.1016/j.bja.2021.10.054>
- Hemani, M, Parihar, K, Gervais, N, & Morais, M, 2022, 'Tranexamic Acid Use in the Postpartum Period Since the WOMAN Trial: A Retrospective Chart Review', *Journal of obstetrics and gynaecology Canada : JOGC = Journal d'obstetrique et gynecologie du Canada : JOGC*, vol 44(3), hal 279–285.e2. <https://doi.org/10.1016/j.jogc.2021.10.014>
- Igboke, F, N, Obi, V, O, Dimejesi, B, I., & Lawani, L, O, 2022, 'Tranexamic acid for reducing blood loss following vaginal delivery: a double-blind randomized controlled trial', *BMC pregnancy and childbirth*, vol 22, hal 178. <https://doi.org/10.1186/s12884-022-04462-z>
- Karski, J, M, Teasdale, S, J, Norman, P, Carroll, J, VanKessel, K, Wong, P, & Glynn, M, F, 1995, 'Prevention of bleeding after cardiopulmonary bypass with high-dose tranexamic acid. Double-blind, randomized clinical trial' *The Journal of thoracic and cardiovascular surgery*, vol 110(3), hal 835–842. [https://doi.org/10.1016/S0022-5223\(95\)70118-4](https://doi.org/10.1016/S0022-5223(95)70118-4)
- KEMENKES RI, 2016, *Asuhan Kebidanan Persalinan dan Bayi Baru Lahir (1st ed.)*, BPPSDMK KEMENKES RI, Jakarta.
- KEMENKES RI, 2015, *Profil Kesehatan Indonesia tahun 2017*, hal 106.

- Kementrian Kesehatan RI dan *World Health Organization*, 2013, *Buku Saku Pelayanan Kesehatan Ibu di Fasilitas Kesehatan Dasar dan Rujukan*, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Klipatrick, S, J, Garrison, E, & Fairbrother, E, 2021, 'Normal Labor and Delivery'. In *Gabbe's Obstetrics : Normal and Problem Pregnancy*, vol 8, hal 203-223, Elsevier.
- Leduc, D, Senikas, V, & Lalonde, A, B, 2018, 'No. 235-Active Management of the Third Stage of Labour: Prevention and Treatment of Postpartum Hemorrhage', *REAFFIRMED SOGC CLINICAL PRACTICE GUIDELINE*, hal 841.
- Li, C, Gong, Y, Dong, L, Xie, B, & Dai, Z, 2017, 'Is prophylactic tranexamic acid administration effective and safe for postpartum hemorrhage prevention?: A systematic review and meta-analysis.' *Medicine*, vol 961, hal e5653. <https://doi.org/10.1097/MD.0000000000005653>
- Li B, Miners A, Shakur H, Roberts I, 2018, 'WOMAN Trial Collaborators. Tranexamic acid for treatment of women with post-partum haemorrhage in Nigeria and Pakistan: a cost-effectiveness analysis of data from the WOMAN trial.' *Lancet Glob Heal* 2018;6:e222e8. [https://doi.org/10.1016/S2214-109X\(17\)30467-9](https://doi.org/10.1016/S2214-109X(17)30467-9).
- Masuzawa, Y, Kataoka, Y, Fujii, K, & Inoue, S, 2018, 'Prophylactic management of postpartum haemorrhage in the third stage of labour: an overview of systematic reviews', *Systematic reviews*, vol 7, hal 156, <https://doi.org/10.1186/s13643-018-0817-3>
- McLintock C, 2020, 'Prevention and treatment of postpartum hemorrhage: focus on hematological aspects of management. Hematology', *American Society of Hematology. Education Program*, Dec;2020(1):542-546. DOI: 10.1182/hematology.2020000139. PMID: 33275708; PMCID: PMC7727513.
- Mielke RT, Obermeyer S, 2020, 'The Use of Tranexamic Acid to Prevent Postpartum Hemorrhage', *J Midwifery Womens Health*, Vol 65, hal 410-416,
- MIMS, 2019, *Tranexamic acid*, Tranexamic acid : indication, dosage, side effect, precaution|MIMS, diakses 19 April 2022 <https://www.mims.com/indonesia/drug/info/tranexamic%20acid?mtype=generic>
- Mirghafourvand, M, Mohammad-Alizadeh, S, Abbasalizadeh, F, & Shirdel, M, 2015, 'The effect of prophylactic intravenous tranexamic acid on blood loss after vaginal delivery in women at low risk of postpartum haemorrhage: a double-blind randomised controlled trial', *The Australian & New Zealand journal of obstetrics & gynaecology*, vol 55, hal 53-58. <https://doi.org/10.1111/ajo.12262>
- Mutmainnah, A, U, Johan, H, & Llyod, S, S, 2017, *Asuhan Persalinan Normal dan Bayi Baru Lahir*. ANDI, Jakarta.
- Nora, H, 2012, 'Manajemen Aktif Persalinan Kala III', *Jurnal Kedokteran Syah Kuala*, Vol 12.

- Novikova, N, Hofmeyr, G, & Cluver, C, 2015, 'Tranexamic acid for preventing postpartumhaemorrhage (Review)', *Cochrane Database of Systematic Reviews*.
- Neary C, Naheed S, McLernon D, J, Black M, 2021, 'Predicting risk of postpartum haemorrhage: a systematic review', *British Journal Of Obstetrics and Gynecology*, vol 128, hal 46e53.
- Picetti, R, Miller, L, Shakur-Still, H, Pepple, T, Beaumont, D, Balogun, E, Asonganyi, E., Chaudhri, R., El-Sheikh, M, Vwalika, B, Arulkumaran, S, Roberts, I., & WOMAN trial collaborators, 2020, 'The WOMAN trial: clinical and contextual factors surrounding the deaths of 483 women following post-partum haemorrhage in developing countries', *BMC pregnancy and childbirth*, vol 20, hal 409. <https://doi.org/10.1186/s12884-020-03091-8>
- Roy, P, Sujatha, M, S, Bhandiwad, A, & Biswas, B, 2016, 'Role of Tranexamic Acid in Reducing Blood Loss in Vaginal Delivery', *Journal of obstetrics and gynaecology of India*, vol 66, hal 246–250. <https://doi.org/10.1007/s13224-016-0856-4>
- Saifuddin, A, B, 2010, *Ilmu Kebidanan*, Jakarta, Yayasan Bina Pustaka SarwonoPrawirohardjo.
- Satriyandari, Y, & Hariyati, N. R, 2017, 'FAKTOR-FAKTOR YANG MEMPENGARUHI KEJADIAN PERDARAHAN POSTPARTUM', *Journal of Health Studies*, volume 1, hal 49-64.
- Sentilhes, L, Winer, N, Azria, E, Sénat, M. V, Le Ray, C, Vardon, D, Perrotin, F, Desbrière, R, Fuchs, F, Kayem, G, Ducarme, G, Doret-Dion, M, Huissoud, C, Bohec, C, Deruelle, P, Darsonval, A., Chrétien, J. M., Seco, A., Daniel, V, Deneux-Tharaux, C, Groupe de Recherche en Obstétrique et Gynécologie, 2018, 'Tranexamic Acid for the Prevention of Blood Loss after Vaginal Delivery', *The New England journal of medicine*, vol 379, hal 731–742. <https://doi.org/10.1056/NEJMoa1800942>
- Sentilhes, L, Daniel, V, Tharaux, C, D, & On behalf of the TRAAP2 Study Group and, 2020. 'Is prophylactic tranexamic acid administration effective and safe for postpartum hemorrhage prevention? A systematic review and meta-analysis', *British Medical Journal Pregnancy & Childbirth*, volume 20, hal. 63.
- Sentilhes L, Merlot B, Madar H, Sztark F, Brun S, Deneux-Tharaux C, .2016, 'Postpartum haemorrhage: prevention and treatment.', *Expet Rev Hematol*, vol 9, hal 1043–1061.
- Shakur H, Fawole B, Kuti M, Olayemi O, Bello A, Ogunbode O, 2016, 'Effect of tranexamic acid on coagulation and fibri- nolysis in women with postpartum haemorrhage (WOMAN-ETAC): protocol and statistical analysis plan for a randomized controlled trial.' *Wellcome Open Res* 2016;1:31. <https://doi.org/10.12688/wellcomeopenres.10383.1>.

- Smith, C. T, rnolds, D, E, & Lim, G, 2021, ‘Tranexamic acid for obstetric hemorrhage: Prophylaxis, treatment, both, neither?’, *Anaesthesia Critical Care & Pain Medicine*, vol 40, diakses 15 April 2022, https://www-clinicalkey-com.ezproxy.ugm.ac.id/service/content/pdf/watermarked/1-s2.0-S2352556821001570.pdf?locale=en_US&searchIndex=
- Umar, L, & Sujud, W, R, 2020, ‘Hemostatis dan Disseminated Intravascular Coagulation (DIC)’, *journal of Anesthesia and Pain Universitas Brawijaya*, volume 1, hal 19-32.
- UNICEF, 2019, *Maternal Mortality Rates and Statics*. Maternal Mortality Rates and Statics - UNICEF Data. Retrieved Maret 21, 2022, from <https://data.unicef.org/topic/maternal-health/maternal-mortality/>
- Vasquez, V, & Desai, S, 2018, *Labor and Delivery and Their Complication*. In *Rosen's Emergency Medicine : Concepts and Clinical Practice 9th Edition*, hal. 2296-2312, Elsevier.
- WHO, 2019, *WHO monitoring health for SDG's*. *WHO Health Statics*, hal. 85.
- Watkins, L, Kearney, ., Kynn, M, Hodgman, C, Nugent, R, 2021, ‘Implementation of A Guideline of Early Administration of Tranexamic Acid For Severe Primary Post Partum Hemorrhage : a Retrospective Comparative Study’, *The Australian & New Zealand Journals of Obstetrics and Gynaecology*, Vol 61, Hal 354-359
- WOMAN Trial Collaborators, 2017, ‘Effect of early tranexamic acid administration on mortality, hysterectomy, and other morbidities in women with post-partum haemorrhage (WOMAN): an international, randomised, double-blind, placebo-controlled trial’, *Lancet (London, England)*, vol 389, hal 2105–2116. [https://doi.org/10.1016/S0140-6736\(17\)30638-4](https://doi.org/10.1016/S0140-6736(17)30638-4)
- Xia Y, Griffiths BB, Xue Q, 2020, ‘Tranexamic acid for postpartum hemorrhage prevention in vaginal delivery: A meta-analysis’, *Medicine (Baltimore)*. vol 99, hal e18792, <https://doi.org/10.1097/MD.00000000000018792>
- Yusmawati, 2015, Hubungan Retensio Plasenta dengan Kejadian Perdarahan Post Partum di Ruang Mawar RSUD Sampang, Akademi Keperawatan Nazhatut thullab Sampang, Madura.
- Zargar, M, Nikbakht, R, & Ahmadi, M, 2018, ‘The Effect of Tranexamic Acid on Preventing Post-partum Hemorrhage Due to Uterine Atony: A Triple-blind Randomized Clinical Trial.’, *Current clinical pharmacology*, vol 13(2), hal 136–139. <https://doi.org/10.2174/1574884713666180507101002>