

## DAFTAR PUSTAKA

- [1] M. Nahid Reza and M. Ahmad, "Automatic detection of optic disc in fundus images by curve operator," in *2015 2nd International Conference on Electrical Information and Communication Technologies (EICT)*, IEEE, Dec. 2015, pp. 143–147. doi: 10.1109/EICT.2015.7391936.
- [2] Erwin, B. Cania, and I. K. Larasati, "Technique automatic for detection and segmentation of optic disc area in retinal image," *J Phys Conf Ser*, vol. 1500, no. 1, p. 012089, Apr. 2020, doi: 10.1088/1742-6596/1500/1/012089.
- [3] Z. U. Rehman, S. S. Naqvi, T. M. Khan, M. Arsalan, M. A. Khan, and M. A. Khalil, "Multi-parametric optic disc segmentation using superpixel based feature classification," *Expert Syst Appl*, vol. 120, pp. 461–473, Apr. 2019, doi: 10.1016/j.eswa.2018.12.008.
- [4] R. G. Ramani and J. J. Shanthamalar, "Improved image processing techniques for optic disc segmentation in retinal fundus images," *Biomed Signal Process Control*, vol. 58, p. 101832, Apr. 2020, doi: 10.1016/j.bspc.2019.101832.
- [5] R. Zhao, X. Chen, X. Liu, Z. Chen, F. Guo, and S. Li, "Direct Cup-to-Disc Ratio Estimation for Glaucoma Screening via Semi-Supervised Learning," *IEEE J Biomed Health Inform*, vol. 24, no. 4, pp. 1104–1113, Apr. 2020, doi: 10.1109/JBHI.2019.2934477.
- [6] S. Morales, V. Naranjo, J. Angulo, and M. Alcaniz, "Automatic Detection of Optic Disc Based on PCA and Mathematical Morphology," *IEEE Trans Med Imaging*, vol. 32, no. 4, pp. 786–796, Apr. 2013, doi: 10.1109/TMI.2013.2238244.

- [7] R. J. Chalakkal, W. H. Abdulla, and S. S. Thulaseedharan, “Automatic detection and segmentation of optic disc and fovea in retinal images,” *IET Image Process*, vol. 12, no. 11, pp. 2100–2110, Nov. 2018, doi: 10.1049/iet-ipr.2018.5666.
- [8] A. Hutami, H. A. Nugroho, E. L. Frannita, and R. Nurfauzi, “Adaptive Localization and Segmentation of Optic Disc using K-means and Active Contour,” in *2019 5th International Conference on Science in Information Technology (ICSITech)*, IEEE, Oct. 2019, pp. 100–105. doi: 10.1109/ICSITech46713.2019.8987519.
- [9] H. A. Nugroho, W. K. Z. Oktoeberza, A. Erasari, A. Utami, and C. Cahyono, “Segmentation of optic disc and optic cup in colour fundus images based on morphological reconstruction,” in *2017 9th International Conference on Information Technology and Electrical Engineering (ICITEE)*, IEEE, Oct. 2017, pp. 1–5. doi: 10.1109/ICITEED.2017.8250456.
- [10] S. A. Tuncer, “Optic Disc Segmentation based on Template Matching and Active Contour Method,” *BALKAN JOURNAL OF ELECTRICAL & COMPUTER ENGINEERING*, vol. 7, no. 1, pp. 56–63, Jan. 2019.
- [11] M. D. Abramoff, M. K. Garvin, and M. Sonka, “Retinal Imaging and Image Analysis,” *IEEE Rev Biomed Eng*, vol. 3, pp. 169–208, 2010, doi: 10.1109/RBME.2010.2084567.
- [12] M. A. U. Khan, N. Mir, A. Sarirete, M. R. Nasir, M. M. Abdelazim, and M. Z. Yasin, “Optic Disc Detection and Segmentation with Vessel Convergence and Elliptical Symmetry Evidences,” *Procedia Comput Sci*, vol. 163, pp. 609–617, 2019, doi: 10.1016/j.procs.2019.12.143.
- [13] Ayushi Agarwal, Sharadha Gulia, Somal Chaudhary, Carlos M. Travieso, and Jesus B. Alonso-Hernandez, “A novel approach to detect glaucoma in retinal fundus image using cup disk and rim-disk ratio,” *international work conference on bio inspired intelligence*, pp. 139–143, 2015.

- [14] S. Omid, J. Shanbehzadeh, Z. Ghassabi, and S. S. Ostadzadeh, "Optic disc detection in high-resolution retinal fundus images by region growing," in *2015 8th International Conference on Biomedical Engineering and Informatics (BMEI)*, IEEE, Oct. 2015, pp. 101–105. doi: 10.1109/BMEI.2015.7401481.
- [15] P. Konatham\*, M. Venigalla, L. P. Amaraneni, and Dr. K. S. Vani, "Automatic Detection of Optic Disc for Diabetic Retinopathy," *International Journal of Innovative Technology and Exploring Engineering*, vol. 9, no. 7, pp. 1013–1015, May 2020, doi: 10.35940/ijitee.F4390.059720.
- [16] P. K. K. D. Huang, C. Y. Lowder, and E. I. Traboulsi, "Retinal Imaging," *Mosby Elsevier*, 2016.
- [17] M. Niemeijer *et al.*, "Retinopathy Online Challenge: Automatic Detection of Microaneurysms in Digital Color Fundus Photographs," *IEEE Trans Med Imaging*, vol. 29, no. 1, pp. 185–195, Jan. 2010, doi: 10.1109/TMI.2009.2033909.
- [18] A. Osareh, B. Shadgar, and R. Markham, "A Computational-Intelligence-Based Approach for Detection of Exudates in Diabetic Retinopathy Images," *IEEE Transactions on Information Technology in Biomedicine*, vol. 13, no. 4, pp. 535–545, Jul. 2009, doi: 10.1109/TITB.2008.2007493.
- [19] S. R. Nirmala, M. K. Nath, and S. Dandapat, "Retinal Image Analysis: A Review," *International Journal of Computer and Communication Technology*, pp. 265–269, Oct. 2012, doi: 10.47893/IJCCT.2012.1154.
- [20] W. Burger and M. J. Burge, *Principles of Digital Image Processing*. London: Springer London, 2009. doi: 10.1007/978-1-84800-191-6.
- [21] Sulistiyanti, S. F. X. A. S.R., and A. Susanto, "Histogram Characterizations of Infrared Images Captured By a Modified Digital

- Camera,” *International Journal of Electronic Engineering Research*, pp. 329–336, 2009.
- [22] Prasanna Porwal *et al.*, “Indian Diabetic Retinopathy Image Dataset (IDRiD),” *IEEE*, Apr. 2018.
- [23] R. C. Gonzalez and R. E. Woods, “Chapter 3: Histogram Equalization,” in *Digital Image Processing*, 2002, pp. 91–94.
- [24] P. Kaler, “Study of Grayscale image in Image processing,” *International Journal on Recent and Innovation Trends in Computing and Communication*, vol. 4(11), pp. 309–311, 2016.
- [25] V. M. Mohan, R. Kanaka Durga, S. Devathi, and K. Srujan Raju, “Image Processing Representation Using Binary Image; Grayscale, Color Image, and Histogram,” 381st ed. New Delhi: Springer, 2016, pp. 353–361. doi: 10.1007/978-81-322-2526-3\_37.
- [26] A. H. Pratomo, “Implementasi Algoritma Region of Interest (ROI) untuk Meningkatkan Performa Algoritma Deteksi dan Klasifikasi Kendaraan,” *Jurnal Teknologi Informasi dan Ilmu Komputer (JTIIK)*, no. 07, pp. 155–162, 2020.
- [27] Nazanin Sadat Hashemi, Roya Babaei Aghdam, Atieh Sadat Bayat Ghiasi, and Parastoo Fatemi, “Template Matching Advances and Applications in Image Analysis,” *American Scientific Research Journal for Engineering, Technology, and Sciences (ASRJETS)*, vol. 26, no. 3, pp. 91–108, 2016.
- [28] X. Binjie and J. Hu, “Fabric appearance testing,” in *Fabric Testing*, Elsevier, 2008, pp. 148–188. doi: 10.1533/9781845695064.148.
- [29] L. Mredhula and M. A. Dorairangaswamy, “An effective image denoising using PPCA and classification of CT images using artificial neural networks,” *Int J Med Eng Inform*, vol. 9, no. 1, p. 30, 2017, doi: 10.1504/IJMEI.2017.080923.

- [30] H. S. Prasantha, “MEDICAL IMAGE SEGMENTATION,” *International Journal of Advanced Trends in Computer Science and Engineering*, no. 02( 0975-3397), pp. 1209–1218, 2010.
- [31] M.Shah., “Region Segmentation,” *Fundamentals of Computer Vision, Computer Science Department of Central Florida*, pp. 53–56, 1997.
- [32] K. K. D. Ramesh, G. Kumar, K. Swapna, D. Datta, and S. Rajest, “A Review of Medical Image Segmentation Algorithms,” *EAI Endorsed Trans Pervasive Health Technol*, p. 169184, Jul. 2018, doi: 10.4108/eai.12-4-2021.169184.
- [33] Q. Q. Y. W. X. Kang and R. R. Liang, “The Comparative Research on Image Segmentation Algorithms,” *IEEE*, pp. 703–707, 2009.
- [34] R. J. Hemalatha, T. R. Thamizhvani, A. J. A. Dhivya, J. E. Joseph, B. Babu, and R. Chandrasekaran, “Active Contour Based Segmentation Techniques for Medical Image Analysis,” in *Medical and Biological Image Analysis*, InTech, 2018. doi: 10.5772/intechopen.74576.
- [35] A. Pamungkas, “Operasi Morfologi citra, Pemrograman Matlab,” <https://pemrogramanmatlab.com/pengolahan-citra-digital/operasi-morfologi-citra>, 2019.
- [36] D. S. Moore, W. I. Notz, and M. A. Flinger, “Test of Significance: The Basics,” in *The basic practice of statistics 6th ed.*, 2013, pp. 369–382.
- [37] Noohi Khan, “Introduction to Statistical Tests of Significance ,” *Research & Reviews: Journal of Statistics* , vol. 10, no. 2, pp. 17–22, 2021.
- [38] P. R. Wankhede and K. B. Khanchandani, “Optic disc detection using histogram based template matching,” in *2016 International Conference on Signal Processing, Communication, Power and Embedded System (SCOPEs)*, IEEE, Oct. 2016, pp. 182–185. doi: 10.1109/SCOPEs.2016.7955765.

- [39] H. Yu *et al.*, “Fast Localization and Segmentation of Optic Disk in Retinal Images Using Directional Matched Filtering and Level Sets,” *IEEE Transactions on Information Technology in Biomedicine*, vol. 16, no. 4, pp. 644–657, Jul. 2012, doi: 10.1109/TITB.2012.2198668.
- [40] D. Lee, E. S. Yung, and L. Jay Katz, “Clinical examination of glaucoma,” in *Ophthalmology*, 5th ed. 2018, pp. 1024–1033.