

DAFTAR PUSTAKA

- Agostoni, C. V., Bresson, J. L., Fairweather Tait, S., Flynn, A., Golly, I., Korhonen, H., ... & Verhagen, H. (2010). Scientific opinion on dietary reference values for water.
- Alkaf, S. *et al.* (2019) "Risk factors analysis of low back pain in pregnancy," *Jurnal Kedokteran dan Kesehatan Publikasi Ilmiah Fakultas Kedokteran Universitas Sriwijaya*, 6(3), pp. 115–123. Available at: <https://doi.org/10.32539/jkk.v6i3.9436>.
- Al-Sayegh, N. A., Salem, M., Dashti, L. F., Al Sharrah, S., Kalakh, S., & Al Rashidi, R. (2012). Pregnancy-related lumbopelvic pain: Prevalence, risk factors, and profile in Kuwait. *Pain Medicine*, 13(8), 1081e1087.
- Bardosono, S., Prasmusinto, D., Hadiati, D. R., Purwaka, B. T., Morin, C., Pohan, R., Sunardi, D., Chandra, D. N., & Guelinckx, I. (2016). Fluid intake of pregnant and breastfeeding women in Indonesia: A cross-sectional survey with a seven-day fluid specific record. *Nutrients*, 8(11). <https://doi.org/10.3390/nu8110651>
- Bear, T., Philipp, M., Hill, S., & Mündel, T. (2016). A preliminary study on how hypohydration affects pain perception. *Psychophysiology*, 53(5), 605–610. <https://doi.org/10.1111/psyp.12610>
- Berber, M. A., & Satılmış, İ. G. (2020). Characteristics of Low Back Pain in Pregnancy, Risk Factors, and Its Effects on Quality of Life. *Pain Management Nursing*, 21(6), 579–586. <https://doi.org/10.1016/j.pmn.2020.05.001>
- Bogduk N. (2009). On the definitions and physiology of back pain, referred pain, and radicular pain. *Pain*, 147(1-3), 17–19. <https://doi.org/10.1016/j.pain.2009.08.020>
- Botsford, D. J., Esses, S. I., & Ogilvie-Harris, D. J. (1994). In vivo diurnal variation in intervertebral disc volume and morphology. *Spine*, 19(8), 935–940. <https://doi.org/10.1097/00007632-199404150-00012>
- Carvalho, M. E. C. C., Lima, L. C., de Lira Terceiro, C. A., Pinto, D. R. L., Silva, M. N., Cozer, G. A., & Couceiro, T. C. M. (2017). Lombalgia na gestação [Low back pain during pregnancy]. *Revista brasileira de anestesiologia*, 67(3), 266–270. <https://doi.org/10.1016/j.bjan.2016.03.002>
- Casiano VE, Sarwan G, Dydyk AM, et al. Back Pain. [Updated 2022 Sep 4]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK538173/>
- Choi, J. C., Chung, M., & Lee, Y. (2012). Modulation of pain sensation by stress-related testosterone and cortisol. *Anaesthesia*, 67, 1146–1151.
- Chou R. (2010). Low back pain (chronic). *BMJ clinical evidence*, 2010, 1116.
- Craig A. D. (2003). A new view of pain as a homeostatic emotion. *Trends in neurosciences*, 26(6), 303–307. [https://doi.org/10.1016/s0166-2236\(03\)00123-1](https://doi.org/10.1016/s0166-2236(03)00123-1)

- Cowbrough, K., & Lloyd, H. (2003). A measurement and comparison of the fluid intake in people with and without back pain. *Journal of human nutrition and dietetics : the official journal of the British Dietetic Association*, 16(6), 403–409. <https://doi.org/10.1046/j.1365-277x.2003.00476.x>
- De Geer C. M. (2018). Intervertebral Disk Nutrients and Transport Mechanisms in Relation to Disk Degeneration: A Narrative Literature Review. *Journal of chiropractic medicine*, 17(2), 97–105. <https://doi.org/10.1016/j.jcm.2017.11.006>
- Donnally III, C. J., Hanna, A., & Varacallo, M. (2021). Lumbar Degenerative Disk Disease. In *StatPearls*. StatPearls Publishing.
- Dudek, S. G., & Dudek, S. G. (2013). *Nutrition essentials for nursing practice*. Lippincott Williams & Wilkins.
- Elden, H. *et al.* (2016) ‘Predictors and consequences of long-term pregnancy-related pelvic girdle pain: A longitudinal follow-up study’, *BMC Musculoskeletal Disorders*. doi: 10.1186/s12891-016-1154-0
- Fast, A., Shapiro, D., Ducommun, E. J., Friedmann, L. W., Bouklas, T., & Floman, Y. (1987). Low-back pain in pregnancy. *Spine*, 12(4), 368–371. <https://doi.org/10.1097/00007632-198705000-00011>
- Fatmawati, E., Hadiati, D. & Pradjatmo, H. (2018). Hubungan Asupan Cairan Ibu Hamil terhadap Indeks Cairan Amnion. *Jurnal Kesehatan Reproduksi*, 5(2), p.89.
- Gjerdingen, D., Fontaine, P., Crow, S., McGovern, P., Center, B., & Miner, M. (2009). Predictors of mothers' postpartum body dissatisfaction. *Women & health*, 49(6), 491–504. <https://doi.org/10.1080/03630240903423998>
- Hendry N. G. (1958). The hydration of the nucleus pulposus and its relation to intervertebral disc derangement. *The Journal of bone and joint surgery*. British volume, 40-B(1), 132–144. <https://doi.org/10.1302/0301-620X.40B1.132>
- Indriyani Makmun, Ana Pujiyanti Harahap, Aulia Amini, Rizkia Amilia, & Ni Wayan Ari Adiputri. (2022). Implications of Prenatal Gentle Yoga on Low Back Pain among Women in the Second and Third Trimesters of Pregnancy. *Embrio : Jurnal Kebidanan*, 14(2), 221–226. <https://doi.org/10.36456/embrio.v14i2.5710>
- Jimoh, A. A. G., Omokanye, L. O., Salaudeen, A. G., Saidu, R., Saka, M. J., Akinwale, A., Balogun, O. R., & Sulaimain, Z. A. (2013). Prevalence of low back pain among pregnant women in Ilorin, Nigeria. *Medical Practice and Reviews*, 4(4), 23e26.
- Kamihara, M., Nakano, S., Fukunaga, T., Ikeda, K., Tsunetoh, T., Tanada, D., & Murakawa, K. (2014). Spinal cord stimulation for treatment of leg pain associated with lumbar spinal stenosis. *Neuromodulation : journal of the International Neuromodulation Society*, 17(4), 340–345. <https://doi.org/10.1111/ner.12092>
- Katonis, P., Kampouroglou, A., Aggelopoulos, A., Kakavelakis, K., Lykoudis, S., Makrigiannakis, A., & Alpantaki, K. (2011). Nyeri punggung bawah terkait kehamilan. *Hippokratia*, 15 (3), 205–210.

- Kristiansson, P., Svärdsudd, K., & von Schoultz, B. (1996). Back pain during pregnancy: a prospective study. *Spine*, 21(6), 702–709. <https://doi.org/10.1097/00007632-199603150-00008>
- Liu, B., Song, L., Zhang, L., Wang, L., Wu, M., Xu, S., Cao, Z., & Wang, Y. (2020). Higher Numbers of Pregnancies Associated With an Increased Prevalence of Gestational Diabetes Mellitus: Results From the Healthy Baby Cohort Study. *Journal of epidemiology*, 30(5), 208–212. <https://doi.org/10.2188/jea.JE20180245>
- MacLennan, A. H., Nicolson, R., Green, R. C., & Bath, M. (1986). Serum relaxin and pelvic pain of pregnancy. *Lancet (London, England)*, 2(8501), 243–245. [https://doi.org/10.1016/s0140-6736\(86\)92069-6](https://doi.org/10.1016/s0140-6736(86)92069-6)
- Mahishale, A.V., & Borkar, S.S. (2015). Prevalence of Patterns of Pregnancy induced Pelvic Girdle Pain and Low Back Pain in a Tertiary Care Centre- a Cross Sectional Study. -. *International Journal of Therapies and Rehabilitation Research*, 4, 122–124.
- Mahmud, Sri, R., Iqbal, M. R., Lukman, W. A., & Sri, H. N. (2021). The prevalence and risk factors of low back pain among the nurses at Sardjito Hospital, Yogyakarta, Indonesia. *Anaesthesia, Pain and Intensive Care*, 25(1), 21–28. <https://doi.org/10.35975/APIC.V25I1.1432>
- Manyozo, S. D., Nesto, T., Bonongwe, P., & Muula, A. S. (2019). Low back pain during pregnancy: Prevalence, risk factors and association with daily activities among pregnant women in urban Blantyre, Malawi. *Malawi Medical Journal*, 31(1), 71–76. <https://doi.org/10.4314/mmj.v31i1.12>
- Mattiuzzi, C., Lippi, G., & Bovo, C. (2020). Current epidemiology of low back pain. *Journal of Hospital Management and Health Policy*, 4, 15–15. <https://doi.org/10.21037/jhmhp-20-17>
- Maughan, R. J. (2003). Impact of mild dehydration on wellness and on exercise performance. *European Journal of Clinical Nutrition*, 57, S19–S23. <https://doi.org/10.1038/sj.ejcn.1601897>
- Mens, J. M., Vleeming, A., Stoeckart, R., Stam, H. J., & Snijders, C. J. (1996). Understanding peripartum pelvic pain. Implications of a patient survey. *Spine*, 21(11), 1363–1370. <https://doi.org/10.1097/00007632-199606010-00017>
- Meucci, R. D., Fassa, A. G., & Xavier Faria, N. M. (2015). Prevalence of chronic low back pain: Systematic review. In *Revista de Saude Publica* (Vol. 49). Universidade de Sao Paulo. <https://doi.org/10.1590/S0034-8910.2015049005874>
- Mogren, I. M., & Pohjanen, A. I. (2002). Low Back Pain and Pelvic Pain During Pregnancy Prevalence and Risk Factors. In *SPINE* (Vol. 30, Issue 8).
- Mogren, I. M., & Pohjanen, A. I. (2005). Low back pain and pelvic pain during pregnancy: prevalence and risk factors. *Spine*, 30(8), 983–991. <https://doi.org/10.1097/01.brs.0000158957.42198.8e>

- Montgomery, K. S. (2002). Nutrition Column An Update on Water Needs during Pregnancy and Beyond. In *The Journal of Perinatal Education* (Vol. 11, Issue 3).
- Norén, L., Ostgaard, S., Nielsen, T. F., & Ostgaard, H. C. (1997). Reduction of sick leave for lumbar back and posterior pelvic pain in pregnancy. *Spine*, 22(18), 2157–2160. <https://doi.org/10.1097/00007632-199709150-00013>
- Novitasari, D. D., Sadeli, H. A., Soenggono, A., Sofiatin, Y., Sukandar, H., & Roesli, R. M. A. (2016). Prevalence and Characteristics of Low Back Pain among Productive Age Population in Jatinangor. In *Althea Medical Journal* (Vol. 3, Issue 3).
- Ogino, Y., Kakeda, T., Nakamura, K., & Saito, S. (2014). Dehydration enhances pain-evoked activation in the human brain compared with rehydration. *Anesthesia and analgesia*, 118(6), 1317–1325. <https://doi.org/10.1213/ANE.0b013e3182a9b028>
- Ostgaard, H. C., Andersson, G. B., & Karlsson, K. (1991). Prevalence of back pain in pregnancy. *Spine*, 16(5), 549–552. <https://doi.org/10.1097/00007632-199105000-00011>
- Panta, O. B., Songmen, S., Maharjan, S., Subedi, K., Ansari, M. A., & Ghimire, R. K. (2015). Morphological Changes in Degenerative Disc Disease on Magnetic Resonance Imaging: Comparison Between Young and Elderly. *Journal of Nepal Health Research Council*, 13(31), 209–213.
- Patacchioli, F. R., Monnazzi, P., Simeoni, S., De Filippis, S., Salvatori, E., Coloprisko, G., & Martelletti, P. (2006). Salivary cortisol, dehydroepiandrosterone-sulphate (DHEA-S) and testosterone in women with chronic migraine. *Journal of Headache and Pain*, 7, 90
- Perkumpulan Obstetri dan Ginekologi Indonesia. (2013). Konsensus Nasional: Kebutuhan Asupan Air bagi Ibu Hamil, Melahirkan, dan Menyusui. DKI Jakarta.
- Rajasekaran, S., Babu, J. N., Arun, R., Armstrong, B. R., Shetty, A. P., & Murugan, S. (2004). ISSLS prize winner: A study of diffusion in human lumbar discs: a serial magnetic resonance imaging study documenting the influence of the endplate on diffusion in normal and degenerate discs. *Spine*, 29(23), 2654–2667. <https://doi.org/10.1097/01.brs.0000148014.15210.64>
- Rodacki, C. L., Fowler, N. E., Rodacki, A. L., & Birch, K. (2003). Stature loss and recovery in pregnant women with and without low back pain. *Archives of physical medicine and rehabilitation*, 84(4), 507–512. <https://doi.org/10.1053/apmr.2003.50119>
- Rosendal, S. P., Strobel, N. A., Osborne, M. A., Fassett, R. G., & Coombes, J. S. (2015). Hydration and endocrine responses to intravenous fluid and oral glycerol. *Scandinavian Journal of Medicine and Science in Sports*, S1, 112–125.
- Sääksjärvi, S., Kerttula, L., Luoma, K., Pajananen, H., & Waris, E. (2020). Disc Degeneration of Young Low Back Pain Patients: A Prospective 30-year Follow-up MRI Study. *Spine*, 45(19), 1341–1347. <https://doi.org/10.1097/BRS.0000000000003548>

- Sabino, J., & Grauer, J. N. (2008). Pregnancy and low back pain. *Current reviews in musculoskeletal medicine*, 1(2), 137–141. <https://doi.org/10.1007/s12178-008-9021-8>
- Sarkar, P. K., Singh, P., Dhillon, M. S., Bhattacharya, S., & Singh, A. (2022). Postural deviation in pregnancy: A significant debilitating balance problem which can be rectified by physiotherapeutic intervention. *Journal of family medicine and primary care*, 11(7), 3717–3725. https://doi.org/10.4103/jfmpe.jfmpe_1807_21
- Schwarz-Nemec, U., Friedrich, K. M., Prayer, D., Trattinig, S., Schwarz, F. K., Weber, M., Bettelheim, D., Grohs, J. G., & Nemec, S. F. (2020). Lumbar Intervertebral Disc Degeneration as a Common Incidental Finding in Young Pregnant Women as Observed on Prenatal Magnetic Resonance Imaging. *Journal of women's health* (2002), 29(5), 713–720. <https://doi.org/10.1089/jwh.2019.7964>
- Stapleton, D. B., & MacLennan, A. H. (2002). The prevalence of recalled low back pain during and after pregnancy: a South Australian population survey. In *Aust N Z J Obstet Gynaecol* (Vol. 42, Issue 5).
- Svensson, H. O., Andersson, G. B., Hagstad, A., & Jansson, P. O. (1990). The relationship of low-back pain to pregnancy and gynecologic factors. *Spine*, 15(5), 371–375. <https://doi.org/10.1097/00007632-199005000-00006>
- ul-Haq, F., Yaqoob, U., Mehmood, M., Siddiqui, A. A., Usama, S. M., Hussain, S. Z. M., & Khan, M. M. A. (2020). Characteristics of back pain in young adults and their relationship with dehydration: a cross sectional study. *F1000Research*, 9, 159. <https://doi.org/10.12688/f1000research.22298.1>
- Urban, J. P., Smith, S., & Fairbank, J. C. (2004). Nutrition of the intervertebral disc. *Spine*, 29(23), 2700–2709. <https://doi.org/10.1097/01.brs.0000146499.97948.52>
- Vrbanić T. S. (2011). Krizobolja--od definicije do dijagnoze [Low back pain--from definition to diagnosis]. *Reumatizam*, 58(2), 105–107.
- Wang, S. M., Dezinno, P., Maranets, I., Berman, M. R., Caldwell-Andrews, A. A., & Kain, Z. N. (2004). Low back pain during pregnancy: prevalence, risk factors, and outcomes. *Obstetrics and gynecology*, 104(1), 65–70. <https://doi.org/10.1097/01.AOG.0000129403.54061.0e>
- Weinstein, J. N., Lurie, J. D., Tosteson, T. D., Zhao, W., Blood, E. A., Tosteson, A. N., Birkmeyer, N., Herkowitz, H., Longley, M., Lenke, L., Emery, S., & Hu, S. S. (2009). Surgical compared with nonoperative treatment for lumbar degenerative spondylolisthesis. four-year results in the Spine Patient Outcomes Research Trial (SPORT) randomized and observational cohorts. *The Journal of bone and joint surgery. American volume*, 91(6), 1295–1304. <https://doi.org/10.2106/JBJS.H.00913>
- Wong, J., Sampson, SL, Bell-Briones, H., Ouyang, A., Lazar, AA, Lotz, JC, & Fields, AJ (2019). Pasokan nutrisi dan fungsi sel nukleus pulposus: efek dari sifat transportasi pelat tulang rawan dan implikasi potensial untuk terapi biologis

- intradiscal. Osteoarthritis dan tulang rawan , 27 (6), 956–964.
<https://doi.org/10.1016/j.joca.2019.01.013>
- Wu, A., March, L., Zheng, X., Huang, J., Wang, X., Zhao, J., Blyth, F. M., Smith, E., Buchbinder, R., & Hoy, D. (2020). Global low back pain prevalence and years lived with disability from 1990 to 2017: estimates from the Global Burden of Disease Study 2017. *Annals of Translational Medicine*, 8(6), 299–299.
<https://doi.org/10.21037/atm.2020.02.175>
- Yao, H., & Gu, W. Y. (2007). Three-dimensional inhomogeneous triphasic finite-element analysis of physical signals and solute transport in human intervertebral disc under axial compression. *Journal of biomechanics*, 40(9), 2071–2077.
<https://doi.org/10.1016/j.jbiomech.2006.10.001>
- Zhang, N., Du, S., Tang, Z., Zheng, M., Yan, R., Zhu, Y., & Ma, G. (2017). Hydration, Fluid Intake, and Related Urine Biomarkers among Male College Students in Cangzhou, China: A Cross-Sectional Study-Applications for Assessing Fluid Intake and Adequate Water Intake. *International journal of environmental research and public health*, 14(5), 513. <https://doi.org/10.3390/ijerph14050513>
- Zhang, N., Zhang, F., Chen, S., Han, F., Lin, G., Zhai, Y., He, H., Zhang, J., & Ma, G. (2020). Associations between hydration state and pregnancy complications, maternal-infant outcomes: Protocol of a prospective observational cohort study. *BMC Pregnancy and Childbirth*, 20(1). <https://doi.org/10.1186/s12884-020-2765-x>
- Zhou, Y., Zhu, X., Qin, Y., Li, Y., Zhang, M., Liu, W., Huang, H., & Xu, Y. (2019). Association between total water intake and dietary intake of pregnant and breastfeeding women in China: a cross-sectional survey. *BMC pregnancy and childbirth*, 19(1), 172. <https://doi.org/10.1186/s12884-019-2301-z>