

## DAFTAR PUSTAKA

- [1] Sucipta and H. A. Pratama, "Planning and concept of borehole disposal technology for disposal of disused sealed radiation sources from using in health and industry," *J. Phys. Conf. Ser.*, vol. 1436, no. 1, p. 012033, Jan. 2020, doi: 10.1088/1742-6596/1436/1/012033.
- [2] E. A. Bates, M. J. Driscoll, R. K. Lester, and B. W. Arnold, "Can deep boreholes solve America's nuclear waste problem?," *Energy Policy*, vol. 72, pp. 186–189, Sep. 2014, doi: 10.1016/j.enpol.2014.03.003.
- [3] R. C. Ewing, R. A. Whittleston, and B. W. D. Yardley, "Geological Disposal of Nuclear Waste: a Primer," *Elements*, vol. 12, no. 4, pp. 233–237, Aug. 2016, doi: 10.2113/gselements.12.4.233.
- [4] A. Bala, J. R. Brown, D. G. Jenkins, and P. Joshi, "Operation of scintillators and SiPMs at high temperatures and their application for borehole logging," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 997, p. 165161, May 2021, doi: 10.1016/j.nima.2021.165161.
- [5] M. R. Ansyori, "Mengenal Enhanced Oil Recovery (EOR) Sebagai Solusi Meningkatkan Produksi Minyak," *Swara Patra Maj. Ilm. PPSDM Migas*, vol. 8, no. 2, Art. no. 2, Jun. 2018.
- [6] H. Wang, "A non-isothermal wellbore model for high pressure high temperature natural gas reservoirs and its application in mitigating wax deposition," *J. Nat. Gas Sci. Eng.*, vol. 72, p. 103016, Dec. 2019, doi: 10.1016/j.jngse.2019.103016.
- [7] M. R. Desrosiers and E. M. A. Hussein, "Reducing fast-neutron sensitivity of slow-neutron detectors for use in neutron scatterometry," International Atomic Energy Agency (IAEA), 1998.
- [8] R. T. Kouzes, "The  $^3\text{He}$  Supply Problem," PNNL Report 18388, 2009.
- [9] A. Oed, "Detectors for thermal neutrons," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 525, no. 1–2, pp. 62–68, Jun. 2004, doi: 10.1016/j.nima.2004.03.025.
- [10] R. T. Kouzes *et al.*, "Neutron detection alternatives to  $^3\text{He}$  for national security applications," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 623, no. 3, pp. 1035–1045, Nov. 2010, doi: 10.1016/j.nima.2010.08.021.
- [11] R. Shiwang *et al.*, "Application of Pulsed Neutron Logging in Open Hole Environment," in *Day 2 Wed, April 10, 2019*, Mumbai, India: SPE, Apr. 2019, p. D021S009R003. doi: 10.2118/194596-MS.
- [12] M. Fauzan, "Analisis Pengaruh Parameter Sumur Bor Terhadap Sensitivitas Pengukuran Porositas Menggunakan Metode Compensated Neutron Logging Dengan Simulasi MCNP," Universitas Gadjah Mada, 2022. Accessed: May 24, 2023. [Online]. Available: <http://etd.repository.ugm.ac.id/penelitian/detail/210730>
- [13] T. Sato *et al.*, "Features of Particle and Heavy Ion Transport code System (PHITS) version 3.02," *J. Nucl. Sci. Technol.*, vol. 55, no. 6, pp. 684–690, Jun. 2018, doi: 10.1080/00223131.2017.1419890.



- [14] M. I. Pinilla, "An MCNP simulation study of an oil well logging benchmarking tool and a test enclosure," 2019, Accessed: May 24, 2023. [Online]. Available: <https://krex.k-state.edu/handle/2097/40250>
- [15] K. E. Dahlberg, "A Practical Model For Analysis Of Compensated Neutron Logs In Complex Formations," presented at the SPWLA 30th Annual Logging Symposium, OnePetro, Jun. 1989. Accessed: May 24, 2023. [Online]. Available: <https://onepetro.org/SPWLAALS/proceedings-abstract/SPWLA-1989/All-SPWLA-1989/18987>
- [16] A. L. Sousa, H. A. Matos, and L. P. Guerreiro, "Preventing and removing wax deposition inside vertical wells: a review," *J. Pet. Explor. Prod. Technol.*, vol. 9, no. 3, pp. 2091–2107, Sep. 2019, doi: 10.1007/s13202-019-0609-x.
- [17] C. M. Choong, B. Sautter, M. Pubellier, D. Menier, C. Sum, and A. Abd Kadir, "Geological features of the kinta valley," *Platf. J. Eng. Sci. Soc.*, vol. 10, Dec. 2014.
- [18] A. D. Geofany, E. D. Mayasari, and E. W. D. Hastuti, "KLASIFIKASI BATUGAMPING FORMASI BATURAJA, DAERAH KARANGENDAH DAN SEKITARNYA, KECAMATAN LENGKITI, KABUPATEN OGAN KOMERING ULU, SUMATERA SELATAN," *Appl. Innov. Eng. Sci. Res. AVoER*, pp. 772–777, 2019.
- [19] T. S. Nguyen, Z. Li, G. Su, M. H. B. Nasser, and R. P. Young, "Hydro-mechanical behavior of an argillaceous limestone considered as a potential host formation for radioactive waste disposal," *J. Rock Mech. Geotech. Eng.*, vol. 10, no. 6, pp. 1063–1081, Dec. 2018, doi: 10.1016/j.jrmge.2018.03.010.
- [20] Ali M. Qaid, Naji Alqubati, and Ali M. Al-Hawbani, "Physical and Geochemical Assessment of Limestone of Amran Group in Arhab Area-North Sana'a for Industrial Uses," *Tech. Biochem.*, vol. 2, no. 2, pp. 28–38, 2021.
- [21] T. von Berlepsch and B. Haverkamp, "Salt as a Host Rock for the Geological Repository for Nuclear Waste," *Elements*, vol. 12, no. 4, pp. 257–262, Aug. 2016, doi: 10.2113/gselements.12.4.257.
- [22] M. V. K  k, M. A. Varfolomeev, and D. K. Nurgaliev, "Wax appearance temperature (WAT) determinations of different origin crude oils by differential scanning calorimetry," *J. Pet. Sci. Eng.*, vol. 168, pp. 542–545, Sep. 2018, doi: 10.1016/j.petrol.2018.05.045.
- [23] L. Cao, J. Sun, J. Liu, and J. Liu, "Experiment and Application of Wax Deposition in Dabei Deep Condensate Gas Wells with High Pressure," *Energies*, vol. 15, no. 17, p. 6200, Aug. 2022, doi: 10.3390/en15176200.
- [24] R. Bagai *et al.*, "Understanding wax appearance temperature in light crude oils by DSC, NMR, and HT-GC," *Pet. Sci. Technol.*, vol. 35, no. 15, pp. 1595–1600, Aug. 2017, doi: 10.1080/10916466.2017.1322978.
- [25] A. Hosseinipour, A. B. Japper-Jaafar, and S. Yusup, "The Effect of CO<sub>2</sub> on Wax Appearance Temperature of Crude Oils," *Procedia Eng.*, vol. 148, pp. 1022–1029, 2016, doi: 10.1016/j.proeng.2016.06.580.
- [26] W. A. Metwally, "Porosity calculations using a C/O logging tool with boron-lined NaI detectors," *Appl. Radiat. Isot.*, vol. 69, no. 1, pp. 217–219, Jan. 2011, doi: 10.1016/j.apradiso.2010.08.003.



- [27] G. Antariksa, H. Danusaputro, and T. Yulianto, "ANALISIS POROSITAS DAN SATURASI AIR DALAM INTEGRASI PETROPHYSICS DAN SEISMIC MULTIATTRIBUTES UNTUK KARAKTERISASI RESERVOIR," *Youngster Phys. J.*, vol. 5, no. 4, Art. no. 4, Oct. 2016.
- [28] J. Liu, F. Zhang, X. Wang, F. Han, and Z. Yuan, "Numerical study on determining formation porosity using a boron capture gamma ray technique and MCNP," *Appl. Radiat. Isot.*, vol. 94, pp. 266–271, Dec. 2014, doi: 10.1016/j.apradiso.2014.08.013.
- [29] A. T. Alimkhanov, A. V. Ishchenko, L. V. Victorov, and D. V. Raykov, "The neutron detector based on cerium doped  $6\text{Li}$ -silicate glass," presented at the PHYSICS, TECHNOLOGIES AND INNOVATION (PTI-2019): Proceedings of the VI International Young Researchers' Conference, Ekaterinburg, Russia, 2019, p. 020202. doi: 10.1063/1.5134353.
- [30] A. Bala, D. G. Jenkins, and S. Namadi, "Radiation detectors for nuclear well-logging application: A review," *Dutse J. Pure Appl. Sci.*, vol. 8, no. 2a, pp. 80–93, Jun. 2022, doi: 10.4314/dujopas.v8i2a.9.
- [31] D. Henzlova *et al.*, "Current Status of Helium-3 Alternative Technologies for Nuclear Safeguards," LA-UR--15-21201, 1227248, Dec. 2015. doi: 10.2172/1227248.
- [32] R. T. Kouzes *et al.*, "Neutron detection alternatives to  $^3\text{He}$  for national security applications," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 623, no. 3, pp. 1035–1045, Nov. 2010, doi: 10.1016/j.nima.2010.08.021.
- [33] E. A. Al Muraikhi, "Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool," *Theses*, May 2017, [Online]. Available: [https://scholarworks.uaeu.ac.ae/all\\_theses/624](https://scholarworks.uaeu.ac.ae/all_theses/624)
- [34] M. H. Rider and M. Kennedy, *The geological interpretation of well logs*, 3rd ed. Glasgow: Rider-French consulting, 2011.
- [35] B. Won, S. Hwang, and J. Shin, "An Analysis on Response Characteristics of a Dual Neutron Logging using Monte Carlo Simulation," *J. Eng. Geol.*, vol. 27, no. 4, pp. 429–438, Dec. 2017, doi: 10.9720/KSEG.2017.4.429.
- [36] E. A. Al Muraikhi, "Optimization of A Combined Carbon/Oxygen And Neutron Porosity Oil Well Logging Tool," *Theses*, May 2017, [Online]. Available: [https://scholarworks.uaeu.ac.ae/all\\_theses/624](https://scholarworks.uaeu.ac.ae/all_theses/624)
- [37] D. Sun, Z. Zhu, Z. Hu, and M. Wu, "Experimental and theoretical study on wax deposition and the application on a heat insulated crude oil pipeline in Northeast China," *Oil Gas Sci. Technol. – Rev. D'IFP Energ. Nouv.*, vol. 75, p. 3, 2020, doi: 10.2516/ogst/2019064.
- [38] M. Fauzan, "Analisis Pengaruh Parameter Sumur Bor Terhadap Sensitivitas Pengukuran Porositas Menggunakan Metode Compensated Neutron Logging Dengan Simulasi MCNP," Universitas Gadjah Mada, 2022. Accessed: Jun. 15, 2023. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/210730>
- [39] W. Wu, M. Tong, L. Xiao, and J. Wang, "Porosity sensitivity study of the compensated neutron logging tool," *J. Pet. Sci. Eng.*, vol. 108, pp. 10–13, Aug. 2013, doi: 10.1016/j.petrol.2013.04.020.



- [40] W. A. Metwally and A. G. Emam, "Experimental validation and testing of a NaI boron-lined neutron detector," *Nucl. Instrum. Methods Phys. Res. Sect. B Beam Interact. Mater. At.*, vol. 422, pp. 7–11, May 2018, doi: 10.1016/j.nimb.2018.02.021.
- [41] Y. Peryoga, H. Sagara, and T. Shiba, "PHITS Benchmarking for HPGe Detector Efficiency," *Energy Procedia*, vol. 131, pp. 246–249, Dec. 2017, doi: 10.1016/j.egypro.2017.09.445.
- [42] H. Ithnin, L. N. S. Dahing, N. M. Lip, I. Q. Abd Rashid, and E. J. Mohamad, "Study on detection geometry and detector shielding for portable PGNAAs system using PHITS," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 298, p. 012053, Jan. 2018, doi: 10.1088/1757-899X/298/1/012053.
- [43] T. Cywicka-Jakiel, U. Woynicka, and T. Zorski, "The use of the MCNP code for the quantitative analysis of elements in geological formations," presented at the International conference on supercomputing in nuclear applications SNA'2003, France, 2003.
- [44] J. Oh *et al.*, "Comparison of the FLUKA, MCNPX, and PHITS Codes in Yield Calculation of Secondary Particles Produced by Intermediate Energy Proton Beam," *Prog. Nucl. Sci. Technol.*, vol. 1, no. 0, pp. 85–88, Feb. 2011, doi: 10.15669/pnst.1.85.
- [45] E. B. Podgoršak, *Radiation physics for medical physicists*. in Biological and medical physics, biomedical engineering. Berlin ; New York: Springer, 2006.
- [46] G. F. Knoll, *Radiation detection and measurement*, 4th ed. Hoboken, N.J: John Wiley, 2010.
- [47] L. Quintero, "Determination of Hydrocarbon Type From the Dual-Spaced Neutron Tool Responses.," Doctor of Philosophy, Louisiana State University and Agricultural & Mechanical College, 1997. doi: 10.31390/gradschool\_disstheses.6593.
- [48] J. R. Sinner, "THE DETERMINATION OF A VOLUMETRIC MIXING LAW FOR USE WITH THE NEUTRON POROSITY LOGGING TOOL," Stanford University, 1986. Accessed: May 25, 2023. [Online]. Available: <https://pangea.stanford.edu/ERE/pdf/SGPreports/SGP-TR-098.pdf>
- [49] F. Jowett, "Petroleum Wax," in *Petroleum Technology*, Hobson GD, 1984, pp. 1021–1042.
- [50] C. D. Hunt, "Dietary Boron: An Overview of the Evidence for Its Role in Immune Function," *J. Trace Elem. Exp. Med.*, vol. 16, no. 4, pp. 291–306, 2003, doi: 10.1002/jtra.10041.
- [51] Y. Zhu, J. Cai, N. S. Hosmane, and Y. Zhang, "Introduction: basic concept of boron and its physical and chemical properties," in *Fundamentals and Applications of Boron Chemistry*, Elsevier, 2022, pp. 1–57. doi: 10.1016/B978-0-12-822127-3.00003-X.
- [52] M. H. Rider, *The geological interpretation of well logs*. Glasgow [Strathclyde] : New York: Blackie ; Distributed in the USA by Halsted Press, 1986.
- [53] M. J. Loughlin, R. A. Forrest, and J. E. G. Edwards, "Neutron activation studies on JET," *Fusion Eng. Des.*, vol. 58–59, pp. 967–971, Nov. 2001, doi: 10.1016/S0920-3796(01)00523-3.



- [54] M. A. Theyab, "Wax deposition process: mechanisms, affecting factors and mitigation methods," *Open Access J. Sci.*, vol. 2, no. 2, Mar. 2018, doi: 10.15406/oajs.2018.02.00054.
- [55] S. Hillman, "PENENTUAN ZONA PROSPEK MELALUI ANALISIS PETROFISIKA PADA SUMUR SOUTH BARROW ALASKA UTARA MENGGUNAKAN METODE VOLUMETRIC ANALYSIS (VOLAN)," Universitas Gadjah Mada, 2016. Accessed: May 25, 2023. [Online]. Available: <http://etd.repository.ugm.ac.id/penelitian/detail/104538>
- [56] A. X. Chen, A. J. Antolak, and K.-N. Leung, "Electronic neutron sources for compensated porosity well logging," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 684, pp. 52–56, Aug. 2012, doi: 10.1016/j.nima.2012.04.053.
- [57] N. Tsoulfanidis and S. Landsberger, *Measurement & detection of radiation*, 4th edition. Boca Raton: CRC Press, Taylor & Francis Group, 2015.
- [58] D. Shea and D. Morgan, "The Helium-3 Shortage: Supply, Demand, and Options for Congress," *Congr. Res. Serv.*, p. R41419, Jan. 2011.
- [59] L. J. Bond *et al.*, "Evaluation of Non-Nuclear Techniques for Well Logging: Technology Evaluation," PNNL-19867, 1006309, Nov. 2010. doi: 10.2172/1006309.
- [60] R. T. Kouzes, A. T. Lintereur, and E. R. Siciliano, "Progress in alternative neutron detection to address the helium-3 shortage," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 784, pp. 172–175, Jun. 2015, doi: 10.1016/j.nima.2014.10.046.
- [61] C. W. E. Van Eijk, A. Bessière, and P. Dorenbos, "Inorganic thermal-neutron scintillators," *Nucl. Instrum. Methods Phys. Res. Sect. Accel. Spectrometers Detect. Assoc. Equip.*, vol. 529, no. 1–3, pp. 260–267, Aug. 2004, doi: 10.1016/j.nima.2004.04.163.
- [62] K. Niita, T. Sato, H. Iwase, H. Nose, H. Nakashima, and L. Sihver, "PHITS—a particle and heavy ion transport code system," *Radiat. Meas.*, vol. 41, no. 9–10, pp. 1080–1090, Oct. 2006, doi: 10.1016/j.radmeas.2006.07.013.
- [63] A. W. Harto, "METODE MONTE CARLO," presented at the Class, Departemen Teknik Nuklir dan Teknik Fisika, Teknik, UGM.
- [64] F. Al-Aryani, A. Obeidi, J. Brahmakulam, and R. Ramamoorthy, "Pulsed-Neutron Monitoring of the First CO<sub>2</sub> Enhanced-Oil-Recovery Pilot in the Middle East," *SPE Reserv. Eval. Eng.*, vol. 16, no. 01, pp. 72–84, Feb. 2013, doi: 10.2118/141490-PA.
- [65] S. Thomas, "Enhanced Oil Recovery - An Overview," *Oil Gas Sci. Technol. - Rev. IFP*, vol. 63, no. 1, pp. 9–19, Jan. 2008, doi: 10.2516/ogst:2007060.
- [66] T. Cywicka-Jakiel, U. Woynicka, and T. Zorski, "The use of the MCNP code for the quantitative analysis of elements in geological formations," presented at the International conference on supercomputing in nuclear applications SNA'2003, France, 2003.
- [67] B. Won, S. Hwang, and J. Shin, "An Analysis on Response Characteristics of a Dual Neutron Logging using Monte Carlo Simulation," *J. Eng. Geol.*, vol. 27, no. 4, pp. 429–438, Dec. 2017, doi: 10.9720/kseg.2017.4.429.





- [68] R. S. Detwiler, M. R.J., G. T.F., U. S.A., and E. E.J., *Compendium of Material Composition Data for Radiation Transport Modeling*. 2021. [Online]. Available: <https://www.pnnl.gov/publications/compendium-material-composition-data-radiation-transport-modeling-1>
- [69] A. T. Yue *et al.*, “Precision determination of absolute neutron flux,” *Metrologia*, vol. 55, no. 4, pp. 460–485, Aug. 2018, doi: 10.1088/1681-7575/aac283.
- [70] M. N. A, “PENGARUH SUMBER NEUTRON, BORON-LINING, DAN KEBERADAAN PARAFIN DALAM SUMUR BOR TERHADAP SENSITIVITAS PENGUKURAN POROSITAS FORMASI TANAH MENGGUNAKAN METODE CNL (COMPENSATED NEUTRON LOG),” Universitas Gadjah Mada, 2021. Accessed: Jun. 15, 2023. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/204724>
- [71] A. Bala, “Design and simulation of a new generation radiation detector for oil and gas exploration,” Ph.D., University of York, 2021. Accessed: Jun. 07, 2023. [Online]. Available: <https://etheses.whiterose.ac.uk/29496/>
- [72] A. Bolewski, M. Ciechanowski, A. Dydejczyk, and A. Kreft, “On the optimization of the isotopic neutron source method for measuring the thermal neutron absorption cross section: Advantages and disadvantages of  $\text{BF}_3$  and  $^3\text{He}$  counters,” *Appl. Radiat. Isot.*, vol. 66, no. 4, pp. 457–462, Apr. 2008, doi: 10.1016/j.apradiso.2007.10.010.
- [73] G. Gallant and E. M. A. Hussein, “Reduction of Background Radiation in Neutron Scatterometry,” University of New Brunswick, Fredericton, Canada.

